Gentlemen:

Please find enclosed the necessary information for a petition for an American Viticultural Area, as defined in 27CFR, Part 9 (Treasury Decision ATF-60), to be called Shenandoah Valley Viticultural Area.

Section 1 : Evidence that Shenandoah Valley Viticultural Area is locally and/or nationally known as referring to the area specified in the application:

A. Copy of Gourmet Magazine, May 1977, page 3, mentions Shenandoah Valley as a grape growing region.

B. Copy of Wine Growing regions of California by Specific Appellation Areas as determined by author. Amador County listed as Shenandoah Valley Appellation and Fiddletown Appellation.

C. Wine Store Catalog.

D. Wine story by Barbara Ensrud, Daily News, New York City, December 5, 1979.

E. Story in California Arizona Fram Press, dated July 19, 1980.

Section 2 : Historical or current evidence that the boundaries of the viticultural area are as specified in the application:

F. Article from Wine Grapes in Amador County, June 1967, by Robert E. Plaister.

G. U.S.G.S. map shows area called Shenandoah Valley. U.S.G.S. map "Fiddletown, CA" N3830-W12045/7.5, 1945.

Page 1

Section 3 : Evidence relating to the geographical features (climate, soil, elevation, physical features, etc.) which distinguish the viticultural features of the proposed area from surrounding areas:

H. Soil Survey of Amador County, California by the U. S. Department of Agriculture, Soil Conservation Service, dated Series 1961, No. 26, issued September 1965.

Maps and proposed boundary of Shenandoah Valley.

Section 4 : The specific boundaries of the viticultural area, based on features which can be found on United States Geological Survey (U.S.G.S.) maps:

I. Proposed boundary.

Section 5 : A copy of the appropriate U.S.G.S. map with the boundaries prominently marked:

J & K. U.S.G.S. maps - both boundaries of proposed area. J:Fiddletown, CA; K:Amador City, CA L. Boundary description for Items J and K. Mine Journal



By Gerald Asher

RESTAURANT THAT OFFERS two Evintage Ports by the glass (most recently Warre's 1961 and Butler Nephew's 1964/65) can't be all bad, if I might paraphrase W. C. Fields. Chez. Panisse in Berkeley has, in fact, one of the most impressive wine lists in the country-not least because selections are made with knowledge, with a degree of passion, and without the slightest intention of impressing anyone. There must be thirty California red wines available at any one time, and all of them, as a modicum of familiarity makes plain, are just about the best that their respective wineries have to offer.

To notice on such a list that five of the twelve Zinfandels come from Amador County, better known for sleepy gold-rush towns and Saturday-night fiddling than for wine, is a signal not to be ignored. Dining at the restaurant early last summer, after one of those postcard Pacific sunsets when the whole sky glows and for just a few minutes the waters of the bay glitter purple, I ordered a bottle of a 1974 Amador County Zinfandel made at the Mount Veeder Winery, I didn't quite see the connection between the Sierra foothills and the higher reaches of Napa, but the wine was a revelation to me and could not have

been more appropriate to the evening: darkly glowing with a rich bouquet and ripe flavor that seemed both to symbolize and to contain the heady cornucopia of California.

Amador County lies east of Sacramento. After twenty-five miles or so of that valley the foothills rise abruptly at the county border, then Amador climbs in a long narrow wedge to the Sierra heights. It is said that the odd shape, rather like an elephant's trunk. was caused by the county founders' determination to wrest the Carson Pass road from neighboring Calaveras County. It was a lucrative toll, especially in the mother lode country, and any fan of Bret Harte's can read how they might have schemed to do it.

At the lower, western end of the county, Route 49, an appropriately numbered highway, meanders through spruced-up mining towns that have forsaken the streams and workings to make fortunes anew from macramé, herb sachets, relies of the forties (the nineteen forties, that is), and cheerfully preserved inns and saloons. There is reassurance in the neat, conical hills, looking for all the world as if Botticelli in a moment of whimsical generosity had scattered another Tuscany in the West,

Item A Page 1

and it is easy to understand why th miners planted their vineyards and o chards here with the confidence of pe manent settlers. By 1860 there wer already five hundred acres of vines a the county, and the number continue to grow until Prohibition. Many of th miners retired to vineyards and cottage: even the notorious Madame Pantaloon who mined at Jackson's Gate in men clothes and boots (but with a delicat concern for detail that never failed to attract attention), sold her claim in th 1880s and planted a small vineyard near by. By 1890 there were more than hundred small wineries flourishing in th hills.

The frost of Prohibition closed dow the wineries. One of the few of ones to survive is the D'Agostini Winer near Plymouth. The old building, se back a little from the road, is made from locally hewn oak and stone quarried from a nearby hill. The vats and casks huge ovals in the German manner with deeply concave fronts, were coopered by the Uhlinger sons, members of the Swiss family that founded the winery in 1856, and by John Davis, one of those men of the West whose origins are always described as "mysterious" Continued on page 138 MAY 1977/GOUPMET

14

kontramased states for a second state of a second state of the second second second second second second second

but were probably no more mysterious than those of many another new Californian who just cut loose from whatever domestic ties held him east of the Mississippi to seek riches and adventure on the new frontier.

The D'Agostini family bought the winery in 1911 from the Uhlingers and started up again as soon as Prohibition ended. They began with barely twelve acres of vines, but they have gradually purchased and planted more as sales have grown and now have about a hundred. They use only their own grapes and sell most of their wine from the winery door. Twenty years ago a prospective buyer would taste down the line of barrels until he found exactly the wine he wanted. "That one," he'd say, and they would run off the wine for him.

Those days are long since past, but the winery remains a simple operation with the special charm of age and good housekeeping. It has the unusual distinction in California of being one of the few wineries-if not the only winery-to allow natural yeast fermentation. Normally, the strains of yeast attached to the "bloom" of the grapes that arrive at the crushers in California are so varied that they are unpredictable. A more vigorous, cultured strain is introduced. which takes over, and in this way the winemaker can be sure of the outcome of his fermentation, secure from off flavors. But at D'Agostini's, as in Europe, a small quantity of grapes is picked early to make a starter-what in Europe is called a fond de cuve-and some of the briskly fermenting juice is then introduced into each new vat as it is filled. Perhaps it is the almost continuous use of the winery (there was some activity there even during Prohibition) or the fact that the grapes are consistently from the same vineyards or the isolation of Amador from other vineyard areas or a combination of all three that makes this possible. D'Agostini tells of the day three or four years ago when the University of . California descended on him. "They were in here tasting the wines, and they wanted to know what sort of yeast I was using. I told them 'None,' and they wouldn't believe it. 'It's impossible,' they said. "The wines taste clean." You know, they expect natural yeasts to give a strange flavor. They asked if they could come back at crushing time and take away some of the must, and they studied it for about a year. They have a fellow over at Davis who's worked all

over Europe on yeasts, and he traced our yeast back to Germany." He shook his head. "Can't think how it got here.".

When the wineries shut down during Prohibition there was a corresponding decline in vineyard acreage. Some demand for grapes continued from home winemakers, permitted by the law, and considerable quantities were shipped to the Basque shepherd communities in Nevada, and even as far as Montana. The home winemakers liked the rich style and sturdy sugars of the Amador grapes. And it was through this home winemaking connection that the renaissance of Amador came about.

The catalyst was Charles Myers, a professor of English at Sacramento City College, a keen amateur winemaker now turned professional on a modest scale. Myers had found his way to Amador in the early sixties and was buying grapes from Ken Deaver, the step-grandson of the inysterious John Davis. Darrell Corti, a Sacramento wine merchant. tasted some of the huge Zinfandel wines that Myers produced. By that time, in the late sixties, the small Sutter Home Winery in Napa was making wines for Corti's own label but was being hard pressed by the rising price of Napa grapes. Corti suggested to Suffer Home's Bob Trinchero that he try Amador County, and together they went to see Ken Deaver, who still cultivated the vines planted by his step-grandfather. The first batch of Zinfandel from the Deaver ranch was fermented by Sutter Home in the fall of 1968, and when the wine was eventually released, its success was such that Bob Trinchero virtually stopped making any other kind of wine and now specializes in Amador County Zinfandels. Because good news travels fast, other wineries followed. Ken Deaver, a tall, spare man with a wry country humor, is amused at the commotion. Not so many years before he'd taken grapes on the back of his truck to the wineries in the Napa Valley, and no one would even look at them because they weren't Napa-grown.

I sat in the Deaver kitchen recently talking with Ken and his son. "We always knew our grapes were good," they said, "but no one seemed interested. We liked to sell to the home winemakers because they would pay a little more for the ton. Otherwise we just hauled them down to the big central valley wineries and they paid us central valley prices, even though our yield per acre is half what they get down there and the quality is twice as high. The fruit of our Zinfandel even looks different," he went on. "with darker grapes and looser bunches."

In those days there was no question of a grower making a return on the value of his land; no one could think of replanting. All the work was done by the rancher, and he just hoped to have a few more dollars in hand at the end of the year than he had started with. But since then prices for Amador County grapes have risen steeply and now run pretty close to Napa prices. The unique quality of Amador grapes springs from the soil of the hills: a decayed granite. red with cinnabar and iron. And the style is determined by the hot days and cool breezy nights of Amador County. The grapes have an unusual combination of high sugar and high acidity, and the wines they give are both robust and zesty. To discuss them in terms of alcohol, acid, and tannin, however, is like describing Nureyev's leaps in terms of muscle dynamics. Amador County wines have a vigor, a strength, and a warmth that is as much the essence of the California foothills as a finely etched red Graves is the essence of the drawing rooms of Bordeaux.

Ken Deaver was trying to remember the age of his vines for me. His acre of Mission was the oldest. These had been the first vines planted in the county and must have been there for "about 120 years." The Zinfandel went in later, "perhaps in the 1880s," he said.

Mrs. Deaver looked up from the pie she was making. "Well, Grandpa was eighty-seven when he died in 1961, and he said he planted those vines when he was sixteen." she said. Ken Deaver has seventy acres of vines, mostly Zinfandel, but within the last four or five years he has put in some Cabernet Sauvignon. While we sat in the kitchen we drank a wine from his first Cabernet crop, 1974, made by Charles Myers at his Harbor Winery in Sacramento. It was a big, firm wine with the distinctive varietal taste of Cabernet subtly woven into the Amador style.

There are now about fifty-five acres of Cabernet Sauvignon planted in the county, all of it since 1969. But Zinfandel still dominates, with over seven hundred acres planted, more than half of which were bearing fruit long before the recent revival and probably even long before Prohib <u>There are now</u> scatterings of other varieties, particularly in the Shenandoah Valley. Shenandoah isn't really a valley at all, just a depression between two ridges; but it way given the name by settlers from Virginia, and it is there that the best vineyards are concentrated. Along with Deaver and D'Agostini there must be twenty or thirty growers, some working just an acre or two and others, like the Monteviña winery, with almost two hundred.

 $^{-\lambda}$ Cary Gott, who owns Monteviña in partnership with his father-in-law, was one of the first to try his hand at other varietals. He put in Cabernet Sauvignon seven years ago, and he was the first to plant Merlot, Barbera, Sauvignon Blanc, Ruby Cabernet, and even a little Nebbiolo, the grape used to make Barolo in Italy. He is exuberantly enthusiastic about Amador County and likes to experiment. He has tried sun-drying Mission grapes before crushing (like a French vin de paille) for a dessert wine; he has made "Zinfandel nuevo" (Amador's riposte to Beaujolais primeur); currently he is experimenting with a sweet Sauvignon Blane in the style of Sauternes. In his spanking new winery the wines age in small casks, mostly of American oak. His 1974 Zinfandel is as fine an example of Amador as you can get. Even his Ruby Cabernet, a hybrid developed by the University of California for the central valley and planted in Amador County by Gott, is a full rich wine that would put some Cabernet Sauvignons of distinguished origin to shame. On a recent visit to the winery with Charles Myers as my guide, we tasted the 1975's in wood and looked at the new, deeply purple 1976 wines.

With a small vineyard acreage--less than a twentieth of that of Napa--and a total production that can't exceed 150,000 cases a year on present plantings. Amador County wines are unlikely to hit the supermarket shelves. But along with the wines of Mount Veeder and Sutter Home, Harbor Winery and Monteviña, D'Agostini, Ridge, and Carneros Creek, there are Amador County grapes in the blends of Zinfandel of several large California wineries. The grapes are highly prized for the intense Cavor they bring. They are truly worth weeking.

Tooked Ken Deaver how be felt about Second Straining The theovered Straining of the Straining St WINE

California's fine wines have come into their own. They do not have the incredible subtlety and delicacy of the finest European wines, but they have their own very American style-big, powerful, assertive and slick, and mind-boggling diversity.

There are really three distinct wine industries in California. Giant producers such as Gallo (which makes 60 percent of the state's wine), Almadén and Paul Masson aim their wines at popular tastes and pocketbooks. Their success is reflected by their dominance of the market. Smaller—but by no means small—commercial wineries such as Louis Martini, Charles Krug, Sebastiani and Christian Brothers offer wines of some refinement and distinction from the better vineyard areas.

The new wave of tiny, glamorous wineries now capturing international attention were established in the 1960s and early 1970s by those convinced that California wines could be as good as the best in the world. We had the soil, the climate and the grapes. All it took was money and know-how and work-and the right vineyard locations. The production from small wineries will always be small because California's chaotic earthquake geology and intricate climate variations combine ideally only in small pockets, but they occur all over the state, and the new little wineries stretch from north to south. Their freewheeling experiments have caused even the biggest wineries to change the ways they are making wine; all California wine is the better for it.

The broad acceptance of wine in American social life, the movement of big corporations into what had previously been family-owned businesses, and the rise of small fine wineries have been the dominant forces in this decade. They have thrust a formerly staid industry directly into the frenzy and turmoil of the seventies, and there is no prospect of any slowing of the change. An unprecedented array of wines and wineries-most of them new and unfamiliar-faces Calliburate plane trackers is law. You can



۲		~	
	Callif	With V	
		NORTH COAST of 1. NAPA COUNTY Napa Valley wines are supple, supremely graceful, Wines from the hills on either side are powerful, spicy, elegant. 2. SONOMA COUNTY Round, full wines in the southern part of	COUNTIES APPELLATIONS Carneros Yountville Oakville Rutherford Calistoga Stags Leap Pritchard Hill Mount Veccler Spring Mountain Sonoma Valley Russian River, Valley
		 the county, pungent earthy wines in the north. MENDOCINO COUNTY Pungent aromas, earthy flavors, even balance, long finishes. LAKE COUNTY New area; first wines similar to Mendocino. NORTH CENTRAL CO ALAMEDA COUNTY 	Alexander Valley Dry Creck Geyerville Anderson Valley Redwood Valley
		Gravelly soil and flavors. 6. SANTA CLARA COUNTY	Livermore Santa Clara Valley Santa Cruz Mounteins Güroy-Hecker Pass Paicines
		Fruity and vegetal flavors. SOUTH CENTRAL CO 9. SAN LUIS OBISPO COUNTY	Soledad Arroyo Seco AST COUNTIES
		OTHER AI	Paso Robles Santa Maria Santa Ynez Valley REAS Shenandoah Valley Fiddletown
		 EL DORADO COUNTY New, similar to Amador. SAN DIEGO COUNTY 	Fiddietown Rancho California Temecula

Amador Country's Shenandoah Valley Zimfamolel

... by Ben Hattem

Afficionados will tell you that the finest Zinfandel doesn't grow in Napa but in Amador County's Shenandoah <u>Valley.</u> Much of this interest has been cultivated with especial bottlings by Sutter Home, Corti Brothers (1972) and Harbor Winery (1973), respectively of grapes grown on the Deaver ranch in the heart of the Mother Lode.

In 1972, the Montevina winery crushed its first Shenandoah Valley wines. The vineyard contains 165 acres of which over haif is 80 years old. Yields have ranged from 220 tons in 1972 to an extremely large crop of 440 tons in 1973. Approximately 15 percent of the yield is selected for crushing by Montevina's young winemaker, Cary Gott. The balance finds its way to the blending vats of a North Coast winery.

Montevina produces several distinct styles of wines from the Zinfandel grape. Just released is the second lot of the 1973 Shenandoah Valley Zinfandel. It has good varietal character and offers exceptional value at \$2.75 per "fifth." It is superior to the first lot and was withheld for further aging.

Most of the first lot was bottled in half gallons. At \$3.50 per jug, supplies were exhausted within weeks. It was the best wine buy in Americal

With some blanc de noirs priced as high as \$6.00 per bottle it is not remarkable that Montevina's 1973 Shenandoah Valley White Zinfandel sells out quickly at \$2.75. To make a white wine from Zinfandel, the red skins must be removed at the time of crushing and prior to fermentation. At its best the wine retains a copper tinge sometimes referred to as *l'oeil de perdrix* (the partridge's eye). To attempt to filter all of the color would result in an unattractive diminution in the flavor and complexities of the wine.

Challenging tradition and new in style of enjoyment to California is Montevina's Zinfandel Nuevo produced by fermenting whole, uncrushed berries in a carbon dioxide atmosphere. This process, known as carbonic masceration, originated in Beaujoluis, France.

The Nuevo sells for S2.50 per "fifth." and should be quaffed while it is young and still retains its distinctive freshness and lingering fruitiness. In his *Private Guide to Wines*, Robert Finigan extolled:

Item

С

"This beautifully made wine is as fine an example of 'Beaujolais nouveau' as I have found on either side of the Atlantic."



.

couveau wines can be rich and rewaltung

RITICS MAY inveigh against wines made in the nouveau style because of all the hype that surrounds these little wines this time of year. But when they're well-made and the grapes have developed the right amount of iruit, it should come as no surpriso to find that the wine-lowing public is fond of them they're delightfully fruity and pleasant, very refreshing if cooled a bit. As some of my best friends are wont to say: "What's not to like?" — about a wine that's light-hearted, uncomplicated and fun to drink. Beaujolais nouveau is, of course, the prototype for

Beaujolais nouveau is, of course, the prototype for this style of wine, formented quickly, bottled immediately and ready for consumption the moment it is shipped. The first nouveaus to arrive on these shores from the 1970 vinage show the typical charm of young Beaujolais at its best — generous, soft, full fruit and a liveliness that invites qualing rather than sipping. Jack Lang of 67 Wine and Spirits had a keg of Gobet's beaujolais primeur (as the very "first" beaujolais is known) flown in from France on Nov. 15. At his informal tasting it was charming and rather fun to realize that we were sampling it just as they were in certain Paris bistros over 3,000 milles away — streight from cask. It is now available in bottlesfor \$3.99, \$47.50 a case. Two others from well-known Burgundian shippers, Molized and Prosper Moufoux are also good a little bit

Two others from well-known Burgundian shippers, Mollard and Prosper Maufoux, are also good, a little bit spritzler. The Maufoux, a beaujolais-villages primeur also has rosier fritit and a bit more body. Both seil for S4.99. Several others are on the way, most arriving at wine shops this weck.

"California got into the "nouveau act" a few years ago when Sebastiani Vineyards produced the first gamay primitivo grape of southern Italy, it is California winemakers who have given it identity, interpreting its robust character in a fascinating variety of styles (the subject of a future column).

For the infandel Nuevo, Gott also uses whole berry formentation. I visited Amador County a few weeks ago while the narvest was in full swing. And at Montevina some of the Nuevo was still formenting. I've looked into many a fermentation tank but remarked that I had never seen the whole berry method in acuon.

In a flash Cary jumped on his forklift, thrust its metal arms under a heavy wire cage and, when we stepped aboard, lifted us gently right to the top of the tank. It was brimming with clusters of grapes, though not much action was visible. It was all going on inside the skins of the grapes where natural yeasts were rapidly converting the grape sugars to alcohol. When they get down to about 16% residual sugar (from a high of 22 or 23 when the grapes come off the vine) the grapes are crushed, pressed and finish fermenting in stainless stell tanks. Then the wine is "rough-racked" several times and bottled.

LIVING

"We really treat it brutal," said Gott with a grin. "We act tough with it to get a lot of air in there so it will soften, open up quickly and be ready to drink when you' open the bottle.

All of the color, flavor, fruit and aromas of the Nuevo come from the way it is made, Gett continued. The same intensoly ripe grapes are used for Montevina's regular, more high-powered anfandel. They are just handled differently. The Nuevo has enough substance so that it won't fade in a few months time the way most nouveau wines do, as they're intended to. They aren't made to last but to be consumed quickly. "This wine will be in its glory next spring," Gott said of his Nuevo. Whether or not this is so, there probably

"This wine will be in its glory next spring," Gott said of his Nuevo. Whether or not this is so, there probably won't be any left on the market anyway. At the appealing price of \$2.89 a fifth and a little over \$5 a magnum it is likely to be snapped up pretty quick.





beaujolais nouveau. It was so popular they have continued to make it each year and now other wineries are doing it. Mirassou just released its Premier gamay beaujolais, and Gumarra has released its second nouveau. All of these are under \$5.

Some wineries have experimented with other grape varieties such as pinot noir and zinfandel. Rutherford Hill Winery in Napa Valley has a 1670 pinot noir nouveau made by the same method used in beaujolais: cerbonic maceration, in which the juice is fermented inside the uncrushed grape. Out on the tip of Long Island, Alex and Louisa Hargrave use the same method for their Whole Berry pinot noir.

for their Whole Berry pinot noir. Cary Gott co-owner and homemaker at Monteyina in Amador County, introduced his zinfandel Nuevo in New York last week, bringing along a marvelous assortment of California specialties to accompany it for a Californiastyle "picnic." — cheeses like aged California Jack, Sonoma County teleme and frash goat cheese, Saa Francisco sourdough, walnut bread and a sack of walnuts from Gott's own trees adjacent to his vineyards in the Shenandoah Valley. The wine is lovely — full and fruity, with aronias like curumar berries and the color of ripe cherries.

Montrevina's zinfandel Nuevo is one of the most successful of the nouveau-style wines — just one more instance of the versatility of zinfandel, Celiforna's own, the grape variety we developed on home ground. Theogh zinfandel is a member of the European family of vinifera grapes and now linked genetically to the



d Vineyard Grows Quality Wine Grapes



CARY GOTT checks crop development on some of his Zinfandel vines at

By Dan Bryant Associate Editor

PLYMOUTH, Calif. — Cary Gott is a grape grower-vintner who has been instrumental in who has been instrumental in putting Amador County on the wine drinker's map in recent years, and he credits having an established vineyard in the right place as the key to success. Gott operates Montevina Vine-yards, a 170-acre planting in the Shenandoah Valley, a wooded, foothill area of about 9,000 acres at the 1,500-foot elevation near

at the 1,500-foot elevation near here.

His winery crushed 500 tons last year and expects to do 700

last year and expects to do 700 tons this year from grapes grown by Gott and his neighbors. Although his best seller is Zinfandel, Gott says, there is also healthy demand for his Sauvig-non blanc wines, which he calls "the hot variety" for new plant-ings in the area.

Awards Cited "Our Zinfandel has been rated first or second for overall quality in the state by several tasting groups," he said. "The San Francisco Vintners Club gave (See PRICES, pg. 8).

our 1977 Zinfandel a best-in-thestate rating early this year. Our 1978 Zinfandel and 1979 Sauvignon blanc were winners at the Calaveras County Fair in May. We've also received awards at the Orange County Fair."

Interest in Amador County be new growers and winemakers has been strong. According to Robert Plaister, Amador County Extension director, Zinfandel prices last year averaged \$438 a ton. As a result of the price, more

acreage is going to Zinfandel. The 32-year-old Gott was a newcomer to Shenandoah Valley 10 years ago when he began operating 78 acres of Zinfandel from 30 to 70 years of age. He studied enology and viticulture at the University of California, Davis, and gained winemaking experience in the cellars of Sterling and Inglenook.

"If I had to list the three most "If I had to list the three most important things for growing grapes that we have here, they would be soil, climate and our forming practices." he sold The would be soli, climate and our farming practices," he said. The soil is a Sierra type, free of compaction, and the climate is between a high region III and a low region IV. "Our methods are fairly straightforward and common. But the hig thing is that we are

But the big thing is that we are farming for ourselves and not just cranking out the tonnage for somebody else."

"We keep the Zinfandel cropping level around four tons, the Cabernet Sauvignon at three, and the Sauvignon blanc at about six. We came here to an old Zinfandel vineyard, and old vineyards make the best wines as you bring along the younger vines.'

Income From Start

Normally, an operation starts with all new vines and goes three or four years without income, but Gott sold grapes to other win-eries while concentrating on building a new winery and ex-panding acreage. Today, in addition to Zinfandel

and Sauvignon blanc, he also has Barbera, Cabernet Sauvignon, Barbera, Cabernet Saúvignon, Ruby Cabernet and Nebbiolo, plus small quantities of other varieties he is observing.

Farm advisor Plaister said that cost comparisons for grow-ing grapes in the foothill with other areas are not available. But savings are realized because the old vines are not on wire, there are fewer insects to deal with, and most of the bearing acres are dry-farmed.

Main Insects

Williamette mites and leafhoppers are Gott's main insect pests. He originally applied trithion for control but found the mites developed resistance to it. He now uses Zolone to handle any insect problem.

While the old Zinfandels are dry-farmed, Gott has sprinklers on his newer vines. The Sauvig-non blanc and Cabernet, for example, require supplemental moisture. The system draws from wells and ponds on the

Property. He controls weeds with applications of paraquat and

Princep. The Montevina winery is add-

ing a 12,500-square-foot cellar for processing. The earlier 10,000square-foot portions are used for bottling, warehousing and of-fices. It has stainless steel fer-menters and storage tanks for aging white wines and oak barrels and tanks for reds.

The reds are aged 18 to 20 months and the whites are bottled after six months. All wines are bottled in 750 milliliters, ex-cept for about 2,000 cases of 1.5 litre Zinfandel Nuevo," one of

Amador County grapes, har-vested at a sugar of 25 or more, make wines with an alcohol content of 14 to 16 percent, a bit high for the generally recognized 12.5 percent in "fine wines." Yet wines from the area are in de-mand by vintners in other areas to bolster wines deficient in alcohol.

Success Factor

Plaister noted that the real success of wines made by Gott and others in the county is their

"If I had to list the three most important things that we have here for growing grapes, they would be soil, climate and farming practices. The soil is a Sierra type, free of compaction, and the climate is between a high region III and a low region IV."

Gott's specialties produced by carbonic maceration. This process involves fermentation within the berries before crushing, instead of afterward. Gott has spent much time de-veloping contacts for expanded

markets in 25 states. He has also

here in 25 states, me has also been selling wine to European buyers for two years. New Labels Along with others already in the business, Gott feels that the increasing number of small win increasing number of small win-eries in California is causing a flood of new labels on the market. There are 14 wineries in Amador County and more are coming. New labels, he predicts, will have a difficult time accepted.

higher acidity, caused by the elevation, which gives a sugar-acid balance that brings out flavor.

Alcohol content of Gott's wines follow the area pattern: 15 per-cent for Zinfandel, 14.5 for Sauvignon blanc, and down to 13 for white Zinfandel and white Cabernet. These latter two have a slightly pinkish color and are made by removing the skins of the black grapes as soon as pos-sible after crushing. He sees a place for the low-

alcohol wines being made by some vintners, but he feels that his climate and vines are best suited to the traditional approach of higher alcohol wines.

WINE GRAPES IN AMADOR COUNTY



AGRICULTURAL EXTENSION SERVICE UNIVERSITY OF CALIFORNIA

"WINE GRAPES IN AMADOR COUNTY"

.

ЪУ

Robert E. Plaister County Director and Farm Advisor

June 1967

INDEX

	Page
The History of Grape Growing in Amador County	· . l
Climate and Varieties	4
Vineyard Soils of Amador County	5
Soil Erosion	7
Nutrient Requirements of the Grape Vine	9
Insects and Other Pests	12
Grape Diseases	18
Rodent Pests and Deer	25
Pruning	27
Harvesting	28
Home Wine Making	30
D'Agostini Winery	32
Wine Grape Acreage	34
Grape Production	36
Sample Costs to Produce Grapes - Zinfandel	35
Bibliography	37

THE HISTORY OF GRAPE GROWING IN AMADOR COUNTY

Almost as soon as the miners came to the Sierra. Foothills in Amador County, grape growing became a way of life. The economics of grape growing had several violent fluctuations over the years. In spite of this, the industry has persisted and today is one of the most profitable crops that can be grown between the one thousand and the two thousand foot elevation. One of the earliest recorded statements on grape growing is mentioned in Sargeant's History of Amador County: "The Davis Ranch in Shenandoah Valley was settled upon in '59 by John J. Davis. He has made a specialty of pears, grapes, almonds and apricots." This ranch still has a beautiful vineyard on it and many of the original vines are still producing. By 1860 there were nearly 300,000 grape vines (500 acres) in Amador County. This is nearly equal to the current acreage of grapes.

In 1860 Woolsey and Palmer planted a large vineyard at Lancha Plana. This was later dug up when a depression hit the wine business.

In 1863 James Laughton quit the mining business and bought a farm on which he planted a fine vineyard. During 1861 to 1864 a severe depression hit the wine industry. Attempts to market the wine in the east resulted in a loss so that many persons were induced to tear up their vineyards and give up the business. At this time there were vineyards along the Mokulmne River around Jackson, Ione, and the Jackson-Ione Valleys as well as higher up along the head waters of these creeks.

In the 1880's a group of Frenchmen notably Douet, Madam Pantaloons, and Xavier Benoist planted vineyards above the Vela Ranch east and south of Jackson, in what is now the Clinton Area. Along about this time Anthony Caminetti first engaged in grape growing at what was called French Gardens.

In 1881 J. D. Mason in his history of Amador County mentions choice grapes being grown in the Shenandoah Valley. He mentioned the Ball Ranch as being planted to grapes. Mason describes the Uhlinger Ranch (D'Agostini Winery) as having perhaps twenty thousand vines of different varieties flourishing finely. "The wine is said to be of fine quality."

"In the Drytown area wine of a fine quality is manufactured in considerable quantities, the capacity of the soil for grapes being unsurpassed."

In the description of the grape growing areas, Mason indicated that grapes are in perfection at Jackson, grapes in Volcano owing to the situation of the town and basin are liable to frost, and that grape growing at Pine Grove required sheltered situations but produced good grapes. Dentzler's flume house at 2980 feet grew grapes which were uncertain and lacked sugar.

On July 25, 1889 the U. S. Agricultural Experiment Station situated on the Creek Road opposite the Molfino Ranch east of Jackson was turned over to the Board of Regents of the University of California for experiments in agriculture, horticulture and viticulture. At a dinner on the important day honoring Professor W. E. Hilgard, wines were served at dinner including claret, riesling, and angelica. This station is no longer owned by the University, however, some of the trees and vines are still in existence and are occasionally used to collect virus free stock for University experiments.

In a newspaper article in 1889, the adaptability of this section to the production of the best quality of grapes is described. "Wine of body and bouquet and a

- 2 -

fine quality and flavor of brandy were indicated to have been universally commended."

Grapes were grown at the Preston School of Industry near Ione in the 1890's. These were replanted in the 1920's.

In the late 1890's many Frenchmen became discouraged with mining and planted vineyards in the Middle Bar area along the Mokelumne River. These vineyards were planted from cuttings brought from France.

In Sargeant's History of Amador County it is mentioned that Olita's (Fiddletown) future was never so bright, thousands of vines and trees having been planted the last six years. I. P. Ostrom has one of the largest vineyards. Louis Smith and Sons a vineyard, Dennis Toomey a vineyard, and also W. D. Clark and Son. During the 1920's B. L. Jones, El Dorado County Farm Advisor for the University of California, conducted demonstrations in pruning in a Shenandoah-Fiddletown area.

Although the industry has had many violent ups and downs, in the past hundred years, it has persisted in the Shenandoah-Fiddletown-Ridge Road areas. The county at one time boasted many small wineries. All of these have gone out of existence except the D'Agostini Winery in the upper Shenandoah Valley which is discussed in another section.

In 1955 the Agricultural Extension Service's office was opened in Amador County. Since that time a continuing program of research and investigation has continued in the vineyard areas. Systematic studies and the close cooperation of the growers has resulted in the determination of proper nitrogen levels, fertilization, the discovery of boron deficiency, the identification and control of the spider mite, and the establishment of a varietal test plot.

- 3 -

CLIMATE AND VARIETIES

In order to determine which grape varieties are best suited to Amador County (Shenandoah Valley), a careful study has been made of temperature records. This was done because temperature especially during the ripening period strikingly affects the sugar and/or acid content of the grapes. On the basis of temperature, or more specifically, the summations of heat as degree-days above 50°F. for the period April 1 to October 31, any grapeproducing area falls into one or another of five temperature groups or regions (I, II, III, IV, V), Zone I being the coolest and Zone V the hotest.

Our office has analyzed the temperature records collected by Tulio D'Agostini in the Shenandoah Valley. The heat summation as expressed as degree days is as follows:

Year	<u>Degree Days</u>	<u>Climate Zone</u>
1962 1963 1964 1965 1966	3706 3339 3436 3133 3752	IV III III IV

Thus, in three out of five years the area is in Climate Zone III. Excellent natural sweet table wines can be produced from soils in this climate zone according to Professor A. J. Winkler. Based on this data, Mr. A. N. Kasimatis, extension viticulturist, obtained cuttings of Semillon, Barbera, French Colombard, Sauvignon Blanc, Gamay, Cabernet Sauvignon, and Ruby Cabernet. These were planted in a nursery in John Ferrero's vine-In 1967 they were transplanted into the yard in 1966. These will be compared with Zinfandel, vineyard. our most plentiful grape. Grapes are picked at the desired maturity, taken to U. C. Davis, made into wine, aged, scored, and evaluated by the enology staff. Dr. George Cooke, extension enologist, is cooperating in this work.

- 4 -

VINEYARD SOILS OF AMADOR COUNTY

Shenandoah Valley:

A few vineyards are established on the Ahwahnee Series. This is a brown, well-drained to somewhat ex cessively drained, mostly moderately deep soil formed from weathered granitic rock. They are gently sloping The surface soil is brown, friable, loam or to steep. fine sandy loam that is porous and slightly hard when The subsoil is slightly finer textured than the dry. surface soil. It is brown to reddish-brown loam or heavy loam and is plastic and slightly sticky when wet. Weathered bedrock is at a depth of 15 to 36 inches. The weathered bedrock material is fractured and is somewhat pervious to moisture and roots. These soils are moderate to low in fertility.

The principal soil in the Shenandoah Valley upon which vineyards are grown is the Sierra Series. This consists of well-drained deep and moderately deep soils formed in material from granitic rock. These soils are gently sloping to very steep.

The surface soil, a brown to yellowish-red coarse sandy loam or loam, is friable and slightly acid to medium acid. The subsoil is yellowish-red to red heavy loam or clay loam. Depth to weathered bedrock ranges from 20 inches to more than 60 inches. Natural fertility of the Sierra soils is moderate to moderately low. The erosion hazard of this soil runs from moderate to severe.

A small acreage of Shenandoah Series is also planted to vineyards. These are moderately well drained to somewhat poorly drained, moderately deep, light brownish. gray soils. These soils have a subsoil of heavy clay. They formed in material from granitic rock. The surface soil, a light brownish-gray to pale-brown loam, is friable and medium acid. The subsoil is light grayish-brown

- 5 -

to yellowish-brown clay. Depth to the clay subsoil ranges from 20 to 36 inches, but depth to decomposed rock ranges from 30 to 58 inches. These soils are seasonally wet for long periods after the winter rains.

Fiddletown Area:

The Fiddletown vineyards are on Sierra soils but some are on the Sites soils. This area is well-drained, deep and moderately deep soil. These soils formed in material weathered from metasedimentary rock, mostly slate schist, and intrusive rock. Sites soils are gently sloping to very steep. The surface soil, a brown or reddish-brown gravelly loam or siltloam is friable and granular and slightly acid to medium acid. Subsoil is reddish-brown to yellowish-red, firm clay or clay loam. Depth to bedrock is from 28 to more than 60 inches.

Ridge Road:

With few exceptions the vineyards along the Ridge Road leading from Sutter Hill to Pine Grove are on Supan cobbly loam. This is a well-drained, cobbly, very deep to moderately deep soil formed in material weathered from volcanic conglomerate. These soils are on gently sloping tabular ridges and steep to moderately steep side slopes that adjoin these ridges. The surface soil is brown, dark-brown or reddish-brown cobbly clay loam, or it is sandy clay loam or clay in places near bedrock. Depth to weathered, tuff-cemented conglomerate is 24 to 70 inches or more.

Other Areas:

Several other soil series have vineyards on them. Grapes will grow on almost any soil but the above mentioned are on the principal soils.

SOIL EROSION

On the rolling vineyards in the Shenandoah Valley soil deterioration is mainly the result of soil erosion. The use of cover crops in the vineyards is strongly recommended. The cover crop is most valuable if it is well established and growing during the period of heavy rains; yet it is still effective if heavy rain falls in the spring after it has been disced to check its growth or kill the plants. Since cleaning up the vineyard with an over-all weed growth is expensive, and the cost of the spring cleanup has a discouraging effect on the grower, it is recommended that fertilization be done if possible with an easy-flow type spreader that restricts the stimulated growth to the area between the rows, thus lowering considerably the cultivation near the vine. Most growers here do not seed cover crops but rely on the native growth of burr clover, filaree, wild oats, and others.

The time of cultivating in the cover crop is particularly critical. This needs to be done in order to stop the water competition between the vines and the cover crop. It also needs to be delayed long enough so that protection from erosion is still effective. Some growers disc lightly to discourage the rapid growth of the cover crop and then come back later and do a more thorough cultivation.

The in-vine-in row practice of applying Simizine and other herbicides to control growth may greatly improve the spring cultivation of our foothill vineyards. The use of subterranean clover as the between row cover crop also needs to be investigated.

-7-

Most growers use a disc to do the cultivation even though the vines are narrowly spaced at eight feet apart. The soil is of such a structure that discing is practical. This is usually followed by another discing and/ or harrowing. Some growers get into the problem of discing or harrowing when the soil is dry enough to throw clouds of dust. This is an extremaly bad practice which causes a buildup of spider mites in the vineyard.

VITICULTURAL AREA

The boundary of the Shenandoah Valley Viticultrual Area starts at the point where the boundary of Amador County and El Dorado County meets Big Indian Creek and then proceeds south following Big Indian Creek until Big Indian Creek meets the boundary between sections 1 and 2 of Township 7 North Range 10 East and then follows this boundary until it meets the Oleta (Fiddletown) Raod and then follows the Oleta Road East until it meets the boundary between Sections 6 and 5 of Township 7 North Range 11 East and follows the boundary North into Township 8 North Range 11 East and continues North on the boundary between Sections 31 and 32 until this boundary meets Big Indian Creek and then follows Big Indian Creek in a North East direction until Big Indian Creek meets the boundary between Sections 27 and 28 of Township 8 North Range 11 East and then follows this boundary North until it meets the intersection of Sections 21, 22, 27, 28, of Township 8 North

Fage 2 🥏

Range 11 East and then proceeds East, then North then West along the boundary of the West half section of Section 22 of Township 8 North Range 11 East to the intersection of Sections 16, 15, 21, and 22 and then proceeds North along the boundary between Sections 16 and 15 of Township 8 North Range 11 East and continues North along the boundary of Sections 9 and 10 of Township 8 North Range 11 East until the boundary meets the boundary between Amador County and El Dorado County and then continues West following the county line until the starting point.

AMADOR AREA, CALIFORNIA

NAME

SOIL LEGEND

Each symbol consists of letters or a combination of letters and numbers. The first capital letter is the initial one of the soil name. A second capital letter, if used, shows the class of slope. Some symbols without a slope letter are for nearly level soils or land types, but others are for soils or land types that have considerable range in slope. A final number, 2 or 3, in the symbol shows that the soil is named as eroded or severely eroded.

SYMBOL

NAME

Hs Honcut very fine sandy loam, moderately well drained Hv Honcut very fine sandy loam, channeled	
IdCInks loam, deep variant, 3 to 16 percent slopesIrEInks loam and Rock land, 3 to 45 percent slopesIsEIron Mountain very stony loam, 9 to 51 percent slopesivEIron Mountain very stony loam, rhyolite substratum, 9 to 51 percent slopes	
JgEJiggs very rocky loam, 16 to 51 percent slopesJmCJosephine loam, 3 to 16 percent slopesJmDJosephine loam, 16 to 31 percent slopesJmEJosephine loam, 31 to 51 percent slopesJmCJosephine loam, deep, 9 to 16 percent slopesJnDJosephine loam, deep, 9 to 16 percent slopesJnEJosephine loam, deep, 16 to 31 percent slopesJnEJosephine loam, deep, 31 to 51 percent slopesJoEJosephine very rocky loam, 3 to 16 percent slopesJoEJosephine very rocky loam, 16 to 51 percent slopesJoEJosephine very rocky loam, 51 to 71 percent slopesJpEJosephine very rocky loam, deep, 16 to 51 percent slopesJpEJosephine very rocky loam, deep, 51 to 71 percent slopesJpEJosephine very rocky loam, deep, 51 to 71 percent slopesJpEJosephine-Maymen complex, 16 to 51 percent slopesJxEJosephine-Mariposa complex, 16 to 51 percent slopesJxFJosephine-Mariposa complex, 51 to 71 percent slopes	
LaC Langer sandy loam, 2 to 16 percent slopes LgB Laniger sandy loam, thick surface, 0 to 5 percent slopes Ln Limestone rock land Lo Loamy alluviat land	
MaMade landMbDMaribosa gravelly loam, 3 to 31 percent slopesMcDMaribosa very rocky loam, 9 to 31 percent slopesMcEMaribosa very rocky loam, 31 to 51 percent slopesMcEMaribosa very rocky loam, 51 to 85 percent slopesMdEMaribosa-Maymen complex, 16 to 51 percent slopesMdEMaribosa-Maymen complex, 16 to 51 percent slopesMdEMaymen-Varibosa complex, 16 to 51 percent slopesMkEMaymen-Varibosa complex, 16 to 51 percent slopesMkEMcCarthy very rocky loam, 9 to 51 percent slopesMkEMcCarthy very rocky loam, 16 to 51 percent slopesMkEMcCarthy very rocky loam, 31 to 16 percent slopesMmEMcCarthy very cobbily loam, 3 to 16 percent slopesMmEMcCarthy and Jiggs very cobbily loams, 16 to 51 percent slopesMnMine tailings and RiverwashMoMixed alluvial landMrBMokeiumne sandy loam, 2 to 5 percent slopesMuCMusick sandy loam, 3 to 9 percent slopesMuEMusick sandy loam, 3 to 51 percent slopesMuEMusick sandy loam, 3 to 51 percent slopesMuEMusick very rocky sandy loam, 9 to 16 percent slopesMuEMusick very rocky sandy loam, 51 to 71 percent slopesMuEMusick very rocky sandy loam, 51 to 71 percent slopesMuEMusick very rocky sandy loam, 51 to 71 percent slopesMuEMusick very rocky sandy loam, 51 to 71 percent slopesMuEMusick very rocky sandy loam, 51 to 71 percent slopesMuEMusick very rocky sandy loam, 51 to 71 percent slopes <td></td>	

SYMBOL

Sa

SЪ

Pentz sandy loam, 9 to 16 percent slopes, eroded PnC2 PnD Pentz sandy loam, 16 to 31 percent slopes PoE Pentz sandy loam, very shallow, 2 to 51 percent slopes PpC Pentz gravely sandy loam, 2 to 16 percent slopes Perkins loam, 0 to 3 percent slopes PrA Perkins loam, 3 to 16 percent slopes PrC Peters clay, 3 to 9 percent slopes P:BPw Placer diggings and Riverwash Rьв Red Bluff-Mokelumne complex, 0 to 5 percent slopes Red Bluff-Mokelumne complex, 5 to 16 percent slopes RbD Red Bluff-Mokelumne complex, 16 to 36 percent slopes, eroded RDE2 RmD Red Bluff-Mokelumne-Mine pits complex, 2 to 16 percent slopes Rock land Ro RyA -Ryer silty clay loam, 0 to 3 percent slopes Sedimentary rock land Serpentine rock land Shaver very rocky coarse sandy loam, 51 to 71 percent slopes ScF SoF Shaver very rocky coarse sandy loam, moderately deep, 51 to 71 pt SfB Shenandoah loam, 3 to 9 percent slopes SgB Sierra coarse sandy loam, 3 to 9 percent slopes SgB2 Sierra coarse sandy loam, 3 to 9 percent slopes, eroded Sierra coarse sandy loam, 9 to 16 percent slopes SgC SgC2 Sierra coarse sandy loam, 9 to 16 percent slopes, eroded Sierra coarse sandy loam, 16 to 31 percent slopes SgD Sierra coarse sandy loam, 16 to 31 percent slopes, eroded SgD2 Sierra coarse sandy loam, moderately deep, 3 to 9 percent slopes ShB Sh82 Sierra coarse sandy loam, moderately deep, 3 to 9 percent slopes, Sierra coarse sandy loam, moderately deep, 9 to 16 percent slopes ShC ShC2 Sierra coarse sandy loam, moderately deep, 9 to 16 percent slopes ShD Sierra coarse sandy loam, moderately deep, 16 to 31 percent slope ShD2 Sierra coarse sandy loam, moderately deep, 16 to 31 percent slope SkD Sierra very rocky coarse sandy loam, 16 to 31 percent slopes SkF Sierra very rocky coarse sandy loam, 51 to 71 percent slopes SID3 Sierra sandy clay loam, 9 to 31 percent slopes, severely eroded SmD Sierra very rocky coarse sandy loam, moderately deep, 9 to 31 perc SmE Sierra very rocky coarse sandy loam, moderately deep, 31 to 51 per Sites loam, 3 to 9 percent slopes SnB Sites loam, 9 to 16 percent slopes SnC Sites loam, 16 to 31 percent slopes **SnD** Sites loam, 31 to 51 percent slopes SnE Sites loam, moderately deep, 3 to 16 percent slopes SoC ScD Sites loam, moderately deep, 16 to 31 percent slopes SoE Sites loam, moderately deep, 31 to 51 percent slopes Sites clay loam, moderately deep, 3 to 31 percent slopes, severely SpD3 SrC Sites very rocky loam, 3 to 16 percent slopes Sites very rocky loam, 16 to 51 percent slopes SrE SrF Sites very rocky loam, 51 to 85 percent slopes Sites very rocky loam, moderately deep, 16 to 51 percent slopes SsE StE Sites-Mariposa complex, 16 to 51 percent slopes SuB Snelling loam, moderately well drained, 0 to 9 percent slopes Snelling fine sandy loam, 0 to 2 percent slopes SvA SvB Snelling fine sandy ioam, 2 to 5 percent slopes Snelling fine sandy loam, 5 to 9 percent slopes SvC Snelling sandy loam, 9 to 16 percent slopes SwD SWE Snelling sancy loam, 16 to 31 percent slopes SxD Supan cobbly loam, 3 to 31 percent slopes 5;D Supan very cobbly loam, moderately deep, 3 to 31 percent slopes SyE Supan very cobbiy loam, moderately deep, 31 to 51 percent slopes TcE Tiger Creek very rocky loam, 16 to 51 percent slopes WeD Windy cobbiy sandy loam, 9 to 16 percent slopes

WcE Windy cobbly sandy loam, 16 to 51 percent slopes

> Soil map constructed Soil Conservation Ser photographs. Control plane coordinate syste conformal conic proje datum.

AMADOR AREA, CALIFORNIA

SOIL LEGEND

Each symbol consists of letters or a combination of letters and numbers. The first capital letter is the initial one of the soil name. A second capital letter, if used, shows the class of slope. Some symbols without a slope letter are for nearly level soils or land types, but others are for soils or land types that have considerable range in slope. A final number, 2 or 3, in the symbol shows that the soil is named as erooed or severely eroded.

SYMBOL

HfF HkE Hm Ho Hs Hv	Holiand very rocky coarse sandy loam, 51 to 71 percent slopes Holiand very rocky coarse sandy loam, deep, 16 to 51 percent slope Honcut clay loam, over clay Honcut silt loam Honcut very fine sandy loam Honcut very fine sandy loam, moderately well drained Honcut very fine sandy loam, channeled
ldC	Inks loam, deep variant, 3 to 16 percent slopes
IrE	Inks loam and Rock land, 3 to 45 percent slopes
IsE	Iron Mountain very stony loam, 9 to 51 percent slopes
IvE	Iron Mountain very stony loam, rhyolite substratum, 9 to 51 percent
JgE JmnD JnnD JnnE Joe F F F E F JxF	Jiggs very rocky loam, 16 to 51 percent slopes Josephine loam, 3 to 16 percent slopes Josephine loam, 16 to 31 percent slopes Josephine loam, 16 to 31 percent slopes Josephine loam, deep, 9 to 16 percent slopes Josephine loam, deep, 16 to 31 percent slopes Josephine very rocky loam, 3 to 16 percent slopes Josephine very rocky loam, 3 to 16 percent slopes Josephine very rocky loam, 51 to 71 percent slopes Josephine very rocky loam, 51 to 71 percent slopes Josephine very rocky loam, 60 to 51 percent slopes Josephine-Maymen complex, 16 to 51 percent slopes Josephine-Mariposa complex, 16 to 51 percent slopes
LaC	Laniger sandy loam, 2 to 16 percent slopes
LgB	Laniger sandy loam, thick surface, 0 to 5 percent slopes
Ln	Limestone rock land
Lo	Loamy alluvial land
Ma DDDEF MCCFEEEEEF MCCFEEEEF MCCDECEFEF MCCDECEFEF MCCDECEFEF MCCDECEFEF MCCDECEFEF MCCDECEFEF MCCDECEFEF MCCDECEFEF	Made land Mariposa gravelly loam, 3 to 31 percent slopes Mariposa very rocky loam, 9 to 31 percent slopes Mariposa very rocky loam, 31 to 51, percent slopes Mariposa very rocky loam, 51 to 85 percent slopes Mariposa-Maymen complex, 16 to 51 percent slopes Mariposa-Maymen complex, 51 to 85 percent slopes Mariposa-Maymen complex, 16 to 51 percent slopes Maymen-Mariposa complex, 16 to 51 percent slopes McCarthy very rocky loam, 51 to 71 percent slopes McCarthy very rocky loam, 51 to 17 percent slopes McCarthy very rocky loam, 51 to 71 percent slopes McCarthy very rocky loam, 3 to 16 percent slopes McCarthy and Jiggs very cobbly loams, 16 to 51 percent slopes Mine tailings and Riverwash Mixed alluvial land Mokelumne sandy loam, 2 to 5 percent slopes Mokelumne coarse sandy loam, 5 to 36 percent slopes Musick sandy loam, 31 to 9 percent slopes Musick sandy loam, 31 to 9 percent slopes Musick sandy loam, 31 to 51 percent slopes Musick sandy loam, 31 to 51 percent slopes Musick very rocky sandy loam, 9 to 16 percent slopes Musick very rocky sandy loam, 51 to 71 percent slopes Musick very rocky sandy loam, 51 to 71 percent slopes Musick very rocky sandy loam, 51 to 71 percent slopes Musick very rocky sandy loam, 51 to 71 percent slopes Musick very rocky sandy loam, 51 to 71 percent slopes Musick very rocky sandy loam, 51 to 71 percent slopes Musick very rocky sandy loam, moderately deep, 51 to 71 percent slopes Musick very rocky sandy loam, moderately deep, 51 to 71 percent slopes Musick very rocky sandy loam, moderately deep, 51 to 71 percent slopes Musick very rocky sandy loam, moderately deep, 51 to 71 percent slopes Musick very rocky sandy loam, moderately deep, 51 to 71 percent slopes Musick very rocky sandy loam, moderately deep, 51 to 71 percent slopes Musick very rocky sandy loam, moderately deep, 51 to 71 percent slopes Musick very rocky sandy loam, moderately deep, 51 to 71 percent slopes Musick very rocky sandy loam, moderately deep, 51 to 71 percent slopes Musick very ro
₽⊿D	Pardee cobbly loam, 3 to 31 percent slopes
₽იС	Pentz sandy loam, 2 to 16 percent slopes

SYMBOL

... U. AUMOULIURE

ATION SERVICE

NAME

AaB	Anwahnee loam, 3 to 9 percent slopes
AaB2	Anwahnee loam, 3 to 9 percent slopes, eroded
AaC	Ahwannee loam, 9 to 16 percent slopes
AaC2	Anwannee loam, 9 to 16 percent slopes, eroded
AaD	Ahwahnee loam, 16 to 31 percent slopes
AaD2	Abyabbaa loom 16 to 31 percent slopes
	Ahwannee loam, 16 to 31 percent slopes, eroded
AdD	Ahwahnee very rocky loam, 9 to 31 percent slopes
Ad D3	Ahwahnee very rocky loam, 16 to 31 percent slopes, severely eroded
AdE	Ahwahnee very rocky loam, 31 to 51 percent slopes
AeE	Ahwahnee very rocky loam, shallow, 16 to 51 percent slopes
AÍD	Ahwahnee extremely rocky loam, 9 to 51 percent slopes
AnS	Aiken loam, 3 to 9 percent slopes
AnC	Aiken loam, 9 to 16 percent slopes
4ĸC	Aiken cobbly loam, 3 to 16 percent slopes
AKD	Aiken cobbly loam, 16 to 31 percent slopes
AKE	Aiken cobbly loam, 31 to 51 percent slopes
Ame	Aiken very rocky loam, 16 to 51 percent slopes
AmF	Aiken very rocky loam, 51 to 71 percent slopes
AnD	Argonaut gravely loam, 3 to 31 percent slopes
AoD	Argonaut very rocky loam, 3 to 31 percent slopes
ApD	Auburn sitt loam, 0 to 31 percent slopes
ArC	Auburn silt loam, moderately deep, 3 to 16 percent slopes
ArD	Auburn silt loam, moderately deep, 16 to 31 percent slopes
AsB2	Auburn very rocky silt loam, 3 to 9 percent slopes, eroded
AsD	Augurn very rocky silt loam, 3 to 31 percent slopes
AsE	Auburn very rocky silt loam, 31 to 51 percent slopes
AtD	Auburn very rocky sit loam, moderately deep, 3 to 31 percent slopes
AtE	Auburn very rocky silt loam, moderately deep, 31 to 51 percent slopes
AuD	Auburn extremely rocky silt loam, 3 to 31 percent slopes
AJF	Auburn extremely rocky silt loam, 31 to 71 percent slopes
AVE	Auburn extremely rocky silt loam, moderately deep, 31 to 71 percent slopes
AWC	Auburn-Argonaut silt loams 0 to 16 percent cloper
AWC	Auburn-Argonaut silt loams, O to 16 percent slopes
AwC AxD	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes
	Auburn-Argonaut silt loams, O to 16 percent slopes
СхА	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes
GxA CaC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes
GxA CaC CaD	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes
AxD CaC CaD C5C	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes
AxD CaC CaD CbC CbC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes
AxD CaC CaD CbC CbC CbE CbF CcC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Conasset very cobbly loam, 51 to 51 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes
AxD CaC CaD CbC CbC CbF CcC CcE	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes
AxD CaC CaD CbC CbE CbF CcC CcE CoC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Conasset very cobbly loam, 16 to 51 percent slopes Conasset very cobbly loam, 51 to 71 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes
AxD CaC CaD CbC CbE CbF CcC CcE CoC CoE	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes
AxD CaC CaD CbC CbE CbE CcC CcE CoC CoE EcD	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 31 percent slopes
AxD CaC CaD CbC CbE CbE CcC CcE CoC CoE EcD EcE	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer very rocky silt loam, 31 to 51 percent slopes
AxD CaC CaD CaD CaD CaD CaD CaD CaD CaD Ca	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes
AxD CaC CaD CbC CbC CbC CcC CcC CcC CcC CcC CcC CcC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 31 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 31 percent slopes
AxD CaC CaD CaD CaD CaD CaD CaD CaD CaD Ca	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes
AxD CaC CaD CbC CbC CbC CoC CoC CoC CoC CoC CoC CoC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset loam, 16 to 31 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sloam, 3 to 16 percent slopes Exchequer very rocky sitt loam, 3 to 31 percent slopes Exchequer very rocky sitt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes
AxD CaC CaD CbC CbC CbC CcC CcC CcC CcC CcC CcC CcC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes
AxD CaC CaD CbC CbC CbC CcC CoC CcC CcC CcC CcC CcC CcC CcC Cc	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Conasset very cobbly loam, 16 to 51 percent slopes Conasset very cobbly loam, 51 to 71 percent slopes Conasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 15 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 31 to 51 percent slopes Exchequer and Auburn very rocky loams, 31 to 51 percent slopes Exchequer and Auburn very rocky loams, 31 to 51 percent slopes Exchequer and Auburn very rocky loams, 31 to 51 percent slopes Exchequer and Auburn very rocky loams, 31 to 51 percent slopes Exchequer and Auburn very rocky loams, 31 to 51 percent slopes Exche
AxD CaC CaC CaC CaC CaC CaC CaC CaC CaC Ca	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer very rocky silt loam, 3 to 51 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Fiddetown graveliy loam, 9 to 16 percent slopes Fiddetown graveliy loam, 16 to 31 percent slopes
AxD CaC CaC CaC CaC CaC CaC CaC CaC CaC Ca	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sloam, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 31 percent slopes Fiddietown graveliy loam, 16 to 51 percent slopes Fiddietown graveliy loam, 16 to 31 percent slopes Fiddietown graveliy loam, 16 to 31 percent slopes Fiddietown graveliy loam, 16 to 51 percent slopes
AxD CaC CaC CaC CaC CaC CaC CaC CaC CaC Ca	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sloam, 3 to 16 percent slopes Cohasset very cobbly sloam, 3 to 31 percent slopes Exchequer very rocky slit loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Fiddietown gravelly loam, 16 to 51 percent slopes Fiddietown gravelly loam, 16 to 51 percent slopes Fiddietown gravelly loam, 6 to 51 percent slopes Fiddietown very rocky loam, 51 to 71 percent slopes Fiddietown very rocky loam, 51 to 71 percent slopes Fiddietown very rocky loam, 51 to 71 percent slopes
AxD CaC CaC CaC CaC CaC CaC CaC CaC CaC Ca	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 31 percent slopes Fiddietown gravelly loam, 16 to 51 percent slopes Fiddietown gravelly loam, 16 to 51 percent slopes Fiddietown gravelly loam, 16 to 51 percent slopes Fiddietown very rocky loam, 51 to 71 percent slopes Fiddietown very rocky loam, 61 to 51 percent slopes Fiddietown very rocky loam, 51 to 71 percent slopes Fiddietown very rocky loam, 61 to 51 percent slopes Fiddietown very rocky loam, 61 to 51 percent slopes
AxD CaC CaC CaC CaC CaC CaC CaC CaC CaC Ca	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sloam, 3 to 16 percent slopes Cohasset very cobbly sloam, 3 to 31 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 31 percent slopes Fiddietown graveliy loam, 9 to 16 percent slopes Fiddietown graveliy loam, 4 to 10 percent slopes Fiddietown graveliy loam, 6 to 51 percent slopes Fiddietown very rocky loam, 51 to 71 percent slopes Fiddietown very rocky loam, 3 to 51 percent slopes
AxD CaCCoCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Conasset very cobbly loam, 51 to 71 percent slopes Conasset very cobbly loam, 51 to 71 percent slopes Conasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 15 percent slopes Fiddietown graveliy loam, 9 to 16 percent slopes Fiddietown graveliy loam, 16 to 51 percent slopes Fiddietown very rocky loam, 16 to 51 percent slopes Fiddietown very rocky loam, 5 to 71 percent slopes Fiddietown very rocky loam, 3 to 51 percent slopes Fiddietown very rocky loam, 5 to 71 percent slopes Henneke very rocky loam, 3 to 51 percent slopes Henneke very rocky loam, 5 to 9 percent slopes
AxD CaC CaC CaC CaC CaC CaC CaC CaC CaC Ca	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Conasset very cobbly loam, 16 to 51 percent slopes Conasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer very rocky silt loam, 3 to 51 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Fiddietown gravelly loam, 9 to 16 percent slopes Fiddietown gravelly loam, 16 to 51 percent slopes Fiddietown very rocky loam, 51 to 71 percent slopes Fiddietown very rocky loam, 3 to 51 percent slopes Fiddietown very rocky loam, 51 to 71 percent slopes Fiddietown very rocky loam, 3 to 51 percent slopes Henneke very rocky loam, 3 to 51 percent slopes Henneke very rocky loam, 3 to 51 percent slopes Henneke very rocky loam, 3 to 51 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes
AxD CaCCobF CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 51 percent slopes Exchequer and Auburn loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Fiddetown gravelly loam, 16 to 51 percent slopes Fiddetown gravelly loam, 9 to 16 percent slopes Fiddetown gravelly loam, 16 to 51 percent slopes Fiddetown very rocky loam, 51 to 71 percent slopes Henneke very rocky loam, 51 to 9 percent slopes Henneke very rocky loam, 51 to 9 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes Holiand coarse sandy loam, 51 to 36 percent slopes Holiand coarse sandy loam, 16 to 36 percent slopes
AXD CACCOFCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer very rocky silt loam, 3 to 51 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 31 percent slopes Fiddietown gravelly loam, 16 to 51 percent slopes Fiddietown very rocky loam, 51 to 71 percent slopes Henneke very rocky loam, 3 to 51 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes Holiand coarse sandy loam, 16 to 51 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes Holiand coarse sandy loam, 16 to 9 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes Holiand coarse sandy loam, 16 to 9 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes Holiand coarse sandy loam, 9 to 9 percent slopes Holiand coarse sandy loam, 9 to 9 percent slopes Holiand coarse sandy loam, 9 to 9 percent slop
AxD CaCCoof Coof Coof Coof Coof Coof Coof C	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Conasset very cobbly loam, 51 to 71 percent slopes Conasset very cobbly loam, 51 to 71 percent slopes Conasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky siit loam, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 10 percent slopes Fiddetown gravelly loam, 9 to 16 percent slopes Fiddetown gravelly loam, 16 to 51 percent slopes Fiddetown gravelly loam, 16 to 51 percent slopes Fiddetown gravelly loam, 16 to 51 percent slopes Fiddetown very rocky loam, 51 to 51 percent slopes Henneke very rocky loam, 51 to 51 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes Holiand coarse sandy loam, 51 to 50 percent slopes Holiand coarse sandy loam, 51 to 50 percent slopes Holiand coarse sandy loam, 51 to 50 percent slopes Holiand coarse sandy loam, 61 to 56 percent slopes Ho
AxD CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Cohasset very cobbly loam, 51 to 71 percent slopes Cohasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 31 percent slopes Exchequer very rocky silt loam, 3 to 31 percent slopes Exchequer and Auburn loams, 3 to 31 percent slopes Exchequer and Auburn very rocky loams, 3 to 31 percent slopes Fiddletown gravelly loam, 9 to 16 percent slopes Fiddletown gravelly loam, 16 to 51 percent slopes Fiddletown gravelly loam, 16 to 51 percent slopes Fiddletown gravelly loam, 16 to 51 percent slopes Fiddletown very rocky loam, 16 to 51 percent slopes Fiddletown very rocky loam, 16 to 51 percent slopes Fiddletown very rocky loam, 51 to 71 percent slopes Fiddletown very rocky loam, 51 to 71 percent slopes Henneke very rocky loam, 51 to 71 percent slopes Holiand coarse sandy loam, 51 to 9 percent slopes Holiand coarse sandy loam, 64 to 36 percent slopes Holiand coarse sandy loam, 51 to 9 percent slopes Holiand coarse sandy loam, 64 to 36 percent slopes Holiand coarse sandy loam, 64 to 9 to 16 percent slopes
AxD CaCCoof Coof Coof Coof Coof Coof Coof C	Auburn-Argonaut silt loams, 0 to 16 percent slopes Auburn-Argonaut very rocky silt loams, 3 to 31 percent slopes Cohasset loam, 5 to 16 percent slopes Cohasset very cobbly loam, 3 to 16 percent slopes Conasset very cobbly loam, 51 to 71 percent slopes Conasset very cobbly loam, 51 to 71 percent slopes Conasset very cobbly loam, moderately deep, 3 to 16 percent slopes Cohasset very cobbly loam, moderately deep, 16 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 16 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Cohasset very cobbly sandy loam, 3 to 51 percent slopes Exchequer very rocky siit loam, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Exchequer and Auburn very rocky loams, 3 to 51 percent slopes Fiddetown graveliy loam, 9 to 16 percent slopes Fiddetown graveliy loam, 16 to 51 percent slopes Fiddetown graveliy loam, 16 to 51 percent slopes Fiddetown graveliy loam, 16 to 51 percent slopes Fiddetown very rocky loam, 51 to 71 percent slopes Fiddetown very rocky loam, 51 to 51 percent slopes Henneke very rocky loam, 3 to 51 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes Holiand coarse sandy loam, 9 to 16 percent slopes Holiand coarse sandy loam, 61 to 36 percent slopes







Valley Appelation

· · ·

Ro Ro Exp (Joins sheet 4)





·····

1


































Item K

respert.





Ken Deaver, President Amador County Wine Grape Growers Association Route 2 Box 27 Shenandoah School Road Plymouth, CA 95669 July 8, 1981

Chief Regulations and Procedures Division Bureau of Alcohol, Tobacco and Firearms P.O. Box 385 Washington, D. C. 20044

Dear Sir:

This letter and enclosures are supplementary to our petition to designate Amador County's Shenandoah Valley as an American Viticultural Area.

The articles (Exhibits 1-18) from a variety of newspapers, magazines and wine columns from the late 1960s to present are provided to substantiate the fact that this proposed viticultural area has been recognized as Shenandoah Valley for many years and the wines produced from this area are highly regarded by wine writers and consumers.

Since the early 1970s, the Bureau of Alcohol, Tobacco and Firearms, through its offical label approval procedure, has approved the wording "Shenandoah Valley" on numerous wine labels from many California wineries. Exhibits 19-22 are selected examples of this type of labeling. Thus, the BATF has sanctioned the use of our local name, and now wine consumers throughout the United States associate Shenandoah Valley of Amador County with quality wines.

The BATF's concern about the likelihood of consumer confusion regarding grape origin if the name "Shenandoah Valley" is used to identify our viticultural area is unfounded. How could anyone be confused over the origin of the grapes on a label such as Montevina's (Exhibit 23)?

The wineries of our area are very concerned about the artistic and economic problems of label redesign should the BATF rule that the requested appellation be changed from "Shenandoah Valley" to "Shenandoah Valley of California". An appellation of that length would be hard to fit on many existing labels, given the proposed type size requirements. Most wineries in our area could ill-afford the expenses involved in label redesign and printing, or the prospect of loosing product recogition should extensive label redesign be required. The enclosed fact sheet (Exhibit 24) relates a number of historic and economic items to support the fact that grape growing and wine production is the principal economic activity in our Shenandoah Valley. Since wineries throughout the State (Exhibit 25) use our grapes, the petition for the Shenandoah Valley appellation has state-wide economic implications. Continued use of the name "Shenandoah Valley" is essential to our economic well being.

Should the BATF feel that a hearing will be required to resolve issues regarding the use of the name "Shenandoah Valley", we respectfully insist that the hearing be held in Amador County, California. Since our members are family farmers or owners of family operated wineries, a trip to the Washington, D.C. area would be out of the question and a number of our members would be denied their due process.

Unfortunately, the press has dwelled on the Virginian's claim that we are trying to "swipe" their historical name. We have included in our petition and this letter considerable evidence supporting the fact that our area has been known for over 120 years as the Shenandoah Valley of Amador County. In addition, we have shown that our wine growing area had a national reputation before the BATF proposed American Viticultural Areas. The issue is not which area has the <u>historical</u> right to use the Shenandoah name, but rather, which area has established a superb, national <u>viticultural reputation</u> and has <u>unique</u> growing characteristics that distinguish it from other areas.

Sincerely	yours,
(b) (6)	

Ken Deaver, President

Enclosure: 25 Exhibits

breed of vineyardist A new cropping up in Shenadoah Valley, but many are adopting the same goals and 'values which' have proved beneficial for the valley's veteran vintners. At right, young 'Ken Deaver Jr. checks his newly planted Zinfandel vineyard overlooking the Shenandoah Valley.

THE SACRAMENTO BEE Tuesday, Sept. 24, 1974

Expanding Vineyards Area Near Plymouth Goes After Growing Market

By Michael Dunne '71', around terminology and employ tech-See Carrespondent . niques unfamiliar to their older coun-

PLYMOUTH, Amador Co. - The R terparts, 2 6.3. Shenandonh Valley near here has the new growers, however, seem to joined other California grape grow the adopting the same goals and valing regions in trying to keep pace, use which have long characterized; with the skypocketing popularity of t the valley's veteran vinters - small? wine. family-oriented operations which

3 Since 1856, when Swiss immigrant 1-lake pride in producing a quality

Adam Unhinger planted 20,000 of the product. area's carliest vines and established ¹². They include W. H. Field of Gilroy what has since become the D'Agostint frand his 26 yearsold son-in-law, Cary Winery, the valley's gently rolling hil- Gott, who have established Montevina locks have constituted the county's Vineyards, the valley's second wm-principal wine grape region. Terry, and Sacramento veterinarian Dr.

In recent years, however, increases Eugene C. Story, who is constructing ing consumer-destro for some wine the valley's third winery, tentatively by of the Shenandah Valley's graper of the valley's third winery, tentatively and expanding awareness of the qual-3 barned Cosumnes liver Vineyards. If y of the Shenandah Valley's graper of ther new gravers, such as the have brought new praise, attention, Fraue Alvien, the form, Define, seef



ducing an admirable grape; particu- idoah Valley primarily because land larly Zinfaudel, will carry their 2 was less expensive than in the Napa grapes through possible hard times. Valley and because of the rising poputhe wine industry becau, o of Julusity of locally produced Zinfandel.



The valley's longtime grape grow, 'yards during the past two years with ers — the four D'Agostini brothers, "shopes of selling their grapes to estab-Ken Dezyer, John Ferrero and others [lished winerles. — are being joined by a new breed of [] New and old growers alike are con-young, mon , and , women, who itoss [fident the valley's reputation for pro-

「直古式ない」」 1.1.

Ken Deaver Sr. checks his Zinfandels,

sumer lastes. A year ago the Shenandoah Valley

produced 2,200 tons of wine grapes, a 66 per cent increase over the previous year's total, said county agricultural commissioner Dave Thompson. Despite a May frost which damaged some vines and a cooler summer which slowed growth, this fail's total harvest is expected to be about as high as last year's because of an intil crease in bearing acres, he added.

Faced with an uncertain winegrape market, growers are leveling off plantings of new vines in the valley after a spurt of expansion, Some 150 new acres were planted during the past year, compared with 125 acres in 1973, 117 in 1972 and 15 in 1971, said Thompson, A random survey of several growers found that few new plantings are expected this coming season.

Zinfandel is the principal grape grown on the valley's 500 acres of. swineyards. The valley's warm days side right harvest the bountiful crop and cool nights and unirrigated gramtic soils are credited with producing a Zinfandel with an exceptionally fine sugar/acid balance, which in turn produces a wine of unusual character and body, agreed county farm adviser Bob Plaister and several growers.

Plaister, noting that the scenic valley is easily accessible off the Mother Lode's main arterial, Highway 49, believes the area has the potential of a major tourist attraction.

In contrast to the D'Agostini Winery, with its walls of rock quarried from nearby hills and hand hewn beams made from locally grown timber, the Montevina Winery on Shen-· andoah Schoolhouse Road three miles west occupies a brightly ht 7,-. 500-square-foot steel structure.

More than three tons of Sauvignon Blane are already fermenting in the winery's new tanks and the crushing of the Zinfandel has just gotten under way.

Last year, working in the basement and on the patio of his nearby home, Gott bottled his first 1,000 gallons of Zinfandel and White Zinfandel under the Montevina Vineyards label, The unusual White Zinfandel, which he is producing again this year, proved highly popular and reportedly has been sold out for some time ' Most of Gott's Zinfandel will be ex-

ported to Geyser Peak Winery in Sonoma County. Of the 400 to 450 tons of grapes he expects to harvest, he will be crushing some 60 tons hunself. : Gott said he settled in the Shenan-Story Station

Three of the D'Agostini brothers work in the cool, dark confines of their family-owned winery to $i \in M$ bottle wine from vineyards first established in the area in 1856.

area were expressed by Dr. Story and Alviso, a former alfalfa farmer from Turlock, Stanislaus County, 5'and Hahn, Amador County's new county counsel and former faculity member of the University of Southern Califor-; Inla Law School.

For his operation, Dr. Story purchased a 70-year-old, 27-acre vineyard, consisting primarily of Zinfandel, to more seriously pursue his ; 10-year interest in wine making. He does not expect to begin marketing his own label for another year. Most of this year's crop is being sold to . Ridge Winery in Cuperlino, Santa . Clara County.

The fall harvest of wine grapes in Shenandoah Valley finds workers toiling throughout the day stripping the vines and loading waiting gondotas. Workers at of Zinfandels owned by Dr. Eugene Story, · 1

MONEY TALKS...

DIAL

USE BEE WANT

ADS FOR

CASH RESULTS

FIND OUT FOR YOURSELF

USE BEE WANT ADS SOON

444-3113... direct line to Bee Classified in Secremento

The Sacramento Bee

anger Stater

and the states of the states

ALL YOU

CAN EAT

DINNER

Enjoy our "ALL YOU CAN EAT" Specials

EVERY DAY of the WEEK

ALL YOU

CAN EAT

FRIDAY: Fish

SUN: Your Choice

Fish Clains Chicke

GRANT CITY

CITRUS HEIGHTS

HI. SO AT AUEJEN \$1.19.

720-1806

GRANT CITY

CARMICHALL

MANZANIA & WHONG WAS

481-9208 OSS COLUSA AVE.

SAT: Shrimp

WEDNESDAY

EVERY

WEDNESDAY

ONLY

GRANT CITY

NO. HIGHLANDS

STANDER SUS AT WALLASS

GRANT CITY

SACRAMINIO

HWT. 56 AT 45in 51 848 452-4481

GRANT CITY YUBA CITY 674-3310

SPECIAL

MONDAY: Liver

WED: Clams

TUESDAY: Chicken

THURS: Spaghetti



ري ۽ سوتين تنبي تير ري ۽ سوتين

of a normalized

the advancing interest in grow-

ing of wine grapes in Amador

County Configuration of the

"There are three primary

areas in the county where good

wine grapes are grown," he explains. "There is the Ridge Road area between Sutter

Creek and Pine Grove, and the Shenandoah Valley out of

Plymouth and Fiddletown.

. . .

Here is a start of the second s

Almost as soon as the miners came to the Sierra Nevada foothills in Amador County, grape growing became a way of life But in recent years the vinevards decreased from at least 6,000 acres to about 600 acres. Today Amador County is be-

lieved to be on the threshold of a major upswing in its acreage.

Farm Advisor Robert Plaister of Jackson, is the focal point of

of Jackson, is the local point of These areas are in region III

Many graps provers in Amador County have been planting small acreage the last three or four years. This is a view of a vineyard, or portion of new vineyard, planted this year by Ken Deaver on School Valley Road in Shenandoah Valley. Some of the older vineyard is seen in the background. Each of the new vines has a milk carton around the trunk to keep the mice from nibbling on the trunk and destroying it.

ALENDAR - CARES - CARES - CONTRACTOR - CARES-ANDER ALENDAR - CARES-ANDER - CARES-ANDER ALENDAR - CARES-ANDER - CARES-ANDER ALENDAR - CARES-ANDER - CARES-ANDER



This view on Ridge Road out of Sutter Creek, a prominent grape growing area in Amador County gives an idea of the type of hilly country in which grapes are grown. This vineyard was recently sold to outside interests.

and thus produce the better quality wines. The third area is Jackson Valley out of Ione, which is in region IV and is thus considered to not produce as good a quality wine.

"Nearly all growers in Amador County are doing some planting the last three or four years, increasing their acreage, or making plantings to replace acreage pulled out because of age. Some vineyards in this area are 100 years old and some have begun to drop in production.

""There is considerable interest from people in other areas of "California. "Some acreages belonging to older families, where 'perhaps only an elderly couple for a widow has been running "the vineyard, have been sold to "outside interests." "Walter Field of Atherton

"Walter Field of Atherton has bought 450 acres and has a inurcer, full of young wires inthe Shenandoah Valley area. This acreage will be planted this fall. We have had numerous other calls from persons interested in acreage in Amador County. Some persons have been inquiring about as much as 1,000 acres at one time. We think there are some negotiations going on."

Field also will erect a winery.

- There are three bonded wir eries in the county now. One the very historical D'Agosti Winey, operated by for

FXHIOU

the very historical D'Agostin Winery, operated by fou brothers, a one man winery ; Amador City, and a nor operating winery at Jackso Gate.

The primary reason, accoreing to Plaister, for the great loin grape acreage in the count was wine depressions and scourage of disease that no on secmed able to control.

Most of the acreage is nor irrigated and under that syster produces about three tons to th acre. Irrigation is quite spotty but seems to increase tonnage i about five tons per acre.

In 1955 the University c California Agricultural Exten sion Service's office was opene in Jackson. Since that time continuing program of researc and investigation has continue in the vineyard areas. System arie studies and the close coop eration of the growers has re sulted in the determination a proper nitrogen levels, fertiliza tion, the discovery of boron de ficiency, the identification an control of the spider mite, an the establishment of a variet. test plot. A.N. Kaismatis, UC's state

A.N. Kaismatis, UC's state wide extension viticulturist, of (Continued Next Page

Robert Plaister, Amador County farm advisor uses magnifying glass to check th back of grape vine leaf to determine the trouble in a vineyard which was to recently, by Gladys Esola, to interests outside Amador County. The reavo leaves were turning yellow was because of an attack by Williamette Mitte.

PAGE 4

CALIFORNIA GRAPE GROWER

SEPTEMBER 197

SAVE - HISTORICAL VALUE

Precessing Page.

rained cuttings of Semillon, Barbera, French Colombard, Sauvignon Blanc, Gamay, Cabernet Sauvignon, and Ruby Cabernet. These were planted in a nursery in the John Ferrero vineyard in 1966. The following year they were transplanted into the vineyard. These varieties and what they will do in Amador County are being looked at and they are being made into wine and then aged, scored and evaluated by the enology staff. These will be compared with Zinfandel, the most plentiful grape in the county.

After running hundreds of individual petiole and soil tests, Plaister has come to the conclusion that in most instances forty pounds of nitrogen per acre is adequate fertilizer under the dry-land vineyard operations that prevail.

Recent investigations indicate that the soils in the Shenandoah Valley are causing plant growth which is borderline for zinc deficiency.

The most prevalent trouble in the county as far as insects go is with the Willamette Mite. "There is something about the climate in this area," says Plaister, "that seems to be ideal for this mite, especially on Zinfandels."

sion entomologist, has spent time in the county evaluating the control methods. His recommendation is that every row rather than every other row be treated. He feels the lack of control is due to the lack of proper control methods or application.

"If the mites continue to build up resistance to miticides and we must go to other miticides and to spray rather than dust," says Plaister, "then it will be necessary to change some of the basic cultural practices. This would mean pulling out certain vines in order to allow spray equipment into the vineyard."

Grape leafhoppers, a small insect about one-eighth of an inch in length, often give trouble, but are easily controlled. Phylloxera, an extremely destructive root aphid. has occured in several locations in the county. A number of years ago several growers were wiped out by this very difficult pest. But it seems to be well under control at present.

Cost analysis in the county show that the average total cultural costs is \$66.69 per acre, total harvest costs \$102.65, and total cash overhead \$17.04. SEPTEMBER 1971

Thus total cash costs are at \$186.38 per acre. Total investment is \$92.44 per acre, setting total cost per acre at \$278.82. The cost per ton for three ton of production per acre is \$92.94.

The fact that it seemed apparent a number of years ago that grape growing could boom again in Amador County caused a major interest in the area by extension. As can be seen from the former paragraphs, they have been at work on problems of the area and have come up with the kind of good answers that new comers into the county will be interested in.



Farm Advisor Robert Plaister of Jackson checks over the vines in a nursery planted by Walter Field of Atherton, who has purchased 450 acres which he will plant to grapes in Shenandoah Valley.



One of 15 Tri-Cal teams ready to go to work --- for YOU! Tri-Cal, Inc., offers its clients the best soil fumigation equipment available anywhere -- the most experienced drivers -- deep placement injection of methyl bromide -- quality products -- more thorough coverage. All of Tri-Cal's field personnel are highly qualified -- all have at least bachelor's degrees in such fields as entomology, agronomy, chemical engineering, plant physiology, and ag engineering. Please phone or write for additional information. Let Tri Cal put ALL OF THIS to work FOR YOU!



Specializing in Soil Pumigation Northern California Headourses P.O. BOX 2 - MORGAN HILL CALIFORNIA 95037 - PH. (408) 779-2186

÷.,

2

CALIFORNIA GRAPE GROWER

Modesia (Cir. D. 40,801 - S. 41,801) JUN 19-1966 Est. 1888 Allen's P.C.B.

Hours Car

enandoah Valley Vineyardists Produce Amador's Special Wines land," labor vand. lost - markets, the Shenandoah Valley grape in-

By Larry Cenotto Bes Statt writer 1442 country's only winery. ring hillsides of this Shenandoah Valley can be found the best of cent comes from D'Agostini's - * , of Amador County's vineyards and own vineyards. They buy from In the winter, its slopes and flats soak up the average 30- tonnage. inch rainfalk." Its moderately, Since they cannot supply the deep sandy loant soils rise from 1,200 to 2,000 feat

In the grape industry terms, it is a zone three area. It is warmer than the North"Coast; it is cooler than the walley. In its more temperater climate, grow varietal prenium graces for wine alone.

In 1965, its 576 producing acres included /399.1 acrest of Zinfandel; 90.7 of Mission, 39.2 of Carignan; 28.7 Museaf; 8.84 Golden Chasselas; one of All cante Bouschet, and some tenth of an acre of Tokay at the Two Ton Average

The country's 30 grovers av erage" 19 acres During 10 year period (1955,1964); on an average of 617.8 Lacrest, they produced an average 1,913.7 tons, or about two tons per acre In high rainfall years, the non-irrigated vineyards Thave. produced over three tons per acre; in drouth years, the tonnage has dipped as low as one.

Wet years or dry years, bumper harvests or not, there has always been addemand for the: Shenandoah's dryland varietal up as pressures from land spectra grapes. There have been no surplus problems here, and the press. The valley's largest producer ty ty zoning laws, the two key again is the D'Agostini Brothers. The star riculture ares in the county four vintners - Armenio, Hen-the Shnandoah and Jackson ry, Michele and Tulio with own the Valley, are not zoned at all. a family enter-

of jungrafted vines, and the about 500 tons. About 90 per neighbors if they need more winery, other growers look to where the tradition of home winemaking is still strong, they usually don't have to look too

far. a fill, of States -- 19 T Over half the produce from the 470 acres not owned by D'Agostint goes in home winemaking. Buyers, their, palates honed to the valley's premium? grapes, come from as far away as Montana. Production Costs

In 1962, a study under the direction of Farm Adviser Robert Plaister showed it cost the grupe grower here \$64,49 to produce a ton of grapes the average yield per acre was two-

and one half tons. But the high cost of production was offset by the price"thet; premlum grapes could bring in the 1961-64 period, also ton brought \$105.; Last year it drop ped to to about \$95. . . . The cost of the land still is

relatively inexpenisve. The 1962 study used a figure of \$300 per Despite having strong countries

Though the Zinfandel Variety

best, growers with Plaister's help constantly seek an even · -better premium grape for even finer premium wine. Rooting now in John Ferrero's Ranch are seven varieties * alien to Shenandoah's soils and

climate. "In five years time, enologists will know if any can equal or surpass the present. premium wine varieties.

Plaister says the valley's growers have no special problems, except perhaps deer. The animals' love the succulent green leaves and shoots, he says.

The D'Agostini Brothers, alone, have installed about four miles of eight foot high wire fencing to keep out the deer. With deer restricted, the grow-

ers still must contend with the Willamette mite, mildew, grass and leafhoppers, frost, capricious hail or rain at bloom time and that baisc worry, rainfall, 阁 Oldest In Area 沿途 In the D'Agostini Winery,"the county boasts one of the old; est in the state. In 1961 it was designated an historical land-

mark by the State Park Commission4 Swiss immigrant Adam Ullinger, started the winery in 1856. Rock quarried from the hearby hillsides composed its walls; beams hand hewn from local timber made its roof. This acre, But land prices could go a priginal wine cellar still stands and is used today.

e-casks are still in use, too. They dustry will continue to prosper: were fashioned by a Shenandoah Valley cooper. Early Beginning A Because the valley reminded Italian immigrant Enrico D'Agostini so much of his beloved vineyards about Rome, the bought the winery in 1911. When he died in 1956, his four sons had charge of the growing operation. In the late 40s, the family winery could store about 45,000 gallons. Now it san store 200, 000. Then it had about 48 acres, of grapes; today fit has 100 1.13 6.89.4 acres.

Each year the winery produces between 70,000 and 90, 000 gallons of wine. Without di rect paid advertising in any communication media, its business increases substantially.

Premium Wines Its premium varietal table wines, Burgundy Reserve, Burgundy, Claret, Vin Rose, Dry Muscat, and Sauterne go out to customers throughout Callfornia, after aging in wooden časks. After 110 years the Amador County grape industry is still small enough where most-growers can harvest their crops with local help. And it is successful enough to sell just about everything it grows. · Despire potential problems of 1

SECTION THREE . PAGE 4

Amador's Shenaroah Valley

HISTORICAL VAL

Where The Grapes Grow Sll, But The Wines Are Powerful

By Mike Dunne PLYMOUTH -- The big find in wine circles there day the mostby Shenandoah Valley. Wing ordica for national and regional publications do boundle se in their valies, the which that are being produced from graphes of more valies, the which that are being produced from graphes of bound of the states o

Rape districts. As far as several of the valley's veteran growers' ar distribution of the 'S AVE region's graptic soil, normal rainfall and breezy climits have combined to play

long produce a grape and wine lovingly respected locally reference enthusiastically appreciated elsewhere. They note: for example, that Gold Rush argonauts who either exhausted

the area's placers or tired themselves of the search started seitling into the valley and planting vineyards in the 1850s. One of them, a Switz imnigrant named Adam Uhlinger, planted 20,000 vines and established a winory in 1856, coopering casks of white oak felled on nearby hills. The casks still are . being used at what is now the D'Agostini Winery ar wie matyand of though y valley? A vogisiered state historic landmark? It may be the states winer? the

3. The others who arrived included John J. Davis, who in [859 planed's ' : Miasion vineyard which his step-grandson, Ken Deaver, still is hurvaring, · Todays'other, valley growers also can point to vineyard pyrcols which are 60, 80 or 100 years old and still productive? vineyards has been subject to economic depression sit the play incusting (insect infestation, Prohibition, disease, drought, notestation, blodstand deers a Through it ally however, the region's grapes temaked high in demand samony local and distant home wine makers where constituted the printery Souther for the valley's vineyard bounty. If it is the property of the valley's vineyard bounty of the valley's vineyard bounty of the valley's vineyard bounty of the valley's vineyard of the valleyard of the valley

relying primarily on the valley's grapes. But then Charles Myers, an English instructor at Sacramentus City 1 College, started looking around for a few Muscat grapes to use in his home

wine making avocation. An acquaintance of his, Saccamento venterinariaa Dr. Eugene Story, also a home wine maker, had an assistant, Laree Cunco, an Amador County native who was aware of Ken Deaver's Stichandoah j Valley vineyard. She referred Myers to Deaver. While acquiring the Museat from Deaver. Myers also found that Deaver had availables a vineyard of a Zinfandel, the fruit that is to the valley what pincapple is to Hawaii, "7. 14,

Myers started making Zinfundel wine with Deaver grapes in 1964. Four years later, when a wine boom was dramatically escalating the price of Napa Valley grapes, commercial wine makers started looking beyond Mapaand other traditional wine grape regions for new territory, that might ben producing equally respectable grapes at less expensive proces for at the hunters was Bob Trinchero of Sutter Home Winery 16 the Napa Valley, where his family had been purchasing all their Zinfandel grapes since 1946. That changed in 1968, however, when Sacramento wine merchant Datrell, Corti introduced Trinchero to a buttle of Myers's 1965 Zinfagdel made form Deavet grapes. Trinchero was so impressed with the wine that he tegan buying Deaver grapes that fall. The Zinfandel wing which Sutter Home 6 produced from the grapes, in turn, proved so popular on the market that by given 1971 Trinchoro was buying nearly all the grapes Deaver could produced Since then, the number of commercial winerles producing wines from Shenandoah Valley grapes has skyrocketed. Myers started his torn winery in 1972 - Harbor Winery of West Sacramento - to produce Zinfandel, Cabernet and a white dessert wine with Shenandoah Valley grapes. Dr. Story bought 27 acres of Shenandoah Valley wines and built his winory pay

on one clue of the vineyard in 1973

After dumping a bucket o box at the end of a row, Lynu Payne of Argonaut Winery starts the long walk back up the vineyard slope

most offen creunen of Browers, ---officials with guiding the revitalization of the valley's wine grape industry, it 14 North Coast, San Francisco Bay Area, Napa Valley and Sacramento !! wineries "are paying premium prices for our grapestation What's more, they are encountering growing competition for the valley's grapes from the county's own boonling winery industry. A decade ago, the county had just one winery, D'Agostini. Today it has seven, four in the

valley and three elsewhere in the county. Two of the three wiseries outside the valley rely in part on its grapes to produce their wines from the The surrent spurt in new local wineries started with Cary Gott, his wife. Vickie and her father, Gilroy banker W. H. Field, who in 1971 bought an 80-acra vineyard of 80-year-old Zinfandel vines and built Montevina; :

Winery. Gott crushed 39 tons of grapes in 1973, the first year Montevina started to . commercially produce wine. He crushed some 200 tons this sessor, double ; g Dr: Story followed Gott and then last month Lee and Shilley Sobor and their six shildren pulled up roots in Los Altos, where Soben was a materiale " research scientiat for Locaheed, and started crushing granes at the valley's newest winety. Shenandoah Vineyards, situated frayoonvorted stonet at

garage behind the family's hilliop residence. Sauvignod Blanc, Cabernet and Chenin Blane this first year and 6,000; gallons sext season. Up to now, as a fulltime space scientify and part-time but serious home wine maker. Sobon had been producing just 100 10:150, gallons of wine per season for the past four years. He is undaunted. however, by the challenge of being a fulltime wine makel ?? Pretything we have it in it, but hopefully when the money runs out the winc will start

selling. ? he remarked. "I'm confident it will be a success." The county's other wineries are Argonaut Winery in the Willow Creek, and southy a other whitered and oah Valley, Stoneridge, Winervest of Suttor

Creek and Amador Winery in Amador City. it in addition to the new wineries, old vineyards have been expanded and Incu vineyards have been introduced to the Valley by been into the The I valley now has approximately 850 acres of vines, of which some 350 auros , 134; were planted during the past five years, said Anradoy Coasty Agricultarah

Commissioner Dave Thompson. Because of the droit attraction partitions dropped sharply the past two springs. "If the weathing portdation wy itag expect now plamings to go back up to 60 acres per year " add Thompson. "

The drought siso has trimmed the county's grape production which includes total from smaller vineyards in the Jackson Valley gouth of lone hand the Ridge Road area cast of Sutter Creeks in 1973, the hest year the A county's wine grape growers have had, production total 2,570 tons and wine n " grape income topped \$1 million for the first time. Grape production has " been theyed since the n. 4 wn to 1,343 tons in 1974 because of a damaging

spring frost and an unus siy cool summer. Because of the drought flastg year's tonnage totaled just 1,844 tons. The grapes, however, are attinuting " higher and higher prices. In 1967, the average price was \$104 per ton. This year it is expected to average around \$400, with some growers receiving up

to about \$500 per ton, said Thompson. Uslike, the valley's longtime growers and the four D'Agostini, brothers, who conseduatively atick largely with Zinfandel grapes and who do not year ; from their traditional methods of making wine, the area's new growers and a

twine intakers sro now shy about experimenting with the liter of and techniques. Although most of their efforts remain focused on the valley's it premier. wine, Zinfandel, they also have been introducing new variation --

Gabernef, Merlot, Barbers, Ruby Cabernet, Sauvignon Blanc and Nebbiolo. - and tinkering with methods also unfamiliar to the salley, such pa carbonic. macoration 1: Although some of the wine makers have been able to afford sophiaticated to

and expensive equipment, others have pieced their wherles together with the set distinctive character of the region's Zinfandel grapes. old dsiry equipment, a converted grain conveyor, former serospece tubing the The consensus seems to be that the valley's Zinfandel does not have an 2.4 名牌 2.4 月日 and the like.

"Perhaps their tendency to the unorthodox has something to do with their professional backgrounds, which with the exception of Gott has not involved the extensive atudy of enology and viticulture. Dr. Story is a veterinarian, 45 Sobon a scientists, Gary Porteous of Stoneridge Winery # Pacific Gas & i Electric Co. employe and Jim Payne, Harley Harry, Paul Lloyd, Bill Bilbo,

and Neal Overboe of Argonaut Winery, all Aerojet engineers. Just as the valley's veteran growers and wine makers, however, the newcomers differ over the foremost factor which accounts for the quality of

the district's grapes. Some believe it's the soil, a weathered granite which is well-drained, moderate to low in natural fertility and moderately to have

Aluminum tubes formerly sued in the scrospace industry are assombled by Dr. Eugene Story of Sacramonio, owner of Cosumnes River Vineyard in the Shenandoah Valloy, for conveying crushed grapes from crusher to fermenting tauk.

severely susceptible to erosion because of the area's sloping hills, said Plaister.

"One of the odd things about vineyard soils throughout the world is that practically no quality wines are produced on highly productive soils," he added. "On a scale of one to a hundred, Shenandoah soils rate from 35 to 55. Thus the soil itself limits the tonnage per acre and improves the quality of the wine."

"Others credit the climate. In California, wine grape areas are classified according to a climate scale ranging from one to five, with one being the , le coolest and five the hottest. The Shenandoah Valley falls right in the middle, zone three. Its climate is characterized primarily by hot breezes blowing up from the Sacramento Valley during the day and cool breezes blowing down off the Sierra at night. The combination provides a lengthy maturation, which some growers believe gives the vines ample opportunity to heighten the intensity of Bavor in their berries.

The blend of hot days and cool nights, said Charles Myers, means the "grapes "are not being forced as if they were in a hot house." In addition, noted Cary Gott, the combination, along with the lack of irrigation in normal weather years, produces bunches and bergies that are smaller but more intensely flavored than grapes from other districts. Shenandoah Valley vineyards, he remarked, produce just one-third to one-half the tonnage produced in other regions. "The vine has only so much flavor to put into the grapes. As the tonnage goes down per acre, the flavor is more ! concentrated," he remarked.

The cool nights following hot days, said Bob Trinchero, "seem to give a rest period to the growing, and the plants seem to do better because of it." "You get the quality, but not the quantity," said Armenio D'Agostini,

general manager of the D'Agostini Winery. Darrell Corti credits the valley's soil, temperatures and winds, the older !! age of most of the vines, the lack of irrigation, the maturing on the vine and the sloping hillsides which Zinfandel seems to prefer for the soundness and

easy time of it, but that its stress and agony results in a wine that drives i wine connoisseurs ecstatic. "The berries do not fill out as much, so concurrently you have a more intensely flavored wine," remarked Corti.

"if you take grapes from a valley area where the soils are richer and where you have a good source of water it means the vineyard is getting ; more production per acre or that it could," commented Paul Draper, winemaker for Ridge Vineyards of Cupertino, which produces six Zinfandels each year, includig one from the Shenandoah Valley and one from Fiddletown. "Low production per acre, however, increases the intensity and flavor of the red wines.'

Whatever the cause, growers, wine makers and vintners agree that the

While her hashand oversore ing at Montevina Winery, Vickie Gott supervises and assists field crews dur ing the fail grape harvest.

Shenandoah Valley Zinfandel vines consistently produce a grape with an exceptional sugar/acid balance. "You can always count on the sugar. They will always sugar up for you," remarked Francis Mahoney, winemaker for Carneros Creek Winery of Napa.

'We have always had high acid and high sugar both, which is something you don't get everywhere," said Ken Deaver.

The ultimate result is a Zinfandel wine variously described as intensely flavored, gutsy, earthy, extremely fruity, rich, full-bodied, spicy, grapey, huge, dark, robust, zesty and powerful, depending on such factors as vintage and the bias of the critic.

"It's usually a very big wine, a masculine wine. Napa Valley Zinfandel is kind of feminine by comparison," commented Mahoney. "It's a very stright forward wine."

"In a normal year," aid Charles Myers, "the Zinfandel from Amador County develops the very finest characteristics that Zinfandel is capable of."

"What they lack in finesse they more than make up in sheer power," added Bob Trinchero of the Shenandoah Valley's Zinfandel wines.

The valley's long-range future appears as bright as its recent past. Although no up and coming heir apparent is threatening to knock king Zinfandel off its throne, several other grage varieties are appearing in the valley and showing promising results in the bottle, particularly Sauvignon Blanc, Chenin Blanc, Barbera and Ruby Cabernet.

"The outlook for Amador County wine is excellent," said Bob Plaister "Quality alway sells and we now know we have the quality."

If there are two traits which old and new grower and wine maker in the valley share they are a desire to have their operations family-oriented and a goal centered on quality rather than quantity. Consequently, they view the widespread introduction of irrigation systems in the valley during the past year as a necessary and positive step to save their vineyards and maintain the customary quality of their grapes. They see little danger that the valley's growers will start relying on the irrigation networks to swell production, increasing tonnage but diluting the quality of the grapes.

More tonnage, said Cary Gott, would result in a lighter and less interesting grape. "When normal rains return we will go back to normal practices," he added, noting that Montevina had invested some \$25,000 in a drip irrigation system this year.

If used correctly, said Howard R. Haggs, friend and asosciate of Dr. e Eugene Story at Cosumnes River Vineyatds, where a drip irrigation system will be installed next year, irrigating can be paced to assure optimum production and quality. "You can cut your cloth to fit your pattern," he remarked.

"The test," said Paul Draper, "will be the tonnage and the quality of the grapes produced in the future !! ?

Amador County's Shenandoah Valley

Some aficionados will tell you that the finest Zinfandel doesn't grow in Napa but in Amador County's Shenandoah Valley. Much of this interest has been cultivated with especial bottlings by Sutter Home, Corti Brothers (1972) and Harbor Winery (1973), respectively, of grapes grown on the Deaver ranch in the heart of the Mother Lode.

The Montevina Winery crushed its first Shenandoah Valley grapes in 1972. The vineyard contains 165 acres, of which over half are 80 years old. Yields have ranged from 220 tons in 1972 to an extremely large crop of 440 tons in 1973. Approximately 15 percent of the yield is selected for crushing by Montevina's young winemaker Cary Cott. The balance finds its way to the blending vats of a North Coast winery.

Montevina produces several distinct styles of wines from the Zinfandel grape. Just released is the second lot of the 1973 Shenandoah Valley Zinfandel. It has good varietal character and offers exceptional value at \$2.75 per fifth. It is superior to the first lot and was withheld for further anging.

Most of the first lot was bottled in half gallons. At \$3.50 per jug, supplies were exhausted within weeks. It was the best wine buy in America!

With some blanc de noirs priced as high as \$6.00 per bottle, it is not remarkable that Montevina's 1975 Shenandoah Valley White Zinfandel sells out quickly at \$2.75. To make a white wine from Zinfandel, the red skins must be removed at the time of crushing and prior to fermentation. At its best the wine retains a copper tinge sometimes referred to as *l'oeil de perdrix* (the partridge's eye). To attempt to filter all of the color would result in an unattractive diminution in the flavor and complexities of the wine.

Challenging tradition and new in style of enjoyment to California is Montevina's Zinfandel Nuevo produced by fermenting whole uncrushed berries in a carbon dioxide atmosphere. This process is known as carbonic masceration and originated in Beaujolais, France.

The Nuevo sells for \$2.50 per fifth and should be quaffed while it is young and still retains its distinctive freshness and lingering fruitiness. In his *Private Guide to Wines*, Robert Finigan extolled: "This beautifully made wine is as fine an example of 'Beaujolais nouveau' as I have found on either side of the Atlantic." *B.H.*

~ 2:22

Solving seasickness and other wine problems.

The Wine Bibber by BEN HATTEM

Many wines suffer from "seasickness" and should be laid down on their sides to rest in a cool, dark place free of any vibration for four to six months after being imported and a week following the trip from your merchant to home, depending upon the condition of your shocks. Some wines are too fragile to journey even to your neighbor and can be served successfully only at their place of storage.

A few unfortunate wines never recover from the voyage. The symptoms include a separation of richness and acid. But the astringency attributable to tannic young Cabernet Sauvignons and Bordeaux should not be ascribed to seasickness. A young expensive wine has likely lost the fruitiness and aroma of its youth without adequate time to develop bottle bouquet and suaveness. It's not bad, but it doesn't appear to have reached its potential-sort of like adolescence. Don't complain that "the wine doesn't travel very well." Next time you make a reservation at a restaurant, select an older wine and ask the maitre d'hotel to open it several hours before you arrive.

OPENERS: CORK POPPING

Champagne is one wine you can open and serve without a corkscrew. Refrigerate the bottle for two hours or chill it in a bucket of water and ice for 20 minutes. Ice alone will not do the job. To open, always point the bottle away from your friends and yourself. Unravel the wire hood securing the cork without shaking the bottle. Keep a thumb on top except for the moment of drawing the wire and foil capsule. Grasp the top of the cork firmly with thumb and forefinger. Turn the bottle, not the cork. slowly with your hand while maintaining a 45-degree angle. Allow the internal bottle pressure to ease out the cork instead of letting it ricochet dangerously off the ceiling or a chandelier. Remember, the cork is quicker than the eye and can attain a velocity of 45 feet per second. If the bottle has not been shaken. you'll likely avoid spilling. But have some chilled glasses ready just in case.

OPENERS: AH SO

For opening most other wines you should use the two-pronged Ah So. The prongs are inserted on opposite sides of the cork within the neck of the bottle with a gentle rocking motion. The handle is pulled firmly with a twisting motion. Voila! The whole cork slides out with no crumbs in the wine. The cork can be reused several times without breaking. Cork closures are made from the spongy bark of the evergreen cork oak, *Querous Suber*, grown mainly in Spain, Portugal and North Africa. Each square inch of cork is comprised of some 200 million microscopic air-filled cells.

OPENERS: WAITER'S CORKSCREW

Occasionally you'll find a cork that is too tight to engage the Ah So. That's the time to use the leverage of a jackknife or waiter's corkscrew. Most fancy and unfancy corkscrews sold in markets and liquor stores have three thin, round wire turns set far apart. More often than not they tend to cut instead of remove the cork. A proper waiter's pocket corkscrew obtained from a store specializing in kitchen utensils will have four to five coils that are squared off and set close enough together to permit all of the worm to transpierce the cork. The tip should be aligned with the curvature of the helix, never centered. If the cork is brittle or crumbly, a carbon dioxide pressure injector decorker is an excellent remover. The injection of gas into the bottle will push the cork out from inside the bottle.

BELL, BOOK AND CANDLE

Stand your bottle up for a week to permit any precipitates to slide to the bottom. Wipe the mouth of the bottle and remove the cork without disturbing the contents of the bottle. To decant, hold the bottle so that you can see a candle flame behind the neck and, with the use of a funnel, slowly pour without interruption into a clean vessel until you observe the sediment approach the neck of the original container. Stop! Your wine should be brilliant. About 1½ ounces of wine and sediment remain for sampling by the cellarmaster.

So much for tradition. The modern way to avoid shaking the bottle involves the use of a siphon. This method eliminates undue aeration. It is the same process used at a winery to rack wine off the lees into a clean barrel or storage tank. At home, with the assistance of a flashlight, you can avoid lowering the siphon tube below the level of the sediment and have the same clarity.

BREATHING :

Wine is a living thing. If it tastes smooth and velvety after decanting or racking, cover until served. Depending upon robustness, vintage and present age, you ought to allow two to three hours breathing for the wine to open.

SAVE HIGE STAT MALLER REDWOOD RANCHER

11

•

Sacramento, Calif. Bee (Cir. D. 169,590 - S. 189, 940)

MAY 27 1958 - Larry Cenotro

SHENANDOATH Amador Co.-Oberthe rolling hillsides of this Shenandoah Valley grow most of Amador County's vineyards. In the Winter its slopes and flats soak up the average 30inch rainfall. Its moderately deep sandy loam soils rise from 1,200 to 2,000 feet.

In grape industry terms, it is a zone three area. It is warmer than the North Coast; it is cooler than the valley. In its more temperate climate grow varietal premium grapes for wine alone.

In 1963, its 576 producing acres included 399.1 acres of Zinfandel; 90.7 of Mission; 39.2 of Carignan; 28.7 Muscat; 8:8 Golden Chasselas; one of Alicante Bouschet, and one-tenth of an acre of Tokay.

Two Ton Average

The county's 30 growers average 19 acres. During a 10year period (1955-1964), on an average of 617.8 acres, they produced an average 1.313.7 tons, or about two tons per acre.

In high rainfall years, the non-irrigated vineyards have produced over three tons per acre; in drouth years, the tonmage has dipped as low as one.

Wet years or dry years, bumper harvests or not, there has always been a demand for the Shenandoah's dryland varietal grapes. There have been no surplus problems here.

Largest Producer

The yalley's largest producer is the D'Agostini Brothers. The four vintners — Armenio, Henry, Michele and Tulio — own and operate a family enterprise which includes 100 acres of ungrafted vines, and the county's only winery.

Its average annual crush is bout 500 tons. About 90 per ent comes from D'Agostini's way vineyards. They buy from eighbors if they need more boauge.

Since they cannot supply the

COLOCIL VIAL HE



AMADOR ACREAGE—John Ferrero, a vineyardist in the Shenandoah Valley of Amador County, guides his disc-pulling tractor between rows of Zinfandel vines which are over 45 years old. The county boasts of 576 producing acres, the bulk of it in the Zinfandel Variety and the remainder in specialty, premium wine grape types. Bee Photo



<u>jel</u>

Zinfandel was grapes grown at ds in Amador County. loot elevation and fifty have given this wine a ance that is unique It is dark in color, light is full of fruit. Aging rican Oak cooperage has





ESOLA VINEYARDS



ion, complemented by in amound by Bret Harte. Sing. It should be an interval of small-cooperative of summer, but this summer, but the several several

> 'O'. Zinfandels of this type Should be at least four should be at least four or five years old before or five years old before or five years old before age and more. This wine age and be decanted beshould be decanted beforc serving.

AIN

LUME

IN BY

ED

1a

PD (1/7) asis on quality ad. Our grapes identified on en to peak We let the only rare 's are not ar Black ineyard from ar ting 'all

?)

Anador of small-coopera ry this summer, b ch full potential. PD (1/7) 'asis on quality 'd. Our grapes identified on 'en to peak We let the

Liquid Gold In The Foothills

It is not uncommon today for blind tastings of Zinfandels to attract a huge turnout and to be conducted with as much solemnity as a tasting of Cabernet Sauvignons or Classified Growths. But it certainly is surprising when you realize that only a few years ago Zinfandel was a blending wine only, reserved for the red generics and port-type wines. When variefal Zinfandels were made, they received little attention and care at the wineries; they weren't aged so much as they were placed in giant old redwood tanks and set aside until the important wines were tended to. Then suddenly, with the beginning of the wine boom and the rush to plant varietals, Zinfandel moved from obscurity to stardom as an interesting, unique wine that vintners began to proudly display. As the wine began to be discovered by consumers and as winemakers brought it out of the closets, new areas emerged as Zinfandels country. At the present time one of the most talked-about regions linked with Zinfandel is Amador County.

In Amador itself life has been pretty tranquil ever since the gold mines were abandoned; most of the inhabitants had never heard of any wine boom. Amador County is part of the so-called Mother Lode region in the foothills of the Sierras. However, it is one of the oldest viticultural regions in California. According to Leon Adams there were more

ZINA by Norman S. Roby

than 100 wineries operating in the Mother Lode area as late as 1890. But Prohibition closed most of them, and there was no revival with Repeal. Mother Nature makes grapegrowing difficult in the foothills, but the vineyards remained in production, mainly to supply local amateur winemakers and occasionally to sell to large outside wineries.

Many of the present Amador vineyards were originally planted around 1900, and the area hasn't changed much since then. It remains a relic of "the old wild west" where the primary pastimes are hunting, gossiping, brawling and tippling. However, back in the 1850s the area was bristling with activity, and Amador County was part of Calaveras County. Around 1853, it was decided that the large county should be divided into two. The first name suggested was Washington County, but many didn't like this eastern-sounding name and suggested Amador instead. After some heated discussions when the time came for the bill to be voted on those favoring Amador hit upon the idea of serving plenty of local wine to those in opposition. The wine was enjoyed well into the night, and before the Washington contingent could come to its senses, the bill authorizing the Amador County name had passed without debate.

Today Amador County consists of numerous small towns which normally have one general store, a schoolhouse, and a cemetery. The names of various towns send you back to another era: Jackson, Volcano, Sutter Creek, and Chili Gulch. The present-day town of Plymouth was once called "Pokerville," and nearby lone which began as a trading post used to be called "Bedbug" and was later changed to "Freezout." Fiddletown, which got its name because the young men of the town were always "fiddling" around, was briefly changed to the name of Oleta. But Fiddletown was immortalized in a story by Bret Harte, and the original name was restored in 1920.

Throughout it all the old vineyards survived as part of the local color and tradition. Long before anyone had ever heard of Amador Zinfandel, the local residents took part in an annual rite which consisted of deer hunting in the fall and making wine as soon as the hunting season was over. After one had bagged a deer or two, it was traditional to purchase some local grapes, either Zinfandel or Mission, most often a mixture, and make some wine which would enable you to get through till next hunting season. In the early 1960s, a few outsiders would occasionally venture into Amador to buy some grapes for home winemaking. But this didn't pose any threat, and, besides, there was always the D'Agostini Winery in Plymouth to supply the local folks with whatever Burgundy, Claret, or Sauterne they needed.

Life in the Mother Lode would have continued unchanged except for two related circumstances. The first was that the amateur winemakers made some interesting wines from Amador Zinfandel; the second, was that rising grape prices in Napa and elsewhere forced some smaller wineries to investigate other areas as possible alternatives. By the early 1970s Amador County Zinfandel was creating quite a stir. Now in late September and early October the long time residents hear the sounds of trucks hauling Amador Zinfandel to Napa, Sonoma, Livermore, and Cupertino, disturbing their peace, frightening away the deer, and removing their winter joy and comfort. But character, imparts some complexity to the mature wines.

Amador has suddenly come alive, and the growers are jumping higher in glee than the celebrated frogs of Calaveras County in the annual Jumping Frog Jubilee held in Angels Camp each May.

When you look back upon Zinfandel's rise to popularity, the two primary moving forces were Ridge Vineyards and Sutter Home Winery. They made the varietal wine "respectable." Ridge had the audacity to make Zinfandel the same way one makes a classical Cabernet Sauvignon, leaving it on the skins for several days and aging it in expensive oak. At about the same time Sutter Home in St. Helena defied tradition by looking outside Napa and Sonoma for grapes. At one time Sutter Home bottled more wines under its label than most large wineries, but it is now moving toward specializing in Zinfandel wines made exclusively from Amador County grapes. Ridge, on the other had, always made just a few wines but scurried all over California in search of choice Zinfandel grapes. In 1974 Ridge went to Amador and made two different Zinfandels which are scheduled for release later this year. According to Ridge, Amador grapes "show real promise" and they may continue buying Amador grapes for years to come.

With Ridge joining Sutter Home, Amador County is destined to be regarded nationally as a prime Zinfandel wine region. But they are not alone in their esteem for Amador. One can find Zinfandels on the market today made from Amador grapes from many wineries: Mayacamas, Carneros Creek, Mount Veeder, Harbor Winery, Monteviña, Concannon (a rosé), Gemello, Corti Brothers (a private label), ZD Winery, and D'Agostini. Geyser Peak Winery buys a good deal of Zinfandel and blends it with wines from other regions, and on a lesser scale, Caymus Vineyard makes a Zinfandel with some Amador wine in it. For several years, until 1972, Robert Mondavi Winery bought some Zinfandel from an Amador grower. The Christian Brothers have on occasion also purchased Amador grapes. Neither of these does any longer. One problem was that in the first few years, some of the old Amador growers couldn't understand why the premium wineries would get a little upset if Mission grapes were mixed in with the Zinfandel.

One could easily put together a tasting of Zinfandels made from Amador County grapes. In fact, I recently took part in a tasting of Amador Zinfandel vintages from 1964-1974, sampling some 27 different wines which included an early attempt which was similar to a vermouth and ended with a vintage Port made from Amador Zinfandel. It was quite an eye-opening event, not just because of the number of wines available but because even when made by different producers the wine exhibited a highly distinct style.

Amador Zinfandels have a unique style, more so than most other wines from some of the better-known and more prestigious regions. In general, they tend to be an extremely dark ruby in color, with a heavy, full body; high in alcohol and tannin; and when young, they are highly perfumed, but not in the "briary" sense. The aroma is more like that of intensely fresh, ripe grapes. With their high alcohol and tannin, young Amador Zinfandels taste somewhat coarse. But given good aging in oak, they can develop a spicy aroma and flavor, which, combined with the strong berry

Although for a moment they could fool an experienced taster into thinking an aged Amador Zinfandel resembles a Claret, they are too full bodied and rough to sustain that impression for long.

Amador Zinfandels, it should be mentioned, are not for everyone. Many well-versed wine tasters object to their heavy style. If you especially enjoy California Zinfandels made in that fresh, fruity style similar to a Beaujolais, it is possible the Amador Zinfandels may strike you as too heady and inelegant. However, to me, with their great deal of body and extract, the Amador wines resemble full-bodied northern Italian wines or heavy Côtes du Rhône reds. They do share a similar high degree of ripeness which you either like or dislike in a red wine.

But in any case, Amador Zinfandels are worth trying, and a few of the wineries involved have national distribution. And besides, all serious California wine buffs should be familiar with Amador, if for no other reason than the fact that the region deserves to be recognized as an official appellation of origin. This is especially so because it is primarily Zinfandel country. Of the 900 acres planted, almost 700 acres consist of Zinfandel vines, and 400 of these are ten years or more old. Actually, much of the Amador Zinfandel was planted in 1900, and even more surprising is the fact that these gnarled old vines are still producing quality fruit.

In location, Amador County is about 40 miles east and little south of Sacramento which places it in the foothills of the Sierras. The terrain is mostly rolling hills which make grape growing somewhat difficult. Depending on where you are, the elevation in Amador varies from 1200 to 1700 feet, and based on degree days and heat summation, the climate of Amador is a high Region III or low IV. During the summer the days in Amador are quite warm, often over 100°, but the area consistently has cooling night breezes that give its grapes a unique character. In the Shenandoah Valley, one of Amador's finest grape growing regions, a cooling air mass rises from the lower valley floor and reaches the vineyards on a regular evening schedule. Much of the soil consists of shallow decomposed red granite. The hot summer days and cool evenings tend to cause the grapes to shrivel and thus concentrate the juice, but also enable the Zinfandel grapes to retain fairly high acidity. Largely because of the unique conditions, growers can obtain high sugar, around 25-26 Balling or more, with good acidity; the wines are high in alcohol and tannin and are concentrated in flavors.

The growers often.-lose a good percentage of their Zinfandel either to spring frosts which are quite persistent or to the intense heat during July and August. But the fruit that survives is often remarkable in varietal character. On an average, the Amador Zinfandel vineyards yield somewhere between two and a half to five tons per acre, or slightly below the average productivity for Zinfandel in the coastal regions.

Most large wine producers have shied away from Amador since the economics of grape growing there make it unattractive and uncongenial to any large winery. Somehow the growers managed to survive, supplying grapes to amateur winemakers and periodically selling to larger wineries in years of shortage. Others went to Amador simply because the prices were dirt cheap, that is until the Zinfandel craze set in. For years the only active winery in

Amador after Prohibition was D'Agostini Winery in Plymouth, the area's oldest winery. The vineyards were originally planted in 1856, and D'Agostini bought the winery in 1911. It still specializes in what might be called vin de pays-honest, decent drinkable wine. D'Agnostini Claret and Burgundy wines are made from Zinfandel, Carignane, and a little Mission and are sold by the bottle and halfgallon. The winery, now a historical landmark, makes a good quality Estate-Bottled Zinfandel, but this and the other wines are seldom available outside the immediate area.

But the revival of interest in Amador as a wine region came from outside forces. The first Zinfandel from Amador that caught anybody's attention was made by Charles Myers of Sacramento, who was making wine as a serious hobby in 1965. Myers is an English teacher at a Scramento College who recently started a small commercial winery called Harbor which today is noted for its Zinfandel and Chardonnay wines. To him goes the distinction of being the "discoverer" of Amador Zinfandel.

By late 1967 and early 1968 Bob Trinchero of Sutter Home was beginning to feel squeezed by rising grape prices. which were then "soaring" to \$300 a ton for Napa Zinfandel. He had been making some private label wines for Corti Brothers, Sacramento wine merchants/grocers who were close friends of Myers. Hearing of the situation, Darrell Corti arranged for Trinchero to sample the Zinfandels from '65 and '66 made by Myers. Impressed by what he tasted, in the spring of 1968 Trinchero visited Ken Deaver, a Shenandoah Valley grower, and arranged to purchase Zinfandel from the coming vintage.

The '68 Sutter Home Amador Zinfandel from the Deaver Ranch was aged in Limousin oak and released in January of 1971. This event pretty much put an end to deer hunting in Amador. Before too long, word spread about this unusual Zin and the wine eventually became a collector's item. Myers, Corti, and Trinchero continued to make wines from the region in '69 and '70, and by the release of the 1970 Amador wines which were superb, the rush was on-this time for grapes, not gold in the foothills.

Between 1968 and 1971, Sutter Home made its Zinfandel from grapes grown on the Deaver Ranch. By 1972, the demand had increased so much that Trinchero went to a neighboring vineyard owned by John Ferrero and blended the Deaver and Ferrero lots together. Both of these vinyards are in the subregion or pocket known as the Shenandoah Valley, not the one immortalized in song, but one winning many praises these days. Harbor Winery makes its Zinfandel from Deaver grapes. Since 1968 Corti Brothers has offered an Amador Zinfandel; each year Darrell Corti selects certain lots from wines made at Sutter Home, and then he ages his Zinfandel in his own cooperage at the winery. So the Harbor, Sutter Home, and Corti Brothers Zinfandels are all made primarily from the same vineyard, but they are always somewhat different in taste. These three producers, along with Cary Gott of Monteviña, feel that the Shenandoah Valley merits special and official recognition as a wine region.

More and more, you will see different place names appearing on bottles of Amador Zinfandel which can be somewhat confusing. Some wineries simply use Amador; others will refer to the Shenandoah Valley, and still a few producers identify the wine by a particular vineyard. The most important vineyards often singled out are Deaver, Ferrero, Monteviña, and Esola--all of which are located in the Shenandoah Valley. Eshen, another sought-after old vineyard, is located near the town of Fiddletown, and one Ridge '74 Zinfandel will carry the Fiddletown appellation, while the second will bear the Shenandoah Valley designation. The St. Amant Vineyard mentioned on the label of the delightful Concannon Zinfandel Rosé is a new one located near Jackson to the south; Concannon is soon to release the '75 Zinfandel Rosé and hopes to make a regular Amador Zinfandel in 1976.

Now when we turn from the specific vineyards to the producers, the picture becomes even fuzzier, since occasionally the Amador wine is blended with wines from other regions or for some reason may not be identified. In 1972 Mayacamas made a now famous Late Harvest Zinfandel with immense fruitiness and depth and an alcohol content of around 17 per cent. This wine was actually made from the oldest Zinfandel vines belonging to Monteviña Vineyards. When last available, this Late Havest wine was selling in California for \$12 a bottle. Caymus Vineyard in Rutherford made a '74 Zinfandel with a "California" designation that was made from Amador, Sonoma, Napa, and Lodi grapes; the '75 Caymus Zinfandel was made from Amador, Napa, and Lake County grapes in equal proportion. The Amador grapes are purchased from the D'Agostini Ranch, not related to the winery of the same name. The Caymus Zinfandel is a lighter, fresher wine, ideal for sipping and drinking with many types of food.

At the moment, Geyser Peak is the largest winery using Amador Zinfandel, but how much is in the winery's "California" Zinfandel is not known. Geyser Peak has a long-term grape contract with Monteviña Vineyards in Amador, and many consider this to have been one of the better moves made by the winery under its present ownership. The non-vintage Voltaire Zinfandel has a pleasant dark color and fresh grapy aroma that tempts one to say these fine features are derived from Amador grapes. It is a good wine for the money, lacking only some wood aging for greater complexity and interest. Geyser Peak is now beginning to move toward vintaged-dated varietals, and it has a '73 Zinfandel on tap that should be worth looking for shortly.

The Gemello Winery in Mountain View offers small quantities of Amador Zinfandel which are usually distinguished by "Lot 71A" or "Lot 72A" with the "A" standing for Amador. The wines are purchased from Sutter Home and aged and finished in Mountain View. Gemello favors using Nevers oak for the Amador Zinfandel which adds its own distinctive character. Mario Gemello also likes to give his wines lots of time in the oak, averaging around three years or so. Gemello Zinfandels are sometimes difficult to find, but the Amador wines are extremely well



3 1973 SIERRA FOOTHILLS NFANDEL Zinfandel Grapes: 71% from the ah Valley and 29% from Clements luced and Bottled by) Homi en Nomen Colling MA, CALIFORNIA OL 12% BY VOLUME produ de & bottled by Gara hate

made and worth seeking out.

While Amador's reputation was gained from the activities of outsiders, there is now some excitement created from within by a new, 'small winery in Plymouth-Monteviña. Managed by Cary Gott, a young and talented winemaker, Monteviña now consists of around 175 acres including about 100 acress of Zinfandel. He has added small plantings of Sauvignon Blanc, Chardonnay, Ruby Cabernet, Barbera, Cabernet Sauvignon, Merlot, and Nebbiolo to see how they will fare in Amador. After taking over the old vineyard in 1971, Gott first made wines under the Monteviña label in 1973. Although he only makes about 2500 cases annually, every time Gott makes a new wine he manages to catch everyone's attention. Also, because he is adamant about pricing his wines attractively, Monteviña has developed quite a following in San Francisco and Los Angeles.

Beginning in 1973 when he was still temporarily working out of his basement, Gott got off to an auspicious debut. Lacking cooperage and being daring by nature, he made what he called "Zinfandel Nuevo" by the carbonic maceration process which has since become a big fad. However, the Monteviña "Nuevo" in '73 and '74 are two of the finest nouveaux wines made in California-intensely fresh and fruity in aroma and flavor and delightfully spritzy. The '75 Nuevo made from grapes picked during rains is full of tartrates, but is also delightful to drink. Monteviña also offers a White Zinfandel, both a dry and sweet version in 1975, and a regular Amador Zinfandel that while not as full bodied as others is well balanced and extremely attractive. Monteviña, both as a source of grapes and as an innovative winery, has helped establish Amador County in California wine circles.

But Gott is very much interested in the other varieties as well as Zinfandel. So far the Monteviña Sauvignon Blanc and Barbera have been well received, being strong on varietal character and intensely fruity.

But at the moment, the larger story still rests with Sutter Home Winery which has decided to make only Amador County wines. All Sutter Home Zinfandel has been first rate with only minor variations in the different vintages. The winery now produces a White Zinfandel going under the "Oeil de Perdrix" designation, made fresh and fruity with a touch of sweetness. In 1974 Sutter Home made a special lot of Late Harvest Zinfandel which will need much more time in wood and bottle before one can say whether it is as interesting as the '72 Mayacamas Late Harvest wine. This Sutter Home Zinfandel has around 16 per cent alcohol and is amazingly bone dry. It will be worth watching for in the next few years.

At one time, Bob Trinchero was seriously considering blending some Cabernet Sauvignon into his Amador Zinfandels for added complexity, but has since abandoned the project after several experiments. This brings up an interesting point about Amador Zinfandel-the wines are certainly good but they are by no means as capable of complexity as are those of a few other regions. We should not position it as "the" Zinfandel growing region, which a few writers have already done.

But when the '68 Sutter Home Amador Zinfandel was recently tasted, it was still quite powerful and had developed a beautiful spicy aroma and flavor. With time, and this is worth noting, the Zinfandels made from the old Amador vines do acquire quite interesting features. When young, however, they appear fat, awkward, closed-in, and somewhat unappealing. But after some bottle aging, they come around nicely, developing that regional spiciness in bouquet and flavor and acquiring æ delightful "sweet" sort of finish, characteristic of mature, full-bodied "sweet" sort of finish, characteristic of mature, fullbodied Zinfandels. When you taste them try to keep in mind their slow-developing nature. From my own experiences, it seems quite possible for Amador Zinfandels to reach their peak some ten years or more after the vintage.

But as is unfortunately true of most California wines, they are seldon cellared long enough to develop their full potential. A few '72 Amador Zinfandels are still available, and if you are lucky enough to find some, put them away until 1980 or later. Amador County Zinfandel is usually harvested two to three weeks before the Zinfandel from Napa and Sonoma, so Amador growers escaped the problems caused elsewhere by late rains in 1972. The '73 harvest in Amador is considered to be on the light side only by Amador standards; the wines from this vintage are still quite full bodied and fruity, and should age well into the 1980s. But as you know, '74 is considered to be the year for red wines in California, and the Amador Zinfandels sampled from the tanks hold out much promise and should become fantastic wines. During the '75 harvest it rained even in Amador County, but since the clusters were reduced in size by both frost and heat, most of the Zinfandel was picked with little evidence of mold or rot. So while the '73s and '74s are the real gems to look for, the '75 Amador wines may be the only Zinfandels worth drinking.

It used to be maintained that you could grow Zinfandel anywhere in California, but this is no longer true. Zinfandel ripens late in the season along with Cabernet Sauvignon, but unlike the hardy, tough Cabernet Sauvignon, Zinfandel has very tight, compact clusters and is quite subject to bunch rot in wet or humid regions. When grown on the floor of the Napa Valley, Zinfandel usually develops some bunch rot. But in Amador, the clusters are uncharacteristically loose and the vineyards are dry with well-drained soils: they thereby avoid this tendency to develop bunch rot on almost all fronts.

Today, Zinfandel lovers, and there are many of them, fall generally into three different camps. No longer can one discuss Zinfandel without being asked to define one's terms and to identify particular styles of wine. There are those who favor the fresh, fruity, light Zinfandel often described as "brambly" in taste and similar to a young Beaujolais in style. Here, I have in mind those delightful wines made by the Christian Brothers, Louis Martini, Sebastiani, and the altogether pleasant new wine from The Monterey Vineyard. These are "drinking" or sipping wines. Secondly, there are Zinfandels that are full flavored, medium bodied, made in a

balanced and somewhat refined style, such as those offered by Souverain, Oakville, Simi, and in 1972 by Robert Mondavi and Clos du Val. These are either enjoyed immediately or laid away for a few years.

Then there is the third style of Zinfandel which I call the "hairy-chested school." These are the *heavy-sipping*, extremely tannic Zinfandels that are often described as "chewy." I have in mind the Ridge Occidental Zinfandels, David Bruce Late Harvest Dry, Joseph Swan '70, Ridge '70 Geyserville, and perhaps Clos du Val '73 Zinfandel. These are the high alcohol brutes with immense depth of fruit and loads of tannin which demand years of cellaring.

Within this over simplified scheme of Zinfandels, it would be a mistake in judgment to equate Amador Zinfandels with the latter school. The reason is that the style of Amador wines is more of a factor of the growing conditions than of the winemaking process. They are high in alcohol by nature, rather than from any willfullness on the vintner's part. Those who dislike the Amador wines have criticized them for their obsessive high alcohol, positioning them with the other faddishly "big" wines from California. But what should be mentioned is that the Amador Zinfandels have the needed structure and body to support the alcohol, and they have plenty of fruit to balance with the high tannin. No matter who so far has made Zinfandels from Amador, there always has been a definite, regional style discernible. Like them or not, tasters should judge the Amador wines on their own merits within the context of a definite Amador County style.

Ironically, as this report is being written about the coming of age of Zinfandel and the recognition of Amador as Zinfandel country, Dr. Olmo of U.C. Davis is probably putting the final touches to his long-awaited study of the true origin and ancestry of California's unique wine. Some people fear that once this definitive study is made public, Zinfandel's reputation will begin to decline. To slip into the vernacular, "No way!"

The last word had it that Dr. Olmo was convinced that Zinfandel was descended from the Sangiovese grape of Tuscany. But this report which will certainly be comprehensive and authoritative will most likely be of academic interest to most of us. Zinfandel no longer needs the romantic stories and mysterious trappings to perpetuate itself. Besides, so many cuttings have been taken and transported to various parts of California over the last 100 years that the Zinfandel of today probably has very little in common with its true European ancestors. The unraveling of the myths and legends may in fact prove beneficial to this variety; once divested of this tired, stale promotional clutter, the wine may be allowed to show its abilities to perform within other small growing regions.

The irony of the research is even greater in Amador. Since the region's reputation has been staked so firmly on those old vines in the Shenandoah Valley and in Fiddletown, the news of Zinfandel's family tree will have little impact. As one Amador grower once told me, he couldn't say for sure that the grapes were really Zinfandel at all; he had merely taken at face value the previous owner's words that they were Zinfandel. And he added, "Besides, what difference does it make; the grapes make good wine, don't they?" He had me there, but then again, I'm partial to Amador wines. You'll have to try a few for yourself to see if they are for you.

Tasting Of Amador County Zinfandels

1972 Sutter Home, Shenandoah Valley Zinfandel, national, \$3.75. Heavy, ripe fruity aroma just opening up, full but not heavy on the palate, rich varietal flavor with subtle oakiness; strong finish with some complexity to it. Give it time; this will be a superb Amador Zin.

1972 Harbor Winery, Deaver Ranch Amador Zinfandel, local California markets, \$3.75. Fine rich color, strong fruity aroma, extremely full-bodied, high alcohol, rich texture, short finish. Somewhat ponderous and rough in the aftertaste. Will repay long aging.

1972 Mayacamas Vineyards, Late Harvest Zinfandel, national, \$12.00. Powerful Amador scent, rich dark color and flavor; powerful (17 per cent) alcohol; rich tannin, immense fruit on the palate; tastes like a Zinfandel Port.

1972 Corti Brothers, Reserve Selection, Deaver Ranch Shenandoah Valley Zinfandel, California, \$3.75. Deep color, a firm wine still backward in development; rich flavor with a firm structure; heavy on oak now. Will age beautifully.

1973 Monteviña Vineyards, Shenandoah Valley Zinfandel, California, S2.75. Spirited deep color, firm fruity-woody aroma; fine balance with excellent fruity flavor; astringent finish.

1973 Carneros Creek Winery, Eschen Vineyards Zinfandel, California, \$3.25. Medium dark color, definite ripe grapy aroma, medium bodied: good fruity flavor with strong oaky taste; pleasant astringent finish.

1973 Sutter Home, Shenandoah Valley Zinfandel, national, \$3.75. Typical rich color and strong grapy nose; mouthfilling flavors, still quite undeveloped; high tannin, good fruit. Shows great promise.

1973 Corti Brothers Reserve Selection, Shenandoah Valley Zinfandel, California, S3.75. Ahead of the Sutter Home in development. Heavy aroma with plenty of fruit and oak in evidence; rich texture, flavors undeveloped; should age into a complex and deep wine.

1973 Harbor Winery, Deaver Ranch Zinfandel, California, \$3.75. Deep color, assertive, full aroma, heavy body, loads of fruity, good Amador definition in flavor, rough in the finish.

1973 ZD Winery, Sierra Foothills Zinfandel, national, S3.95. Dark ruby color; healthy looking wine; moderate but attractive spicy nose, well-balanced, moderate tannin, soft and delicious flavor with good fruit, short finish. Elegant, refined Amador wine. Enjoyable now, but will age for three or four more years. Made from 71 per cent Amador Zinfandel, with the rest from the Clements area to the east of Lodi.

1974 Ridge Vineyard, Fiddletown Zinfandel, national, \$5.00. (Tasted one month after bottling.) Short grapy nose, beautiful, medium-dark color, attractive, softness on the palate, fine body, sufficient tannin for further aging, nicely balanced with obtrusive high alcohol. A refined Amador

2.0.

Zinfandel, but at a steep price.

1974 Mount Veeder Winery, Esola Vineyards Zinfandel, California, \$4.75. Ruby color, on the light side for Amador; nose is beginning to develop some spiciness; soft, grapy flavors, medium body, moderate tannin, soft, refreshingly long finish. Price is a little dear.

1974 Caymus Vineyard, California Zinfandel, California, Oklahoma, and Washington, \$2.98. Made from Amador and several other counties. Appealing fresh, fruity aroma; medium to light color and body; soft on the palate with good fruity; mild tannin; well balanced, pleasant, delightful finish. An excellent drinking wine.

1974 Carneros Creek Winery, Esola Vineyard Zinfandel, California, \$4.00. The winery switched to Esola from Eschen. Good medium color, assertive fruity nose with strong oak; heaps of fruit in the flavor with strong tannin; very astringent finish. Well-made wine that needs several years to smooth out.

1974 Concannon Vineyard, St. Amant Vineyard Zinfandel Rosé, national \$2.50. Fairly dark for a Rosé, fresh fruity aroma, medium body, well-balanced and absolutely dry, crisp, refreshing finish. One of the best if not the best rosés made in California today. Remember, it is dry and definitely a Zinfandel wine.

1974 Monteviña Vineyard Shenandoah Valley, Zinfandel Nuevo, California, \$2.50. Medium color; heavenly fruity nose, fruity flavors with a good shot of spritzig for added freshness, mild tannin, short finish. A quaffing wine, but the best California wine made by carbonic maceration method.

1974 Monteviña Vineyard, Shenandoah Valley White Zinfandel, California, S2.50. Light salmon color, fruity nose, some fruit with lots of tannin on the palate since the wine was placed in new oak; some acid, delightful astringent finish. Pucker power. Ideal for sipping on warm summer afternoons.

Non-Vintage Amador County Zinfandels

Geyser Peak, California Zinfandel, national, \$2.50, Made from an unknown percentage of Amador grapes. Medium-dark color, good solid fresh grapy nose, fairly full bodied; well-balanced, short, uncomplicated finish. A fine all-purpose Zin at an extremely attractive price.

Gemello Winery, Lot 71A Zinfandel, California, \$3.75. Medium-dark color, strong fruity nose, full on the palate with plenty of tannin and oak along with the substantial fruit; rough, astringent finish. A fine wine with more fruit to it than the Lot 72A which is also a good wine.

Sutter Home Winery, Deaver Vineyard Oeil de Perdrix (White Zinfandel), national, \$3.25. Slight pink tinge, soft grapy nose, pleasant medium body with fruity flavor; the high alcohol peeks through the taste; smooth, attractive finish with a hint of sugar. Nothing to get too excited over, but easy to drink.

Amador's Shenandoah Valley sprouts vineyards

PLYMOUTH - At the expense of persons unla

produce a grape and wine lovingly respected lo-cally if not enthusiastically appreciated elsewhere, . • • .

THEY NOTE, for example, that Gold Rush argonauts settled in the valley and planted vine-yards in the 1850s, One, a Swiss immigrant named Adam Uhlinger, planted 20,000 vines and estab-lisbed a winery in 1856, coopering casks of white oak feiled on nearby hills. The casks still are being used at what is now the D'Agostini Winery at the cast end of the valley. A registered state historic landmark, it may be the oldest winery in the state. Others who arrived included John J. Davis who by 1859, nanted a Mission vineyrd which his step-In 1859, planted a Mission vineyard which his stepgrandson, Ken Deaver, still is harvesting. Other growers can point to vineyard parcels which are

1

TEXT AND PHOTOS BY MIKE DUNNE, Bee Corr SAVE - HISTORICAL VALUE

60, 80 or 100 years old and still productive. The market situation and character of the fai ley's wine grape industry started to shift quietly, but dramatically in 1963.

CHARLES MYERSI. AN English instructorat Sacramento City College, started looking for some Muscats to use for home winemaking. An ac-quaintance, Sacramentan Dr. Eugene Story, sico quantance, Sacramenan Dr. Eugene Story, also a home winemaker. had an assistant, Loree Cu-neo, who knew of Ken|Deaver's Shenandoah Vaj-ley vineyard. She referred Myers to Deaver. A wine salso found that Deaver had Zinfandels available and started making Zinfandel wine with Deaver grapes in 1964. Four years later, when the wine home mee dramatically accelering the trice. Deaver grapes in 1964. Four years later, when the wine boom was dramatically escalating the price of Napa Valley grapes, commercial wine makers started looking for new territory that might be producing equally respectable grapes at less ex-pensive prices. One of the hunters was Bob Tri-chero of Sutter Home Winkry in the Nape Valley, where his family had been purchasing Zinlandels since 1946. since 1946. and the second second

IN 1968, SACRAMENTO wine merchant Derreil Corti introduced Trinchero to Myers's 1965 Zinfandel made from Deaver grapes. Trinchero was so impressed he buying Deaver grapes that began

18.

対応

fall. The Zinfandel wine which Sutter Hom fall. The Zinfandel wine which Sutter Home pro duced, in turn, proved so popular that by 1971 Trin

5 - C. 44 - 42

chero was buying nearly all the grapes Deave

when the work of the set of the s

en. 1000 THE CURRENT SPURT in new wineries star



Jim Payne of Argonaut Winery rakes crush grapes from fermentation tank.

ed with Cary Gott, his wife Victoria and her f ther, Gilroy banker W. H. Field, who in 19 bought an 80- acre vineyard of 80-year-old Zinfa del vines and built Monteving Winery. Go crushed 39 tons of grapes in 1973; he expects crush 200 tons this season.

Frish two tons units season. (Dr. Story followed Gott, and last month Lee al Shirley Sobon left Los Altos and started crushu grapes at the valley's newest winery. Shenandou Vineyards, situated in a converted stone garag

Wineyards, situated in a converted stone garag. Sobon hopes to produce 3,000 gallons of Zinfand White Zinfandel, Sauvignon Blanc, Cabernet a Chenin Blanc this year; 6,000 gallons next sensor. The county's other wineries are Argonaut W ery in the Willow Creek area; Stoneridge Wine east of Sutter Creek, and Amador Winery Amador City.

The valley now has approximately 850 acres vines, of which some 350 acres were planted di-ing the past five years, says Amador County Ag of the drought, new plantings dropped sharply t past two springs.

THE DROUGHT ALSO has trimmed the cou THE DROUGHT ALSO has firmmed the co-ty's grape production. In 1973, production total 2,570 tons and wine grape income topped 51 milli for the first time. Grape production has been even since then, down to 1,343 tons in 1974 becau of a damaging spring frost and an unusually o-summer. Because of the drought, last year's p duction totaled 1,844 tons. Grapes, however, buction totaled rate total. Orapes, nowver, tract higher and higher prices. In 1967, the ev-age price was \$104 per ton. This year it is expect to average around \$400, with some growers rece-ing up to about \$500 per ton, reports Thompson.

THE AREA'S NEW growers and winemake

Cary Gott of Montevina flanked by oak wine barrels. -----12

Longtime Shenandoah Valley grape grower John Ferraro strolls through one of his

Vickie Gott assists in Montevina's wine grape harvest

18 M - 10 M - 1

12 يتهتز ما

ANT CONTRACTOR

ينو بخشه من المسجود المن المراجع المراج المراجع المراجع



Dr. Eugene Story checks Co sumpes River's fruit harvest. 100



Sacramento, CA (Sacramento Co.) Bee (Cir. D. 170,030) (Cir. Sun. 199,723) 007 1 5 1977

wine

20

- - ---i de la constante

Lee and Shirley Soboe of Shenandoah Vineyarda; and grower Don Potter, right, begin their first wine grape crush.

es blowing down off the Slerra at night. Myers believes the blend of hot days and cool nights means the grapes "are not being forced as if they were in a hot house." The consensus seems to be that the valley's Zin-fandel does not have an easy time of it, but that its stress and agony result in a wine that drives con-noisseurs esstair.

poisseurs ecstaire. WHATEVER THE CAUSE, growers and vint-ners agree the Sheanodab Valley Zinfandel vines consistently produce a grape with an exceptional sugar,'recid balance. 'You can always count on the sugar,' remarks Fracis Mahoney, winemaker for Carneros Creek Winery of Napa. 'We've always had high acid and high sugar both, which is something you don't get every-where.''Deaver adds. The result is a Zinfandel wine variously de-scribed as intensely flavored, guisy, earthy, roust, zesty and powerful, depending on such factors as vintage and the bias of the critic.

THE VALLEY'S FUTURE appears bright. THE VALLEY'S FUTURE appears organ. Several other grape varieties are appearing in the valley and showing promising results in the bottle, particularly Sauvignon Blanc, Chenin Blanc, Barbera and Ruby Cabernet. As Plaister says: "Quality always sells and we have the quality."

in the stat was seen and and the seen and the set of the seen had seen the seen and seen and seen and

1961 °E АНУЛИЯСТ СВИНИХТ И ТНИ



Look to the Sierra

Only a few vineyards punctuate the landscape of the Sierra foothills east of Sacramento, in what has come to be known as the Mother Lode country. In between the abandoned gold mines are also a few winerics. To date, neither the vineyards nor the wineries have made the splash that the Gold Rush brought to this region. But give them time, give them time.

Vines have been cultivated here since before the Gold Rush. In fact, many was the Gold Rush miner, his stake petering out, who planted vines to make wine and keen body and soul together. There was even a time -- around 1860 - when El Dorado County alone had more vineyards than either Napa or Sonoma.

But except for a few Amador County Zinfandels, serious wine drinkers only recently have recognized the possibilities. The region is beginning to make a name for itself. The appellations of Amador, Sierra and El Dorado Counties, the Shenandoah Valley and the hamlets of Plymouth and Fiddletown are becoming increasingly familiar to Zinfandel drinkers.

Sutter Home Winery in the Napa Valley was the first to exploit the character of Amador Zinfandels - intense berry aromas and flavors, high-alcohol, wines of power. Sacramento vintner Darrell Cortl recognized the potential in the late 1980s, having tasted a Zinfandel made by home winemaker Charles Myers (who now owns Harbor Winery). It had been made from grapes grown at the then-unknown Deaver Vineyard in the Shenandoah Valley near Flymouth. Corti had Sutter Home make some wine for his stores from the Deaver Vineyard. That wine, and subsequent vintages, put Amador County on the map.

Wineries with names like Montevina, Shenandoah, Boeger, Stevenot and Sierra Vista have joined the pioneers actually producing wines in the Mother Lode. The oldest existing pioneer is d'Agostini, founded 1856 (and still going strong). And now it's more than Zinfandel. Excellent Cabernets, Chardonnays, Sauvignon Blancs and Muscats are being grown in the Sierra Foothills.

With virtually all the vineyard land in Napa County

planted, very little suitable land left in Sonoma, the search is on for new places to grow fine grapes for fine wine. U.S. wine consumption is rising, so the thirst is there. The question is where the grapes will come from. The jury is still out on Monterey. The Edna Valley in San-Luis Obispo and the Santa Ynez Valley in Santa Barbara look promising. To that list one must add the Sierra Foothills.

This year, Amador County took a big step toward carving its place as a wine producer when it held its first extensive competition. Any wine made from Mother Lode grapes, including those made by wineries elsewhere in the state, was eligible. As one of 20 judges who worked their way through the nearly five dozen wines, I can attest to the quality.

I must note, however, that the organizers of this competition were a bit generous with medals. Nearly two of every three wines entered won awards, a rate more than double that of most other competitions around the state. Undges did not make the final decisions on the awards; the event's organizers "interpreted" our rankings.)

The big winner was Montevina, one of the area's modern pioneers, which opened shop in 1973. (Most of the action has taken place since 1975.) Winemaker Cary Gott reaped 10 medals, including golds for its 1978 Zinfandel, 1979 Sauvignon Blanc, 1978 Barbera and nonvintage Mission red. Montevina also picked up silver medals for its 1978 Montino Zinfandel dighter than the regular vintage wine), 1978 Cabernet Sauvignon, 1979 White Zinfandel and White Cabernet.

The Sauvignon Blanc and Barbera are prime examples of what can be done in the Shenandoah Valley. They are the equal of better wines produced in betterknown coastal regions. They also represent good value, being priced under \$5.

Another big winner(was Shenandoah Vineyards, a relative newcomer (1977), which picked up seven medals. It won three gold medals - for a Zinfandel port, a 1978 Cabernet Sauvignon and a lovely Black Muscat, All three are superb wines. The Cabernet has depth and elegance, chatacteristics missing in many Amador reds. The port is a stunner, rich, complex and subtly balanced. The Muscat is a sweet red wine, spicy and flowery perfumey, a unique wine in California.

Boeger, a winery in neighboring El Dorado County, earned five medals for its Amador-appellation wines, including a gold for its generic white wine, 1979 Sierra Blanc.

The Grand Award went to fledgling Stevenot Winery, a Calaveras County winery just now releasing its first vintage. It won for its Amador-appellation 1979 Chardonnay, a wine with considerable fruit and appealing balance of oak. It is not a wine to compare with the glants of the North and Central Coasts, but it's an eye-opener from an area never known for Chardonnay, Stevenot also won a gold medal for its Chenin Blanc, a steely-tart wine with that green-fruit aroma typical of the variety, and a sliver for its White Riesling.

Sutter Home, the winery that started it all, picked up a gold medal for its 1978 Zinfandel, and deservedly so. I find it to be the best Amador Zinfandel SH has produced since 1972. The intervening wines have been disappointing, beset with a variety of off-odors and flavors. This one is a winner, harkening back to the rich, intense

P-> M- CA



This gentleman wishes to be directed to our Wine Stamp window.'

Zinfandels of the early 1970s. (Sutter Home, incidentally, also makes a lovely, light Zinfandel from El Dorado County grapes, so labeled.)

For the record, here are all the medal winners from the 1900 Amador County Fair.

Zinfandel (regular): Gold -1978 Montevina, 1978 Argonaut, 1977 Geyser Peak, 1978 Sutter Home, 1978 Ahern, Silver - 1977 Veedercrest, 1977 Richard Carv. 1978 Montevina Montino. Bronze - 1978 Shenandoah. Zinfandel (late harvest): Gold - 1978 Carneros

Creek, Silver - 1977 Argonaut, 1978 Sierra Vista, Bronze 1978 Shenandoah

Zinfundel (sweet): Gold - Shenandoah Zinfandel Port (n.v.). No silver or bronze. Cabernet Sanvignon: Gold - 1978 Shenandoah.

Silver - 1978 Montevina, Bronze - 1977 Boeger. Mission: Gold -- Montevina (n.v.). No silver, Bronze

- 1977 Shenandoah. Other reds: Gold -- Shenandoah Black Muscat (n.v.

sweet), 1978 Montevina Barbera, No silver, Bronze - 1978 Montevina Ruby Cabernet, 1977 Boeger Hangtown Red, 1979 Montevina Nuevo Zinfandel. Rose: Gold -- 1979 Baldinelli, No silver or bronze.

White Zinfandel: flold - 1979 Sierra Vista, Silver ---1979 Montevina, 1979 Shenandoah, Bronze - 1979 BeauVal.

Sauvignon Blanc: Gold - 1979 Montevina, No silver or bronze. Chenin Blanc: Gold - 1979 Stevenot. No silver or

bronze. Chardonnay: Grand Award - 1979 Stevenot, No

llver. Bronze — 1979 Boeger. White Riesling: No gold. Silver — 1979 Stevenot.

Bronze -- 1979 Boeger. Other white: Gold -- 1979 Boeger Sierra Blanc. Silver

- 1979 Montevina White Cabernet. No bronze.

% teaspoon each thyme, pepper, sage Dash liquid hot pepper sauce

Cut fish into serving portions and place in single layer in shallow baking dish. Combine remaining ingredients and pour over fish. Place dish in refrigerator until cooking time,



Island seafood

VOYAGERS, 1556 Solano Ave., Albany. Closed Monday, otherwise lunch 11:30 to 2, dinner 4 to 10. Full bar continuous. Wheelchair access. Reservations: 525-2330.

Voyagers is located in quarters occupied for some 15years by Vin et Fromage, a restaurant established by Ed. Brown after leaving Berkeley's famed Pot Luck, which h founded in 1954. Pot Luck (now Nadine) never quite lost, its successive manifestations, a certain improvised --- not to say slandash - look which was part of Brown's style. This was also true at Vin et Fromage, as a series of ownerships sought to dress up the interior. With Voyagers, however, the site has undergone fundamental revision, losing all hint of plywood tackiness. Designer/carpenter John Gasper and crew spent three months restructuring the interior and street facade, and the place now has a conifortable air of solidity and charm, adorned with a modicum of island art and artifact. It also, for the first time, has a full bar license, with spacious rattan cocktail lounge.

We dined here as a party of three, and everything we had was quite fine. My only disappointment was in the menu, which I'd hoped would offer authentic seafoxis of Polynesia tas advertised) At its debut nine months ago, it seems there was such a monu, but its dishes of raw fish and the like proved too exólic for the clientele, and within a month it was abandoned. Still, the present list has a few items of special interest, as well as such familiar dishes as the Indonesian satay and gado gado and the Filipino lumpia. Served on the dimés at \$550 are squid a la Formosa,

marinated in plum wing which is then used in the soute batter — tender and only slightly sweet. Reluctantly, since it was frozen, I ordered the grifled mahi mahi at \$6.75, but it proved to be delicious. It had been marinated in paprika, Worcestershire sauce, garlic and pepper and was topped with coconut, pineapple and cherry, One companion had ve sauteed scallops at \$8.50, done with mushrooms, shall butter and sherry - not island fark, but exquisite,

Entrees are with soup or salad, a geasoned almond rice and sliced cucumbers in sweetened vinegar, We had a spicy tomato-beef soup, and instead of mixed greens we chose the tasty gado gado - sprouts, vegetables and tofu in neanur sauce. We'd begun with a double order(of barbecued spareribs (\$1 for three chubby little pieces), wonderfully succulent. We ended with a double order of banana fratters. (\$1.75), with a light batter only on the bottom.

Our wine was Sebastiani's white Pinot Noir, full and fruity, at \$6.50. An interesting hors d'oeuvre is the pu pu platter (no snickers, that's flawaiian) at \$5.75, with the barbecue rifts, lumpia, shrimp tosst, fried won ton and beef teriyaki on skewers. Popular entrees are the boncless chicken breast stuffed with ham and mushrooms and cooked in lemon (\$7.50) and the beef satay at \$8.95. Curried chicken or breaded pork chops are \$6.75, while deep fried items are from \$6.25 for sole to \$8.50 for jumbo prawns.

The working owner is gentle Herman Chang, born and raised on Taiwan the was our waiter), while the books are his mother and his Taiwanese wite, May, Locally, he has worked at the Mandarin in Chirardelli Square for six years.

At lunch, chicken or seafood salads are from \$3.95 to \$5.75, while a choice of five entrees at \$4.50 brings vogetable and rice plus beverage. A Sunday brunch at \$6.50 offers the satay or a seafood combination on a full meal with soup. beverage an

By Elaine Tait 2 tablespoons wine vinegar Knight News Service "+ enp offse off 1 / mar 1

Sine Street

Inspiration for a summer meal

Wed., Feb. 9, 1977 * S.F. EXAMINER—Page 33



An and the second s

Mining the Gold Country

There's a new find in the Mother Lode. Or rather a rediscovery of Amador County as a rich source of top quality zinfandel grapes. Back in the '50s, the gold country boasted only one major winery, D'Agostini.

I remember, one long ago day, driving through such quaint towns as Murphy's, Daffodil Hill, Volcano, certainly not thinking of wines and vines.

Then, driving out from Jackson, near the town of Plymouth, I was astounded to see a patch of vine neatly sliced into the mesquite and back brush of the rolling hills. Soon another, then another and finally I was surrounded by lush vineyards. A final turn up the hill brought us to D'Agostini Winery, founded half a century earlier with grapevines actually dating back to 1856.

D'Agostini was known for its honest, everyday, jug wines. A dry white Muscat, a "Burgundy" made of Carignane and Zinfandel and a "Reserve Burgundy" were the selections. This latter wine was produced entirely of Zinfandel and aged a minimum of three 'years in wooden casks. The price was a nostalgic one, about \$1.50 per gallon. As the sons of D'Agostini started an expansion plan, and mesquite bushes gave way to new vineyards, production increased enough to ship the wines into Sacramento and San Francisco.

One of the first merchants to recognize the great potential of these Zinfandel grapes was Darrell Corti, the owner of a Sacramento gourmet and wine shop. He had a friend, Charles Myers, who owns the Harbor Winery in Sacramento. Myers was then experimenting with Mission and Zinfandel grapes from the vineyards of Ken Deaver in Plymouth. The rich, lusty fragrance of the Harbor Zinfandel, plus a little Sacramento area chauvinism, led Corti to introduce the wine to Sutter Home Winery in the Napa Valley.

Sutter made an experimental lot in 1968 and soon was using gold country Zinfandel exclusively. It is now the only red wine Sutter Home makes and is considered one of the finest Zinfandels produced in the state.

By the early '70's Amador County wine, both from Fiddletown and the Shenandoah Valley, were finding their way onto the labels of Mayacamas, David Bruce, Ridge, Carneros Creek and other distant wineries.

As the good news about the Zinfandel discovery spread, Amador County finally got a new winery on its own soil. Montevina was founded in 1972 by Cary and Vickie Gott to produce exciting wine from their own vineyards. In partnership with his father-in-law, a retired banker named W. E. Field, Gott is off to a fantastic start. Trained at the Fresno State College Department of Oenology, the young Gott is quite an experimenter. With established Zinfandel grapes as his mainstay, he started out with Zinfandel Nuevo in the style of a delicate, light Beaujolais Nouveau. He then made a White Zinfandel, which is kept almost as clear as a white wine by very carefully crushing and pressing the grapes to avoid coloration from the skins. The first lots of Barbera and Ruby Cabernet are astonishing in the rich intensity of their flavors.

The Montevina winery may very well hit pay dirt again, with the new test plot of Italian Nebbiolo just planted. This is the finest of the red grapes produced in the Piedmont area of northern Italy. If the luscious earthiness of the grape aromas from Amador County develop in the style of the Piedmont, Californians will have a new Gold Country wine to brag about.

SAVE - HISTOR'N' VALUE


Who's Buying Those <u>Amador County</u> Grapes?

Answer. Practically Everybody

By Charles E. Olken and Earl G. Singer

To be perfectly candid, Amador County never possessed a glowing reputation for the production of premium wines. Names like Plymouth, Fiddletown and the **Shenandoah Valley** were not celebrated on commercial winery labels as a guarantee of quality during the early history of the California wine industry. Rather, the vineyards of the area were the haunt of home winemakers and the brokers who served this market.

Home winemakers loved the problem free, generously ripe Zinfandel and Mis-

sion grapes produced in Amador vineyards. Their affection for these easy-touse grapes produced a solid market that allowed the growers to ride out Prohibition and the booms and busts that caused great fluctuation in vineyard acreage in other areas. Out of the way of urban expansion and small in size, Amador vineyards weathered economic pressures. The growers enjoyed a steady, comfortable market which stretched from San Francisco Bay to the Badlands of North Dakota.

These vineyards, part of the thousands of acres that graced the farm lands and foothills east of Sacramento during the last century, survived almost alone. In Sacramento County what had been 4548 acres has now dwindled to 45. In Tehema County only a trace remains of what had once been the largest vineyard in the world (4000 acres). The 1358 acres in El Dorado County dropped to 7 acres, but in Amador County the 425 acres reported in the first book published on California wines (*Wines and Vines* by Frona Eunice Wait, 1889) actually grew by a few acres to a total of 491 acres by 1968.

The recent "discovery" of the area by the premium wine producers must be credited to Charlie Myers (Harbor Winery) and Sacramento wine merchant Darrell Corti. (See our article on Sutter Home in the October 1975 issue). Delighted by the quality of the grapes he was getting, Myers gave Corti some of the Zinfandel he produced as a home winemaker and the enthusiasm was shared.

Darrell, in turn, surprised Sutter Home's winemaker Bob Trinchero with the wine's quality and Bob cautiously ordered twenty tons from the same grower that sold grapes to Myers. On the last day of August the grapes arrived neatly packed like table grapes in 50 pound lug boxes.

"This was the earliest I'd ever received grapes," Trinchero recalls, "but the grapes themselves were the real surprise. Ken (Deaver) had been selling to home winemakers who liked very ripe grapes. I hadn't thought to specify the





Irregal of sugar I wanted so they arrived in execution of the sum of the sugar " For Sutter Home's contract in the the picking level was established at a J_{1} set to normal 25° BRIN.

Very few wines have been better tages for the market's changing tastes and by 1971 Sutter Home Zinfandel had become a success story. Contracting to: substantially all of Deaver's harvest of over 200 tons. Trinchero still needed more grapes to meet the demand for his wines and build some inventory. For the text three years he found what he was redaing for in the vineyards of John Ferrero, li was not until 1975 that Satter Home built up stock enough to be able to keep their Zinfandel as much as three years before release. In the melmwhile, Sutter Home had converted from a family style winery into a Zinfandel specialty house. White and red Deaver Ranch Zinfandel accounted for over 80% of total production in 1975. The only other wines produced were a Muscatu (from Muscat of Alexandria) and a dessert wine called Triple Cream (partially from Mission grapes).

If anyone could be even more committed to the special character of Amador County grapes than Trinchero, it is Cary Gott. As a young couple with good financial support, Cary and Vicki Gott were looking for a winery/vineyard site when Corti successfully turned this search towards the Shenandoah Valley. Since their purchase of an old Zinfandel vineyard in 1972, the Gott's Montevina Vineyards has become the largest grower of wine grapes in Amador County. Approximately 20 percent of the harvest is produced as Montevina wines. The size of this crush has rapidly grown from 39 tons in 1973 to over 100 tons in 1975. Montevina has also ventured as a grower into Cabernet Sauvignon, Sauvignon Blanc, Barbera, Ruby Cabernet and even has a few Primativo and Nebbiolo vines. But it is the special character of Zinfan-



del that established Amador County as a distinctive viticultural area and the key is climate.

"The wind blows all the time," Vickie Gott told us. "In Summer it blows out of the Sacramento Valley and climbs to over 100 degrees during the day. Then it reverses direction. The wind comes from the Sierras and we have cool evenings and morning dew."

"What that means," interjected Cary, is that we experience no problems with molds or bunch rot." The adaptability of Zinfandel to this swing between extreme daily hot and cold temperatures make it the perfect grape for the dryfarm foothills of Amador. According to Gott, "the grapes suffer some dehydration but characteristically they produce a concentrated, intense fruit flavor. Zinfandel's aroma and flavor may be raspberry-like in other areas, but here it develops a deep, heavy fruit character."

The names of the wineries now using Amador grapes reads like a Who's Who of the California wine industry. Some Grower John Ferrero discusses a jew delicate points about Amador grapes with Darrell Corti, right and writer/ photographer Earl Singer. Photo by Charles Olken.

have made a firm commitment. Francis Mahoney told us that he will reduce his production of Carneros Creek Amador Zinfandels as more of his own vines come into bearing "but I can't conceive of a time when we would get away from producing an Amador Zinfandel. The grapes have something very unique. It is simply an incredible place."

Dave Bennion said that Ridge Vineyards is also committed to regularly producing Amador Zinfandels. "We'd tasted some good wines from there and knew it as a place of old vineyards and dry farming. We spent a year searching out vineyards and decided to give Amador a good try," Bennion told us. "The decision did not come lightly. It required that we drop Lodi in spite of success and excellent relations with our growers

VINEYARD EQUIPMENT SPECIAL TO REDWOOD RANCHER READERS ONLY: 14 gauge VINEYARD WIRE **FELCO Hand Shears** \$19.80 100 lbs. \$12.50/pr. *Bring this Ad with you and get a FREE Rancher subscription.* INSECTICIDES TRELLIS WIRE CONNECTORS WEED KILLERS FERTILIZERS PAINTS FENCE MATERIALS WIRE VICE HARDWARE TOOLS PVC PIPE & FITTINGS DEER FENCING Napa County Farm Supply 4081 SOLAND AVE NAPA, 94558 (707) 201.0371

NEVADA SELECT

200 acres, big sage brush \$40,000. 320 acres, 16" well and 2,700 GPM pump \$72,000. 640 acres, 2 wells; 160 acres of alfalfa in production \$256,000. 840 acres, 3 wells; 400 acres alfalfa in production \$440,000. Classic alfalfa ranch 1,080 acres, 4 wells; 600 acres in production. Complete line of equipment. 2 J. D. Cubers \$600,000.

Richard Bailey broker/agronomist (702) 358-0627 any time.







DEUtherman Contraction of the second se

Amador Cont.

in that area. We tried five Amador vineyards as a somewhat controlled experiment and out of that came wines that supported our decision. We've had a good experience. The growers are nice people and they are trying to get good grapes out of their vines."

Other wineries, including Robert Mondavi, Joseph Phelps, Concannon, San Martin, ZD, Christian Brothers, Geyser Peak, Villa Mt Eden and Mayacamas have been more tentative about this commitment to Amador as a long term source for grapes. Mayacamas, for example, produced a huge late harvest Zinfandel in 1972 from Ken Deaver's vineyards and a lighter (14½ percent alcohol) Zin from John Ferrero's vineyards in 1973 (just being released). Another huge Zin is in the tanks from Ferreros in 1974 and no Amador grapes at all were crushed in 1975.

The growers are also far from trusting this sudden burst of demand. County Agricultural Advisor Bob Plaister said that 30 of the 31 growers were still keeping alive a portion of their home winemaker market. Typically, these are sales to "customers" of a half ton of grapes apiece.

Being suddenly "discovered" after you already knew you were there for a hundred and ten years gives the growers moments of doubt about their new market. Fortunately, the wineries have developed Amador County as a recognizable name at the retail level and this should go a long way towards assuring a firm market for the grapes.

While the wines must speak for themselves, Amador County is unique as a viticultural district. The concentration on a single variety (81 percent of its 871 acres of grape vines are Zinfandel) makes it more akin to a European appelation control area than any other wine grape growing district on the West Coast. The climatological conditions are distinctive. And, the fact that the grapes are being shipped long distances to be made into wine bearing the County as an appelation is quite unusual. These factors, the identifiable character of the grapes and the number of premium wineries (23) now using these grapes combine to make Amador County one of the most distinctive growing areas in the world. It is a fine discovery for those of us who appreciate a big, flavorful wine.

Messers Olken and Singer, publishers of a very meticulous journal, "Connoisseurs' Guide to California Wincs," are Bay Area residents.





AMADOR Zinfandels

BARGETTO WINERY Amador Light to medium nose. Good fruity aroma although low

in varietal character. Slight vanillin smell of oak barrels. Medium bodied. Very hard and firm on the palate. Fruity flavors are quite short for high alcohol and tannin.

> A FOR ¢ \$2.95

EJEJEJ <u>CARNEROS CREEK</u> 1974 Amador Esola Vineyards, Shenandoah Valley. A lovely example of Amador Zinfandel. Rich, generous aromas full of berry and ripe "grapey" smells. Lovely, engaging in-tensity. Mouthfilling. Long round flavors with a suggestion of very ripe fruit in the forward Zinfan-del berry-like flavors. Good aging potential. Soft enough to drink now with Pork Roast. An exceptional value.

1000 ç÷ \$5.00

3CARNERCS CREEK WINERY 1974 Amador Eschen Vinevards, Fiddletown. Dark red but not as deep as most Amador Cinfanuels. Medium intensity nose of straightforward berry-like fruit and wood. Fairly full-bodied wine. Acid seems a bit high (unusual in an Amador Zin) which gives the wine a hard feel on the palate. Lasting fruit and tannin in the aftertaste. Drinkable now with Grilled Steak and Onions. New Release. 100 \$3.50

AMABOR COUNTY

are different from Shenandoah Valley grapes," declares Corti. "They are on opposite sides of a ridge and both the microclimate and the native vegetation are different. The wines are going to be lighter in color and in the intensity of the flavors. The grapes simply don't get as ripe." In their limited experience with making wines from both sides of the ridge, Francis Mahoney and Ridge winemaker Paul Draper agree with Corti that the wines from Fiddletown and Shenandoah vineyards are different. However, Ridge found their Fiddletown to be a bigger wine than the Shenandoah grapes produced. Mahoney observed that there were real differences but he was not yet prepared to generalize about the difference. In the three years he had received Eschen (Fiddletown) grapes they had varied greatly depending upon the section of the vineyard he received. Our tasting notes indicate that the winemakers have experiences that would lead to contradictory conclusions. At the moment, the wines need to be tasted over a broader range of vintages than are currently available before the distinctive differences can be defined.

The difference, we believe, is one of relative degree. The wines all have excellent color with a



purplish cast that seems to hang on even as the wine gains bottle age. As Corti states, "The flavors are more akin to Rhene wines than to Claret. It is very difficult to make an elegant wine of Amador Zinfandel." Intense flavors seem characteristic and a number of the Shanandoah Valley wines, in particular, have a grapy, jam-like aroma. As a whole, wines that display the high quality of the Amador grapes result in remarkably few flaws.

None of this surprises the grape growers. It is, however, a source of quiet amusement for experienced growers like Ken Deaver, John Ferrero and Ernest Esola to be "discovered." They knew the

vines were there all the time. As a matter of fact, the vineyards not only precede the oldest of Amador County residents but precede the establishment of the oldest of California's 323 bonded wineries. The first vines were planted in 1856 or before. Throughout Prohibition and the times of great vineyard devastation from Phylloxera, the vines of Anador continued to pump out their harvests for home winemaking enthusiasts in a market area that spread from the Dakotas to the San Francisco Bay. What the 'discovery" of Amador County means is that the richly flavored Amador County wines, which home winemakers have so long kept to themselves, are now reaching retail shelves. What's more, they are being produced by some of the best talent within the California winemaking fraternity. We heartily welcome their arrival.

AMADOR tasting notes

E3E3 MONTEVINA WINES 1974 Shenandoah Gott Vineyard. Very dark red. Rich Zinfandel nose with a touch of Amador "grape jam" character. Med-ium-full bodied. A bit harsh but with an engaging, lush, mouthfilling roundness. Fairly intense Zinfandel and ripe-berry flavors. Long, long finish. Ample tannin suggests 2-4 years of age before drinking. Could be tried now with Lamb Cutlets and Sausage. A fine value. New Release. \$2.75

MT. VEEDER VINEYARDS 1974 Amador Esola Vineyards. Medium intensity aromas of wellripened grapes and alcohol: The fruit is subdued. Very big and harsh in the mouth. Grapey, vanillin flavors are pleasantly rich. Slightly hot, tannic finish. Would be enjoyable with Steak Diane. \$5.00 And Frank ₽⇒

E3E3 RIDGE VINEYARDS 1974 Fiddletown Eschen Ranch, Amador County. Deep red color. Tight nose with a full bouquet of oak and ripe Zinfandel , fruit underneath. Full, lush feel on the palate. Rich, fruity entry and mouthfilling ripe-berry flavor with very evident woody components. Slight harshness in the finish will diminish with bottle age. Very enjoyable now with savory dishes such as Brisket stuffed with Minced Beef and Capers. New Release. \$5.00 KW



Fiddletown. Left: Gnarled vine. Right: Grower John Ferrero with Darrell Corti.

Shenandoah E3 <u>ridge vineyards</u> 1974 Amador County. In comparison to the Ridge Fiddletown, this wine seems less full and lush in the mouth. The light to medium intensity nose is pleasantly fruity with good Zinfandel character and a touch of wood. There is firmness on the palate that gives the ripe Zinfandel and oak flavors a slightly hard, not rounded quality. The finish is fruity and slightly hot. Bottle age may bring smoothness that is wanting here. New Release. \$4.75

STORY VINEYARDS 1974 Shenandoah This wine has gained popularity for its overdone, raisiny quality that is reminiscent of Port. But Port, it isn't, and late harvest Zinfandel, it doesn't resemble.

\$5.00

& SUTTER HOME WINERY 1973 Shenandoah Deaver and Ferrero Ranches. Medium intensity nose. Slightly sweet, ripe Zinfandel character. Mediumfull bodied with a "hard" impression in the mouth. Grapey, varietal flavor with a touch of wood. Fairly tannic finish. Needs age to soften and round out. ç \$3.75 FTR'S an -

d'h		
E3 ZD WINES	1973	Sierra
71% Shenandoah Valley (Gott	Vineyard); 29%	Clements -
District. Fairly intense n	ose is slightly	Port-like
with an attractive herbal c Very obvious wood blends wi the flavors. More claret t	haracter to the the Zinfandel cha	fruit. aracter in "



August 1-15, 197

Amador County has become 'vine mine

by Richard Paul Hinkle

Vignettes

Amador means "love of gold," and more than half the gold mined in the entire Mother Lode came from the mines in this small county. About an hour's drive east of Sacramento, the 125-year-old county is more a wine mine today.

Of the seven wineries that crushed grapes last fall, only two are open to the public on a daily basis: the holein-the-wall Amador Winery at Main & O'Neill Alley in Amador City and the oldest winery in the county, D'Agostini.

, It was in 1911 that Endo D'Agostint acquired the vineyard and winery founded in 1856 by Adam Uhlinger. Operated by Endo's four sons, the winery still uses white oak barrels milled from trees grown on the property in the last century.

Visitors to the 225,000-gallon winery are shown the original cellar, with its stout oak beams and native stone. Three other wineries share the secluded Shenandoah Valley with the D'Agostfinis. Two, Monteviña and Story, crushed their first grapes in 1973; the other, Shenandoah Vineyards, came along four years later.

On Shenandoah School Road three miles northeast of Plymouth, Monlevina got its vineyard start in 1971 when banker Walker H. Field putchased the Massoni Ranch and his son-in-law, Cary Gott, began adding to the existing vineyard of Zinfandel and Mission vines

The mood of Monteviña was set

1977 Monteviña AMADOR COUNTY Zinfandel Nuevo Gourn Hide Nik Boltony Wreis de Wreis Benerald With Physical Uthers Estate Borth Physical

red, and one "Nuevo" (by carbonic maceration). The following year, a well-insulated metal building was erected.

A "Montino" Zinfandel has been added (a lighter styled wine for early consumption), as well as Sauvignon Blanc, red and white Cabernet Sauvignons, Barbera, and Ruby Cabernet.

The story at Story Vineyards is Dr. Eugene Story, veterinarian owner of the Midtown Animal Hospital in Sacramento. Story quite naturally fell into wine while attending the University of California at Davis. Also, his grandlather had raised grapes near Orangevale (a Baptist minister, he did not produce wine).

Story's vineyard and winery were initially dubbed Cosumnes River Vineyard, but he found that too many people had difficulty with the name.

Story is one of those who feel that Zinfandel should be the only variety grown in the Shenandoah Valley, though he has also produced a thick, sweet wine he calls "Shenandoah Rose" from the 10 acres of Mission on his property. He commutes to his wilnery on week an destriction of the Cessna 172.

Just over the hill from Story is Shenandoah Vineyards, the pride of Lee and Shirley Sobon and their six children Lee is a former research engineer (Lockheed) and Shirley is a registered nume

When the School furth planting

vines they will have 25 acres of Zinfandel, Barbera, Cabernet Sauvignon, and Sauvignon Blanc. Lee loves to dabble in Sherries and has also produced a lovely dessert winei from tray-dried Mission grapes that he calls "Mission --- Del Sol."

Southwest of Plymouth, about four miles north of lone, is Argonaut Winery, operated by four Aero-Jet engineers and their families. A fifth partner



Is Guild winemaker Neal Overboe. The winery and two-acre Barbera, vincyard are at the home of partners, Jim and Lynn Payne.

Argonaut produces just 1,000 cases a a year of Zinfandel and Barbera. The Zinfandel comes from Amador and Calaveras counties, and the Barbera is

from their own cordon-trained vines Southeast of Sutter Creek is the StoneRidge (his speling) Winery of Gavy Porteous Three acres of Ruby Cabernet separate his home/winery from the road. He also buys Zunlandel, some of which he vinifies as a dry white wine.

A tall, friendly fellow with a shock of brown hair, Porteous fits winegrowing between a full time job as a P.G.&E. lineman and a part-time job carving gravestones.

Four new wineries are expected to be bonded for the coming crush, all of which will be within the Shenandoah' Valley. John Kenworthy is a former aeronautical engineer who is gradually restructuring a 128-year-old barn into a small winery. Further down Shenandoah Road is the new winery of Kaiser' engineer Ed Baldinelli and grape grower John Miller.

Just north of those operations will be the Santino Winery (across the street from the Sobons) and the Brou-Vat Winery (near Story Vinegard). Both winertes have as whemaker Scott Harvey, an enologist schooled in Germany who used to work for Strey

It is encouraging to see the 1 still pride that has simulated the increment of winemaking capability in An \pm County. If the growers work at \pm ing in their finit before it becomes overlipe and the winemakets equal or better their coastal counterparts, Amador County's vinous reputation can be naught but increased.



Zinfandels of The Eschen and Esola Vineyards

by Thomas R. Hill

Most California wine enthusiasts are well acquainted with the "discovery" of Amador County Zinfandel by Sacramento merchant Darrell Corti after tasting one of home winemaker Charlie Myers' wines. The big Deaver Zinfandel produced by Sutter Home in 1968 defined the genre of Amador-style Zinfandels which have since followed that success.

Less familiar are some of the outstanding Zinfandels lately produced from the Amador vineyards of Chester Eschen and Ernest Esola by Carneros Creek, Mount Veeder, and Ridge wineries. This article examines in depth the background of these wines and attempts to characterize some of their stylistic features.

THE GRAPES

The gently rolling foothills of the Sierra Nevada mountains in Amador County with its red decomposed granite soil make up one of the most unique grape growing regions in California, if not the world. The area is officially classified as a warm Region III- cool Region IV by the UC Davis degree- days classification scheme, roughly equivalent to Lodi in the Central Valley. But this classification is deceptive.

Cool Spring weather significantly delays bud break in Amador County compared with coastal growing areas. The temperatures during the final ripening phase can often be quite high, resulting in a rise in sugar level of several degrees Brix in one day. This abbreviated, intense growing season is regarded elsewhere as inimical to production of fine wines, producing high sugar-low acid grapes.

Such is not the case in Amador. Cold air flows down from the Sierra Nevadas nightly, keeping the average temperature sufficiently low to maintain high acidity levels.

Even more important is the low humidity that charac-

terizes Amador. Bunch rot is virtually never a problem. Furthermore, once the grapes reach 25° or 26° Brix, they begin to dehydrate, but not raisen. This has much the same effect as dehydration from botrytis (without the corresponding chemical and flavor changes), concentrating the sugar, acidity, and flavors. For example, the Esola grapes in 1978 came into Carneros Creek Winery with the incredible figures of: Sugar: 31.5° Brix, Total acidity: 0.80 gm/100 ml pH: 3.28. Ernest Esola has even seen grapes in his vineyard as high as 37° Brix, yet still perfectly sound.

THE VINEYARDS

The Eschen Ranch near Fiddletown was purchased in 1972 by Chester Eschen. It totals 83 acres, with 50 acres in grapes. The majority (40 acres) is Zinfandel with the remainder being Mission (5-6 acres), Muscat, and Black Muscat.

The vineyard was planted in 1924 (during the height of Prohibition) by a man named Ostron and worked with mules for many years. About two thirds of the vines are planted on grafted rootstock, the remainder being on their own roots; phylloxera not being a problem in Amador. The vines are trained by the old Italian-style head pruning method rather than more productive cane pruning. This keeps the yield down around 2 to 2-1/2 tons/acre (dropping to less than 1 ton/acre in 1977 due to the drought). No irrigation is used.

A number of home winemakers have been purchasing Eschen grapes for many years. Until recently, most of the grapes went to East-Side Winery in Lodi for their jug blends. In 1972 and 1973, the grapes went to Robert Mondavi Winery. Since 1974, the Zinfandel grapes have gone to Carneros Creek and Ridge. The other varieties presently go to Shenandoah Vineyards.

"Just as with Napa Cabernet, Amador Zins are not all stamped from the same mold."

of hills, hes the the Esola Vinevard in the Shenandoah Vale. ley, near the town of Plymouth. The ranch came into the Esola family in 1910, the grapes being planted shortly thereafter. The property is presently owned by brothers John and Frnest, with Frnest and his wife, Lena d'Agostini Esola, responsible for its operation,

The Esolas have about 90 acres under vines, mostly to Zinfandel. They also have about 7 acres of Cabernet Sauvipnon, 7 acres of Sauvignon Blanc, and an acre or so of Mission and Barbera.

The Zinfandet is more than 70 years old, originating from cuttings obtained locally. The Mission and Barbera are 20 years old, and the Cabernet and Sauvignon Blanc a youthful 15 years. The vines are all head pruned. The original Zin is on its own roots with the recent plantings being grafted vines on St. George rootstock. The vineyard is dry-farmed, although several wells were sunk in 1977 to sustain their drought-starved vines.

The authenticity of the Sauvignon Blanc is somewhat clouded, the vines not coming from certified nursery stock, Bob Plaister, agricultural extension agent for Amador County, identifies Montevina as the only hearing acreage of that variety in the County and disclaims any knowledge of the exact variety of the white grapes on the Esola property. Nonetheless, Lena Esola states that the vines are definitely Sauvignon Blanc. At any rate, cognirant of the white wine boom, the Esolas plan to put in another 1000 such vines this year.

For years, the Fsolas hauled their grapes down to Oakland for the home winemaking trade. The Barbera and Mission still go to these customers. In 1974 and 1975, they sold their Zin to Carneros Creek, Mount Veeder, and Ridge. Since 1976, they have been split between Carneros Creek and Ridge. Starting in 1974, all the Cabernet has gone to Carneros Creek. In 1978, the Sauvienon Blane went to Caymus Vineyards for their Sauvignon Illane wine

THE AMADOR-STVLE ZINFANDEL

The string of successful Zinfandels produced by Sutter-Home from 1968 thru 1972 defined the style of Amador County Zintandets: big, heavy, tannic, intensely fruity, rather alcoholic wines. These wines display, to varying degrees, a unique smell and flavor often described as Amador dusty briary, found in no other Zinfandel produced in California.

In 1972, Mayacamas Vineyards produced the first of the Late Harvest Amador Zinfandels, a huge tannic wine at Since 1973, the Sutter Home Zins have tended towards a

12 DECEMBLICA124

About a mile to the west, as the crow flies, across a ridge - lighter, more drinkable style of wine and lack the power of earlier editions. Charlie Myers continues his original style of Amador Zinfandel from Deaver vineyard grapes, now under his Marbor Winery label.

The Aniador-style Zin is best exemplified by those of Cary Gott's Montevina since 1974. His regular and Special Select Zins display a huge, intense, usually alcoholic style which oftentimes belies their early drinkability.

Yet even within the context of Amador-style Zinfandels, the wines all display distinct shades of differences, reflecting both the differing microclimates within Amador from which the grapes originate and also the winemaker's stylistic intent. Just as with Napa Cabernet, Amador Zins are not all stamped from the same mold.

CARNEROS CREEK WINERY

Frank Mahoney, winemaker at Carneros Creek Winery near Napa, purchased his first Zintandel grapes in 1973 from the Eschen Ranch. Since 1974, he has purchased Zinfandel from both the Eschen and Esola vineyards.

Mahoney's interest is primarily in Pinot Noir and Cabernet Sauvignon, using the Amador Zinfandels to "Till up the cracks" in his operation. The quality of his Zinfandels clearly belies his disinterest.

Mahoney does nothing particularly different with his Amador wines. They are fermented at about 85°F in stainless steel after innoculation with a pure yeast strain, on the skins for 8-11 days and pressed at about 3° sugar, and matured in American oak for slightly more than a year. Sometimes they go through the malolactic fermentation and sometimes not, the Esola being more prone to a malolactic than the Eschen.

Even when the grapes come in at nearly the same sugar/ acid levels, the wines from the two vineyards are distinctly different. Mahoney finds a slightly greater richness in the Esola that's not in the Eschen. He contrasts the Esola and Eschen with the same stylistic differences of Château Palmer and Château Montrose,

The 1973 Carneros Creek Eschen Zinfandel was probably the lightest Amador Zin Mahoney has produced, reflecting the unusually high yield of that year. The two '74 Zins illustrate near-perfect growing conditions; big wines at about 14-1/2% alcohol, both harvested at nearly the same sugar/acid levels. The long cool growing season and the large crop load in 1975 produced two less ripe Zins at about 12-1/2% alcohol

In 1976, a storm coming up from Southern California panicked the Eschen pickers to harvest early at about 21° Brix. Esola decided to wait out the storm but it stopped 17.5 percent alcohol, but still showing the Amador flavor. short of his vineyard. Unfortunately, the pickers had left the county and by the time he had regrouned them, his



VINTAGE MAGAZINE



Zinfandel was up to 27-172% Brix and rising rapidly.

Mahoney produced three different Amador Zuis from those prapes. The first Amador County Zin was a blend of the under type Eschen grapes and the least over-ripe Esola grapes, at 13.3 percent alcohol. The Lot II Amador County Zin was about 20 percent Eschen and 80 percent Esola; a bigger, richer wine at 14.8 percent alcohol. And, finally, an Amador County Late Picked Zin was produced from 32" Brix Esola grapes, fermining out to 16.7 percent akohol

The two 1977 Eschen and Esola Zins came in at a rea-

14 OF CEMBER 1929

sonable sugar level, fermenting out to around 14 percent alcohol. But the severe drought cut the yield down below one ton/acre, producing two intensely flavored wines.

The 1978 harvest again proved to be problematic. The Eschen grapes came in at 23.8° Brix and fermented out dry. Mahoney feels this wine is more rounded and less astringent than is typical for the Eschen wines, perhaps even his best Amador Zin yet. The Fsola came in at 31.5° Brix, In the Fall of 1979, it was still fermenting slowly at about 4° Brix and-over 15 percent alcohol. Mahoney tried a test batch of Port but was unhappy with the result; the wine

had already fermented out too much sugar. He's not certain what kind of wine his '78 Esola will become.

Because of the heat wave ripening everything at once and insufficient fermenting capacity, Carneros Creek was unable to take the Esola Zinfandel grapes in 1979 at the time they reached acceptable sugar levels. The Eschengrapes came into the winery earlier at 24.8° Brix and Mahoney characterizes them as the best looking grapes he's seen yet from the Eschen vineyard.

The Carneros Creek Amador Zins are not the typical Amador-style Zinfandel. Although they are usually dark

intense Amador-flavored Ziny with a sight oak component, they are much like the Clos du Val Zins; big intense wines with a distinct elegance and breed. Certainly, they cannot be characterized as heavy handed and chunss.

Mahoney professes a dislike for the high alcohol I are Harvest style of Zinfandel and does not make them by design. He feels that as these wines age and lose their fruit, the alcohol overwhelms any complexity and simply adds to the dumbness of the wine

RIDGE VINEYARDS

Paul Druper, winemaker at Ridge Vinevards, made their first Amador Zinfandel in 1974. The Eschen Ranch was labeled Fiddletown. The Shenandoah contained mostly grapes from the Esota vineyard with small amounts. from the Storey vineward and a third Amador vineward.

Ridge treats their Amador Zins in much the same way as other Zinfandels. Fermentation is in stainless steel with a unique submerged cap, using the natural fermemative yeasts present on the grapes. Fermentation is initiated by the species Kloeckera up to abut 6 percent alcohol. At this point, the fermentation is carried briefly by the species Hansenula, immediately followed by the traditional Scharomyces cerevisiae var. ellipsoideus (the strain m wineries innoculate with) until fermentation is completed. This fermentation chain is identical to that found in Bordeaux where use of the natural yeasts is a much more widespread practice. Although Ridge is one of a very few California wineries using the natural fermentative yeasts (others being Congress Springs, Santa Cruz Mountain, and d'Apostini in Amador County), Draper discounts this as being a significant factor in their wines. The fermentation is on the skins for 9-12 days, essentially until dryness.

The Ridge Amador Zinfandels have thus far always pone through a malolactic fermination. No fining or fittration is done unless absolutely necessary for bottle stability. Maturation is in American oak for about a year and a half. Clarification is done by careful tacking every four months. Draper credits the malolactic and their cellar treatment as the most important factors in the making of their Amador Zins, feeling this results in a more complex and refined wine.

Draper likewise finds the Eschen and Esola grapes to give distinctly different wines. He finds more richness and fruit intensity in the Shenandoah'and a harder, more tannic, more backward when young, wine in the Fiddletown.

Draper admits to having little fondness for the typical intense, alcoholic Amador style Zinfandel, feeling the wines are clumsy and one-dimensional. The Ridge Amador Zins clearly reflect his dislike for that style. The prapes are harvested earlier than normal (for Amador) to me what Ridge terms a "claret" style wine, a wine less tensely fruity and lower in alcohol than typical for Amadot-style Zinfandel

The two '74 Zins fermented out to 14-1/2 percent alcohol, rather substantial for the "claret" style Draper espouses. For the '75, '76, and '77, Ridge was able to keep the alcohol down to lower levels, ranging from about 12 percent to almost 14 percent.

The exception was the Esola grapes in 1976 which, like al Carneros Creek, came in at very ripe levels. Ridge designated the resulting wine as their 1976 I are Harvest Zin-

VINTAGE MAGAZINE 18

"These wines display a unique smell and flavor often described as Amador dusty-briary, found in no other Zinfandel produced in California."

fandel. The majority of it was released as I are Harvest H, at 15.4 percent alcohol. Seven barrels of the wine made from somewhat riper grapes were given longer aging and will be released in the Fall of 1979 as I ate Harvest I.

Having done the experiment with the '75 thru' 77 Zins, Draper has modified his philosophy towards the 'wines somewhat. He now feels the Annador grapes are best harvested slightly over tipe, around 25° Brix, to produce a wine of about 14 percent alcohof, more along the lines of the '74's. Reflecting this change in technique, Draper feels his '78 Fiddletown (1-schen), at about 15 percent alcohof, is his best effort yet with Amador grapes. Like Carnetos Creek, his '78 Shenandoah (Esola) grapes came in very tipe. There are presently three distinct batches, two of which are still fermenting in early Fall of 1979, Disliking Zinfandels with slight residual sugar, Draper has not ver decided the eventual Late of this wine.

Ridge established its reputation among California wine enthusiasts in the late '60's and very early '70's with its huge, interse, tannic Zinfandels. The 1970 Limsomare and Occidental wines probably best typify this winemaking style. Since the nud-1970's, there has been grunnbling among some Ridge aticionados about the trend of recent Ridge Zins towards a lighter, less alcoholie and intense style of wine. It scenis clear that there *ha*s been a gradual change in the style of their wines, but certainly no lowering of the quality.

Draper contends that the aim of Ridge has not changed at all. He feels the so-called "old-style" Ridge wines were sometimes too one dimensional and did not always develop the desired complexity with bottle age. He states a preference for making the darkest and most tannic wines that the grapes will give, but not at the expense of the complexity in the wine.

MOUNT VEEDER WINERY

Mike Bernstein, owner and winemaker at Mount Veeder Winety near Napa, purchased Esola grapes in both 1974 and 1975, primarily because of a lack of Napa Zinfandel grapes of comparable quality. Since Ridge and Carneros Creek established a contract with Esola in 1976, he has not had access to these grapes. Beginning with the 1977 crush, he has two acress of his own Zinfandel vines bearing upon Mount Veeder. His '78 is a big. Tate Harsest style wine at 17.2 percent alcohol and 0.6 percent residual sugar.

Berosten's winemaking has few significant differences from Carneros Creek's or Ridge's. Fermentation is in stainless steel with frequent pumping over the cap, on the skins until dryness. Both vintages were put through a malolactic with the idea of obtaining more complexity and perhaps better bottle development. However, unlike

16 DECEMBER 1979

Ridge and Carneros Creek, barrel aging for about a year and a half is done in French Nevers oak.

The Mount Veeder's are probably the closest of the three to the typical Amador style Zinfandel, but stylistially more akin to Carneros Creek than Ridge. The wines are normally more intense and tanner than Mahoney's, with a more distinct oak component. And, like Carneros Creek, they display an elegance and class not often found in Amador Zins.

Tasting Notes

RIDGE

Fiddletown 1975: Medium color, soft light spicy-oaky nose, very tart light spicy hard flavor, short spicy finish with somewhat sour aftertaste, slight tannin and at or beyond its peak, more herry-like and less Amador-like than the Shenandoah '75.

Shenandouh 1975: Medium color, strong berry-dusty-pertumey nose, soft spicy-dusty-cherry flavors, long soft spicy-earthy finish with slight tannin, nearing its peak.

Fiddletown 1974: Medium color, strong spicy-cherry-perfumey-horse collar complex nose, well glycerined, soft spicy floral developed flavors, medium soft spicy complex finish with little tanuin, near its peak.

Shenandoah 1974: Medium-light color, soft spicy-perfuned taleum powder shightly oaky nose, soft rich intense fruit and Amador dusty flavors, well glycerined, long soft spicy dusty developed finish, slight tannin but nearing its peak.

CARNEROS CREEK

Eschen 1975: Medium-dark color, intense chocolate slightly oaky-alcoholie nose, rough Amador dusty-cherry flavor, medium tannic cherry-salami finish, needs a year or two yet.

Esola 1975: Dark color, intense chocolate-cherry Amador Zin nose, soft rich spicy Amador dusty flavor, soft rich spicy dusty slightly stemmy finish, slight tannin but nearing its peak, softer richer more Amador dusty than the Eschen '75.

Eschen 1974: Medium-dark color, strong spicy perfumey cherry slightly stemmy nose, soft light spicy Amador dusty flavor, light tart some-tannic finish, nearing its peak, barder and more austere than the Esola '74. Esola 1974: Ullaged to the shoulder, medium-dark color.

olactic with the idea of obtaining more complexity and high fruity developed to the soluter, medium core, observer, unlike soft spicy cigar box cedary dightly rough flavor, medium

light developed spicy finish, little tannin and at or beyond its peak, a nicely developed complex wine.

MOUNT VEEDLR

Esola 1975: Dark color, intense Amador-dusty spicysalami nose, heavy intense tamme earthy cherry somewhat dusty flavor, medium dusty-cherry oaky finish with some tamin, may improve some yet, tacks the roundness and balance of the '74.

Esola 1974: Dark color, intense minty pencil shavings somewhat oaky mose, heavy body, rich oaky minty intense fruit flavor with little Amador dast, medium minty-oakyeherty finish, some tannin and needs several years yet, seems the youngest of all the wines.

Esola 1974 (American oak): Dark color, strong spicy perfumey cinammon nase much different from the French oak but not easily identifiable as American oak, seems harder, more famic, more Amador-style and less complex than the French oak.

Of the Ridge's, the Fiddletown '74 was the clear favorite. When the two '74's were first tasted by our group shortly after their release in early 1976, the disappointment in the wines was virtually unanimous. Most people had expected wines displaying a unique combination of the 'fold-style'' Ridge power and the Amador-style brawn. The wines seemed light, the slight amount of fruit intensity covered by the American oak, lacking in Amador character, and low tamin levels that indicated little aging potential. The '75's a year later merely reinforced this gloomy conclusion. Expecting somewhat enfectled, over-aged wines in this tasting, nearly all tasters were amazed at the wonder 3-1/2 years of bottle age had wrought on these wines. The '74's were two of the best examples of mature, developed Zin fandels we have tasted. The complexity and refinement Draper strives for in the Ridge wines had indeed appeared.

Among the Carneros Creeks, the '74 Esola appeared to be the choice of most tasters, with fittle preference among the other three. When this wine was tasted shortly after its release, it was a big black tannic Zunfandel for which many predicted a very long life. It, too, had developed very nicely into a complex and refined wine, but much earlier than most had expected. Perhaps the excessive bottle leakage was responsible for its ently naturity.

Of the Mount Veeders, the '74 was easily most preferred; although Bernstein seemed to have extracted more from the 1975 grapes than did Carneros Creek or Ridge. The two oaks produced quite distinct wines, but there was no clear preference between the two.

Both Draper's and Mahoney's characterization o Evolus as possessing more tichness and fruit was borne out in the tasting, although this difference seems to decrease as the wines age. As expected, the '74's were universally preferred over the '75's.

Among all the wines, there was a nearly even split between the Ridge Fiddletown '74, Carneros Creek Esola '74, and Mount Veeder '74. The choice was based more on stylistic preferences than on any perceived quality factors. All of the wines were fine examples of California Zinfandels, but distinctly not ''typical'' Amador-fike Zinfandels.

VINTAGE MAGAZINE 17



Vintage Wine Merchants HARVEST REPORT-1980



INTRODUCTION

In July of this year, when we issued our California Wine Grape Report, we quoted the comment made by virtually every winemaker and grape grower: "This is the strangest spring and early summer I can ever remember." That strangeness continued into summer, throughout the harvest, and on into the fermentation stage. The 1980 vintage, which many people thought would be the greatest of all time, changed considerably in its final phase; while we cannot count on the quality of a vintage before the wines have emerged from the fermenters, there is no question that there will be some extraordinary wines this year. The least that can be said is that it will be "very good".

Some winemakers found the vintage incredibly perfect, some found it to be a disaster. Overall, however, it has been the most complex, frustrating and one of the shortest vintages in recent memory. The multiple problems associated with the 1980 vintage have led growers and vintners to say "It was the craziest year I've ever seen; I hope to God I never have to see another one like it!"

The 1980 growing season began two to three weeks earlier than usual, due to mild winter weather. Generally, the critical "bloom" period went without a hitch, but for most varietals it was the longest bloom viticulturists have experienced, lasting 30 days or more rather than the usual ten days. At first this did not present a problem, but was responsible for uneven ripening later in the season.

The real problems began after the bloom and set period, when the weather simply refused to warm up. Summer temperatures, usually in the mid-80's by June, hovered in the low 70's. Fog was an almost daily occurrence, persisting even through July and August. At that time, heat is very much needed to push the grapes from their small green stage through to maturity; for the most part heat just wasn't there, and growers began wondering nervously if the grapes would ripen at all, and if they did, could maturity be reached before the first of the winter rains?

Vintners who had readied equipment for the usual late-August start of the crush found themselves standing around and waiting well into September until the first grapes began to trickle in. The crush did not get into full swing until the latter part of the month, when there was a very severe heat wave that sent sugars soaring. Suddenly the grapes all gained maturity at the same time.

In those high temperatures it was impossible to pick quickly enough. This fact, added to the problem of handling the overload at the fermenters, resulted in many of the grapes becoming overripe, sunburned or raisined. Some wonderful fruit was harvested by those growers who had the ability to pick selectively; those who were not able to do so just crossed their fingers and hoped for the best. Many did get almost unbelievably high acids in conjunction with excellent to very high sugar, and balances that seldom appear except in textbooks. They also got a large amoung of both underripe and overripe fruit, and it is safe to say that a large percentage of the fruit remaining was a mixed bag that sorely tested winemakers' skills. Shortly after the vintage gained full momentum, some additional problems appeared at the fermenters with "stuck fermentations", i.e., many wines refused to ferment to dryness, even with specialized yeast strains that were developed to combat just this problem. At this writing, many fermentations are still stuck, and there is a great deal of testing and researching going on to determine why. In quite a few wineries, malolactic fermentations are refusing to start at all.

Theories on the cause of these irregularities are generally centered around the very high acid and low pH of the grapes this year. But the final answer might be deeper than that and lie in the particularly unusual grapes resulting from this unique season. There seems to be a general shortage of amino acids and other nutrients needed by yeast to complete the work of fermentation. Fermentation science is a very complex subject, and it might be years before answers are available to help vintners through a similar situation.

Another problem, though less mysterious, was just as serious. Many fermentations were yielding high levels of hydrogen sulphide (H₂S) in the wines, a result of extensive mildew problems occurring throughout the State. In the Central Valley, growers were sulphuring vines every eight days and still were unable to hold mildew in check; extensive sulphuring also had to be done in most of the North Coast counties. Contrary to popular belief, mildew flourishes best in relatively dry conditions and low heat, about 78 degrees F. These were the exact conditions which prevailed in many areas. Usually, to prevent H₂S problems at the fermenters, all sulphuring is stopped at least two weeks or more prior to harvesting. This year many growers continued their sulphuring programs up until just a few days before harvesting, as they feared that photosynthesis might be interrupted. Moreover, for the first time in the North Coast there was widespread application of wettable sulphur rather than the usual dry dusting. Wettable sulphur has the advantage of sticking to the leaves and canes and is not blown away by winds. The problem is that it also sticks to the fruit, so an excess amount of sulphur could be transported to the fermenters, where yeast converts it to H₂S which in turn gives a "rotten egg" smell to wine.

To summarize, the North Coast vintage began around mio-September and ended late in October, therefore the normal vintage period of about 75 days was compressed by the heat this year to around 50 days, probably setting a record for shortness. Any definitive judgement of the wines, therefore, would be impossible at this time, but we feel our guarded overall evaluation of "very good" to be the lowest common denominator. A large number of wines seem to be excellent indeed, and there is an unusually high number of great wines. We regret that we cannot provide a more solid overall quality assessment, due to the spotty nature of this vintage in terms of quality, complexity and lateness. At this time we are only certain that 1980 was NOT the greatest vintage of all time, but it may prove to be one of the best.

In order to draw a more specific profile of the 1980 vintage, following are our observations combined with comments by various vintners in a number of the principal growing regions.



SONOMA VALLEY

As noted, temperatures in this region were abnormally low through the spring and up to mid summer, compounded at that time by a heavy influx of fog throughout August, a most unusual occurrence. However, fog usually is common during spring, which this year was without fog. This phenomenon allowed some early progress in photosynthesis by way of incident solar energy and light exposure in spite of low temperatures. Generally speaking set was fair to good. Crop size was related to vineyard location, with the same varietal setting well in one part of the valley, poorly in another. The low temperatures brought on a good deal of shot berry formation and shatter, resulting in very loose bunches particularly in Cabernet Sauvignon, and considerable wide spread crop loss. However the loose bunch condition did help control bunch rot and mildew which was very extensive this year due to dry atmospheric conditions and low temperature. A number of vineyards were not picked because of extensive rot.

The heat support of late fall brought on a rapid rise in grape sugar but without the usual expense of a sharp drop in acids. This was no doubt becuase of the very long and cool growing season. Sugar/acid balances in red wine varietals, with the exception of Cabernet, were often in the area of 26° Brix with 1.4 total acid. Similar balances were common in white varietals.

With the harvest just getting into full swing, a heat wave struck September 29th that sent temperatures soaring to record levels. The heat wave broke on October 3rd, but during the those few days sugar in the grapes had shot up as much as three-quarters of a point per day. Since the flood of grapes, virtually all having reached maturity at once, could not be handled at the fermenters, a very large percentage of the total crop became overripe and sunburned except for those vineyards that were picked selectively. Moreover, because of the cool season there had been very little irrigation of the vines. Thus when the heat struck, causing rapid moisture expiraton by the vines, there was insufficient ground water available for replacement in spite of relatively cool nights. This in turn caused serious fluid loss in the grape berries resulting in extensive raisining.

Following the heat wave very high temperatures continued through October with the exception of a brief light rain on October 12th which did no appreciable damage and in fact helped to hold down still rising sugars.

There is no question that 1980 will go down in the history books as the year of high acids. "It was unbelievable," said Richard Arrowood, winemaster at Chateau St. Jean. "The acids were holding even after a week of over 100-degree weather and sugars going up a good half point per day. I've never seen anything like it and I think we have some very interesting potential this year, expecially with Chardonnay, which accounted for about 60% of our total crush at the Chateau this year. Maturity was reached a good three weeks late, but with incredible balances such as 26.3% sugar with .95 acid, 25.3% sugar and 1.1 acid! We had nothing under 23% sugar and our lowest acid was .85, a balance we would feel fortunate to get in a normal year. The fruit we picked was literally picture perfect, but careful selection was the key. There was quite a bit of sunburn this year and with some vineyards we had to leave as much as 20% of the crop in the field. I think this might turn out to be a very fine vintage because of the extreme length of the growing season, but it certainly was scary and I'm not sure I'd welcome another vintage like it."

The combination of high acid retention and high sugar should result in very long-lived wines with big body and considerable alcohol. Most red wines are showing intense color, and Gewurztraminer had the highest degree of color ever observed. Usually good color in this varietal is an indication of considerable "spice". However the Gewurztraminer crop was off by an average of 50%.

Sonoma Valley appears to have been unique this year in developing a fairly high incidence of Botrytis cinerea. 1980 is the only year in which this beneficial mold has appeared in the absence of rainfall at the end of the harvest season. Apparently the heat in this region was not too great, while the unusual amount of cool, damp fog provided adequate moisture to trigger the Botrytis. Botrytis infected not only the Johannisberg Riesling, but Gewurztraminer as well.

NAPA VALLEY

Conditions here were similar to those of Sonoma Valley however the amount of fog was somewhat less. That factor, combined with somewhat drier atmospheric conditions, has resulted in virtually no Botrytised wines being produced this year. Extremely cool mid-summer weather, in the 75 degree range and less, delayed the harvest by a full two weeks. In fact, for a time many were wondering if perhaps there would be no harvest in 1980 and two harvests in 1981. But then in late September the heat wave struck causing many varietals to ripen all at once. In a few cases Cabernet Sauvignon was being harvested before Chardonnay. Usually Chardonnay is picked four to six weeks prior to Cabernet Sauvignon.

The high heat, lasting about two weeks, caused a frenzy of picking and many wineries handled 50-75% of their total crush during that period by working nearly around the clock. As elsewhere, acid levels were incredibly high as was the sugar. Total crop harvested was approximately 72,000 tons, or slightly higher than last year. There was considerable overcropping in Chardonnay (which probably accounts for its very delayed maturity), while Cabernet was light due to extensive shatter last spring, although it did set to a very large "second crop". Again, selective picking seems to be the key to quality and wines will be "spotty" as a result, ranging from "good" to "great".

Some varietals set a slightly higher crop than last year, but to an extent this was offset by considerable problems (and losses) from mildew, which was rampant due to cool, dry weather. Most growers this year applied up to four times the usual amount of sulphur, but with the cool weather prevailing could not gain the control desired. One good thing that came of the cool weather in Napa and generally throughout the State, was very few insect pests to combat.

Uneven cluster development was blamed on the cool season, many bunches showing berries that in terms of maturation appeared to be close to a month apart. Mildew, which scars the skin of berries and prevents them from "sizing" could have been part of the problem, but the extremely long set duration last spring is a more likely reason.



Nevertheless, as the harvest neared, some of the less mature berries in the clusters did come close to catching up.

But as David Spaulding, winemaker at Stonegate Winery, notes, "In nearly all cases the Napa wines are turning out to be very nice and I think this is a direct result of the long, cool growing season that allowed the grape berries to build up a high level of non-sugar extracts, the flavors and aromas that separate mere sugar-water from fine grape juice. The very high sugars and almost unbelievable acids caused most vintners some concern, but it will prove out that when you balance substantial alcohol and acid with strong extracts, some great wines will be the result. Overall at this early date I'd call the vintage at least very good."

Excessive heat conditions caused a variety of problems in Napa as it did throughout the state. After such a cool year, when suddenly struck by temperatures over the 100°F mark, a good many vines began to defoliate before the crop was picked, particularly lower leaves. While this had no serious effect on photosynthesis, it did remove much of the shade and this accounted for some sunburn and heat shock to the vines. With strong heat continuing, malic acid expired through the pores of the grapes, the dominant acid of fine wine grapes, causing a rise in pH. Normally the cool nights of the North Coast regions prevent this, as opposed to the Central Valley were different varietals are planted that are dominant in tartaric acid, which is not so easily respired. The length of the season, and some dessication of the berries also may be a factor in this spotty pH rise.

A general problem that seemed to exist in Napa and to a lesser extent elsewhere, was a large number of "stuck fermentations" particularly in Chardonnay. As noted in our introduction, a shortage of certain amino acids could be the cause, since even specially developed "super years" strains have failed to ferment some wines dry.

Jerry Luper, winemaker for Chateau Montelena at Napa Valley's northern end, summed up the season's weather in one word, "Cold! One day during August, usually the hottest month, we recorded a maximum temperature of only 63°F., and there were a lot of other days that were not much warmer. Normally temperatures would be close to 90 °F. We started crushing on September 22nd this year, and that's the latest l've ever begun harvesting grapes in all my years in Napa Valley. We had our anxious moments waiting for everything to get ripe, but overall I'd say this vintage has very good potential. A lot of people are trying to relate it to 1974, but I don't think you can do that because every year is totally different. The length of this season is unprecedented even in the memories of old timers, and that produces very different vine conditions. For example, the color of our Cabernet this year is the darkest I've ever seen. I think it also worth mentioning that after the high heat, moderate temperatures prevailed, allowing the vines to store good carbohydrate reserves in their root systems for next year."

We think there might be some interesting variances in Napa wines this year since because of the cool seasons, those areas that are typically a Zone II, this year were Zone I, and so forth. In other words, general climatic conditions, and there are at least three zones in Napa Valley, dropped one zone this year. Case in point might be the Calistoga area, normally achieving about 2850 degree days of heat; this year had 2375 degree days. The Carneros area, normally about 2500 degree days, this year barely touched 2000 degree days.

ىر بىغا بە مۇمۇردارچەر بارم

~ 322 -

We believe Chardonnay production in Napa Valley might be up as much as 25% this year. Some of this increase is accounted for in new plantings, other increases are due to overcropping and a generally heavy set in this varietal. However the volume would not be as high if not for the fact that a great many vineyards were heavily watered during the heat wave. The problem was that a large percentage of the Chardonnay was climbing above 24.5% to 25.5% sugar and wineries had no room to ferment it. So water was applied to the vineyards and that dropped the grape sugar back to about 22.5% and thus bought a few days time before the grapes had to be picked. We think this technique, which was rather widespread in Napa, combined with overcropping, could result in many "thin" Chardonnays.

As in Sonoma, the harvest season was highly compressed. The normal duration of about 75 days was reduced to not much more than 50 days and in some instances 30 days. As Roy Raymond, viticulturist for Raymond Vineyard puts it, "this vintage is a classic example of not putting too much emphasis on conditions that exist in spring and summer. Earlier conditions did not mean very much because it can be the last few weeks in August and September that really tell the story, although this year I should say September and October". Walter Raymond, winemaker at the Raymond Vineyard, says he feels the vintage was of average to above average guality. "The numbers were some of the best I've seen and the wines, which of course still are developing, are showing really excellent varietal character. Because our own vineyards, which are next to the winery are carefully controlled by my brother, Roy, we were able to stay ahead of the rapid rise in sugar and as a result none of our wines will be excessive in alcohol. For us it was a very good year, but we wondered if we would have a vintage at all when every morning it seemed like we woke up to overcast skies.'

A good deal of raisining occurred in Zinfandel, because grapes simply could not be handled fast enough by the wineries. Isolated lots of Zinfandel and some other varietals became so high in sugar they were lost. Overall, however, the vintage can be considered very good at this time. Certainly alcohols are substantial, so wines will have full body. Varietal character is for the most part excellent and acid in finished wines will be on the order of .7 or above, making crisp whites, and long-lived reds. We would speculate that those who enjoy classic European wine types will find vintage 1980 exactly to their liking.

MENDOCINO COUNTY

The exceptionally long bloom period experienced throughout the State was up to a month longer in all varietals in Mendocino County. As a result there was uneven ripening as the harvest approached and vintners found it difficult to obtain accurate sugar readings to determine picking dates.

"We had a very fine set in Pinot Noir, and nearly as good in Cabernet for a change, as well as in the white varietals." said John Parducci, winemaker for Parducci Cellars near Ukiah. "It looked like we were going to have one hell of a good year until we were hit just at harvest. We had nine days of over 100 degree weather and one day it reached 117 degrees. After such a cool season the vines just couldn't take that kind of prolonged heat and as a result everything just



stopped. Photosynthesis was arrested and both sugar and acid stuck. I guess you could say that the berries were slightly cooked. On top of that, since most vineyards are dryfarmed, there was not enough water and defoliation took place in many of the vineyards that are not irrigated. In those, maturity was reached, but in the dry-farmed vineyards any rise in sugar was due to dehydration. It's too soon for any quality assessments, but I think the white wines will be very good with plenty of acid. The red wines will not be exceptional, but nice, with medium body. alcohol, and good acid."

Sunburn and leaf burn was extensive, particularly Chardonny, Chenin Blanc and Johannisberg Riesling in the whites, Petite Sirah and Zinfandel in the reds. After the heat wave growers waited for sugars to come up in the Cabernet, the main varietal still to be harvested, but since maturation had stopped, the majority of this varietal was picked at around 22% sugar. Zinfandel was very spotty, depending on locaton. some with good sugars and others quite low. But there was plenty of acid in all varietals, easily two tenths of a percent higher than normal. Early maturing varietals fared better in the heat and some lots will produce big, outstanding wines. A typical balance in Chardonnay this year was 23.5% sugar with .9 total acid.

Mr. Parducci notes that, "This was the most trying vintage I've ever experienced. First the waiting-our harvest was three weeks late then everything coming at once. The heat fried us as well as the grapes, and then the weather turned so cold here that we had a hard time getting fermentations to start. But we can be thankful that the rains held off. If it had rained when it normally does, the whole State crop would have been wiped out."

Unlike areas to the south, very little mildew was observed in Mendocino County, perhaps because temperatures were slightly higher during summer. For most wineries the harvest began in mid-September and was completed by the first week of November, setting a record for shortness.

MCDOWELL VALLEY

While technically part of Mendocino County, this tiny viticultural microclimatic region is quite unique. Growth here in the vines was exceptional, with canes up to 24 feet long and with a heavy canopy. Perhaps for this reason very little sunburn was experienced during the heat wave. However, this is a cooler region, benefitting from strong marine air flow throughout the length of the valley. Another plus for quality was that most grapes are machine harvested and thus could be picked at night. White grapes reached the fermenters at a cool 55 °F. While the season generally was cool, it was somewhat warmer than many regions, again, due to the moderating air-flow patterns. The net result was spectacular fruit with perfect sugar and acid balances. As George Bursick, winemaker for McDowell Valley put it, "The cooler ripening temperatures gave us wines of intense fruitiness, with ample, but not excessively high acid. Our Chenin Blanc came in at 23.2% sugar with .87 total acid and that's as close to textbook perfect as you can get. Red wines have extremely high color, and this was achieved fairly early in the fermentation, which was unusual and probably due to the cool season."

Cabernet, Zinfandel, and Petite Sirah will be noteworthy, with intense classic flavor and aroma. Whites will be fresh and delicate. Overall, the vintage here can be regarded as outstanding.

LAKE COUNTY

The vintage in this small viticultural area appears to be the best in the past four years. Part of this is due to a good vintage in general, and also because viticulturists are now "homing in" on the proper management of vines here. It was thought, for example, that because of the heat summation units here considerable water was necessary. This year, vineyards received far less water and as a result gained better maturity. The cooler season in general also had some bearing on quality. Contrary to other areas, very little bunch rot and mildew were experienced. Sugar/acid ratios were excellent and overall quality consiered exceptional. Lake County, which this year will begin to make itself known, has had a fine vintage to start its thrust toward recognition.

SHENANDOAH VALLEY

To some extent the growing season and harvest in this tiny microclimate followed other areas with the exception that no mildew problems existed, probably due to the altitude. Generally speaking the weather during the growing season was unusually cool with temperatures in the 70-80 degree range rather than the more typical 90's to low 100's, especially during July and August. In fact, the short July heat wave experienced elsewhere in the state did not occur in the Shenandoah Valley. However, the heat during the last weeks of September and the first week in October was experienced in this region and very welcome after such a cool season. Almost like a re-play of 1978, all of the Zinfandel seemed to ripen at once, presenting Bob Trinchero, winemaker at Sutter Home Winery, famed for its Zinfandel from this area, with some logistical problems at the fermenters. "As the grapes approached full maturity," he says, "we thought we might have some difficulities with exceptionally high acids. But as the heat wave continued and we began picking, the acid in the grapes dropped slightly. We ended up with some really lovely grapes with correct balance, although I still would call 1980 an above average year for acid." Acids were in the .7 to .8 range, a full point higher than usual. Sugars were normal. at about 23-25° Brix. Bob Trinchero notes that, "The secret this year was in selective picking. With all of the grapes racing toward maturity, we started first with sections of the . vineyard that historicaly have gained correct sugar before other parts. We then moved to the sections that because of air flow or some other microclimatic influence, are always a few days behind. In this way we were able to achieve a good average balance. Had we started at one end of the vineyards and simply worked through to the other end, we would have had some badly raisined grapes. As it was, we had to run sugar tests every morning to determine which section of the vineyard we would pick that day. It was a lot of work, but it was worth it for the ultimate gain in quality"

One anomaly in this region, which is planted almost exclusively to Zinfandel, was rather uneven ripening within the bunches. In many cases a single bunch would contain somewhat overripe and slightly dessicated berries, perfect berries at the desired sugar level, and still others a bit below normal maturity. Berry size varied widely within bunches something not unusual to this region but not to the extent observed this year. It seems likely that the extremely cool season, followed by very high heat at its end, accounts for this. While it is too soon to evaluate the 1980 Zinfandel, after primary fermentation wines showed intense color and a good. fruity nose with ample alcohol. The Sutter Home Zinfandel, for example, already is richer than ususal with a deep, tannic structure and a very high level of fruit.

LIVERMORE VALLEY

Conditions in this region appear to have produced one of the finest vintages in recent memory, though the effect of the cool weather will result in a severe drop in quantity, as much as 35% to 50% below normal. Cabernet Sauvignon and Muscats showed the highest degree of loss. However the prolonged growing season produced very small and concentrated berries resulting in a high skin to juice ratio which should create rich and long lived wines.

As elsewhere in the North Coast, acid levels in all varietals were some of the highest recorded. Another problem affecting quantity was a large number of berries in each cluster that did not "size up", yet contained seeds and therefore were not what are called "shot berries". While volume was more than disappointing, quality seems assured.

MONTEREY COUNTY

Some unusual anomalies existed in this region, which has the longest growing season of any California wine area. They began with "set", the transformation of the grape flower to a berry. Normally, as the flower begins to bloom, a tiny cap which protects it pops off to expose the pistil and stamens where pollination occurs. This year many of these caps did not eject from the flower, resulting in a large number of unpollinated "shot berries" and therefore a short crop. In many cases a grape cluster produced about 10 correct berries and 100 incorrect or shot berries ranging in size from BB's to small peas. Since most grapes in this region are mechanically harvested, there was considerable concern if the small berries would be heavy enough to pick by mechanical means and of course it was impossible to estimate tonnage. In the end most of these seedless grapes were picked and in fact of high sweetness and flavor, which came as a surprise. Winemakers presently are looking on this situation as a plus for quality, though only time will tell.

Quantity was 40-50% below normal overall, with short crops in Johannisberg Riesling, Pinot Blanc and particularly Gewurztraminer which was off by at least 70-80%. Many vineyards produced less than one ton to the acre as opposed to a normal 4½ tons, and uneven ripening was also a problem. As elsewhere, cool weather was the demon but its effects were quite variable. For example, on the west side of the Salinas Valley set was fairly good in Johannisberg Riesling and could be of the finest quality yet, while on the east side set was so bad that quantity was negligible, almost too low for evaluation. However, normally a very thin crop allows grapes to mature a bit faster, and this might have saved the day for what little crop was harvested in some varietals and locations.

Yet another anomaly was an almost total absence of Botrytis cinera infection, an unusual occurance for this region, especially in Johannisberg Riesling. Hot, rather than cool weather in September was the reason. Contrary to popular belief, cool, damp summer weather does not promote this beneficial mold; those conditions being needed at the time of

grape maturity. As elsewhere, heat just before harvest was unusually high with 100 degree temperatuares being recorded in September which has not happened in recent memory. Summer temperatures were in the low 70's rather than the 85 degree range throughout the growing season.

Chardonnay was light in some areas but most red wine varietals were fairly close to normal in tonnage. All varietals showed good sugar/acid and pH balances. Vintage quality for Monterey County, and in fact for the entire Central Coast region, should be considered average, perhaps similar to 1977, but overall quantity is off by 50%.

CENTRAL VALLEY

In sharp contrast to last year's excellent vintage, the 1980 vintage in this region was only fair to good. The biggest problem was caused by a tremendous amount of mildew. The valley is prone to this even in the best of seasons, and with the cool, dry conditions this year mildew was rampant. Growers sulphured almost continually and still could not combat the mold, which seemed more extensive in some varietals than others.

Grape scarring caused by the mildew then created additional problems as the season progressed; as the berries sized, their skins broke, triggering extensive bunch rot. A rather large percentage of the crop was sold as distilling material due to severe mildew and rot damage, particularly Thompson Seedless. Petite Sirah and Chenin Blanc also had heavy rot problems.

Due to the unusually cool season, (one vintner described it as "resort weather") many white varietals were delayed in maturity. Then, as the grapes hung on the vines, berry size increased tightening the bunches and again triggering rot. Another problem that will affect quality is that many growers panicked as the season wore on and sugars only inched upward. Many vineyards were picked with sugars of only 16° Brix. A considerable amount of Grenache was picked at only 14° Brix. Thus alcohol will have to be added to these wines and they will be extremely thin. A large percentage of Chenin Blanc and French Colombard was harvested at only 17-18° Brix, at least two degrees lower than normal.

Red wine varietals, generally speaking, gained sufficient sugar, but only barely. Sadly, a very substantial amount of red wine varietals were not picked at all because of borderline quality and overproduction. The Central Valley crop this year was up approximately a half million tons, easily 10% over normal, and one of the largest harvests ever, and the brutal truth is that too many of these grapes were red. Some growers managed to sell a good portion of their crop for which contracts had been made, but serious underestimation of crop size early in the season found many growers with far more grapes than contracts called for. Prices offered for some red varietals were so low that growers sold them for distilling material as the only way to recover base costs.

Overall the harvest quality was good. Grapes that were selectively picked will produce very good wines, while those that were picked in bulk will produce only fair to good wines. Wineries who picked white varietals at full maturity should have wines of good flavor with plenty of acid, as acids were exceptionally high in this region with the exception of Thompson Seedless. Red wines seem to have good color and body, particularly in those where the vintner had the patience to wait until maturity.

Since the harvest was well over half completed before any high heat was experienced, very iittle sunburn occurred. Fortunately, winter rains held off until the harvest was completed, thereby preventing what could have been a disaster.

Vintage Wine Merchants WINE EVALUATIONS 1979



SONOMA VALLEY

Generally speaking, white wines from this region are of superb quality, perhaps some of the best yet produced. They are rich and of intense character with excellent fruit. Those late harvest whites not lost to rain also are of very high quality. Chardonnay is outstanding. Red wines generally tend to be big in style, high in alcohol and of deep color. However some varietals, most notably Cabernet, are spotty due to rain damage. Those picked before the rains are great, those picked after are of medium body and lighter color but nevertheless show potential.

NAPA VALLEY

Overall we consider the white wines of 1979 to be among the very best ever produced in this region, particularly Chenin Blanc, Johannisberg Riesling, Sauvignon Blanc and Chardonnay. The latter is "greener" than usual, however, and very likely will require considerable bottle-aging to mellow and achieve full potential in taste and bouquet. There is a wide variety of styles, and many are truly outstanding. Red wines in general are showing somewhat less body than the high alcohol 1978's, are more "round", and in possession of considerable finesse. Cabernet Sauvignon is very good to excellent, depending upon whether grapes were harvested before or after the rains. While most Cabernet is still in barrels, it seems to be developing much better than everyone expected.

MENDOCINO COUNTY

While most red wines are still aging, they appear to be well above average in quality, particularly the Petite Sirahs and Cabernets which are quite big, strong in color and well balanced. Some Zinfandels have now been bottled and are very good with big body and rich flavor, similar to those of 1978. All white wines are of excellent quality, if perhaps a bit short in acid, and Chardonnay seems to be exceptional.

SHENANDOAH VALLEY (AMADOR COUNTY)

Most wines (essentially Zinfandel) from this region are still six months to a year away from bottling and still in wood. They have good color and are close to 14% alcohol. They are very reminiscent of Zinfandels from 1973 and 1975, which is to say good, round, interesting wines that probably will mature early and have a moderately long life.

MONTEREY COUNTY

This region is of course well known for high quality white wines and the 1979 vintage produced many fine examples. Until now, however, red wines have not enjoyed the same reputation. But with the 1979 vintage there is a marked reduction in the "vegetative" flavor of Cabernet Sauvignon, Zinfandel, Pinot Noir and Petite Sirah, the principal red varietals. A major factor seems to be the advancing age of the vines. As they mature, physiological changes occur, just as with humans, and the vine's true personality comes to the forefront.

CENTRAL VALLEY

Many will recall that 1979 was without doubt the finest vintage in at least a decade in this area, with very little mildew and fine ripening weather. Wines from this vintage are now emerging and are of excellent quality. Whites are delicate and fruity, with clean flavor. Reds are full-bodied, very high in color, and of excellent varietal character with fine balances.

SUMMARY

To give a graphic representation of just how late the vintage was this year, as of September 1st the total crush statewide was only 213,000 tons, as opposed to 516,000 tons at the same time last year. Total tonnage probably will set a new record of about 2.7 million tons in spite of shortfalls in some areas as noted.

Without question the most startling aspect of the 1980 vintage was its abrupt transition from estimates of "spectacularly great", and as one UC Davis professor called it, "The best year of the last twenty", to a vintage of generally average quality. We would have liked to concur with those early estimates, but the facts at the end of the vintage simply do not bear out a vintage of extraordinary quality. At this time we believe the vintage to be "very good", and as the wines develop over the next two months perhaps that evaluation could be raised to "excellent". Certainly there will be an "unusual number of great wines produced. But just as certainly there will be a large number of very ordinary wines. We feel the majority will fall in the "average" quality range for California, which as wine enthusiasts around the world have discovered, is very fine indeed.

Permission is granted to reprint this Report in whole or part provided proper credit is given to Vintage Wine Merchants of San Francisco.

VINTAGE WINE MERCHANTS 1814 DIVISADERO ST. SAN FRANCISCO, CALIFORNIA

ERHEBET 16

ACTIVE FERMENT IN THE SHENANDOAH VALLEY

Thomas R. Hill

Like the entire wine industry, Amador County's Shenandoah Valley has been the scene of dramatic changes in the last few years.

For many years, the Valley was the sleepy domain of diversified agriculture, with the growing of Zinfandel and Mission grapes for home winemakers merely a marginally profitable sideline for these farmers. D'Agostini Winery, producing simple generic wines, was the only existing winery.

The establishment of Monteviña in 1973 by Cary Gott marked the first new post-Prohibition winery.

Although specializing in Zinfandel and Cabernet, Gott also produces, perhaps, California's finest Barbera and carbonic maceration wine. His Sauvignon Blanc was the first premium Amador white wine.

He has experimented with Merlot and Chardonnay, with disappointing results. His now-discontinued Nebbiolo is the only California bottling of that varietal. A block of Mission vines are used to produce a spicy Mission del Sol dessert wine. A few Primitivo and Brunello vines complete his vineyard.

Veterinarian Eugene Story also opened his winery in 1973, making well-priced Zinfandel from an old vineyard under the Cosumnes River label, now labeled Story Vineyards.

Lee Sobon established the Shenandoah Vineyards in 1977, producing Cabernet and Zinfandel from Deaver vineyard grapes. He has planted Cabernet and Sauvignon Blanc.

His primary wines are El Dorado County Chenin Blanc, Zinfandel from Eschen's Fiddletown vineyard and Dal Porto's 85 year old vineyard, and Cabernet from the Baldinelli vineyard.

Sobon recognized the potential of the Shenandoah Valley for producing premium dessert wines. A Zinfandel Port won a gold medal in last year's Amador County Fair. A Black Muscat from Eschen grapes is probably California's best example of that varietal. A Mission del Sol passito wine and Mission Cream Sherry are made from Eschen and Dal Porto grapes, along with tiny amounts of Angelica.

Founded in 1979, the Baldinelli Shenandoah Valley Vineyards produces white and red Zinfandel and Cabernet, all from their own grapes. A 7 1/2 acre planting of Sauvignon Blanc will soon be bearing, with plans to add a few acres of Semillon.

Also a highly innovative winemaker, Ed Baldinelli feels that Amador makes perhaps too intense a wine. He plans to try toning down the Amador intensity in his Cabernet by blending in small amounts of Sauvignon Blanc, a technique often employed in Italy and the Rhone.

Scott Harvey helped launch Santino Wines with two White Zins in 1979, from purchased grapes.

Zinfandel from D'Agostini and Cowan Family Farm has produced an '80 Early Release Zin, made partly by carbonic maceration. More conventional Amador Zin is made from D'Agostini and Eschen grapes. Cabernet from El Dorado County grapes complete the line.

Relying on his experience in Germany, Harvey has released an '80 White Zin (9% alcohol, 5% sugar; .95 acid) from the Valley's Clock Springs Vineyard that one writer described as being the first California wine with the steely quality of a Mosel.

A third 1979 winery is Beau Val, managed by Nan and Bob Francis. They specialize in white and red Zinfandel from purchased Shenandoah Valley grapes, until their vineyards of Sauvignon Blanc, Zinfandel, and . Barbera are bearing.

· · ·

Kenworthy Vineyards will release their first wine this summer, a 14.9% alcohol Zinfandel '79 from the Potter-Cowan vineyard.

Owner John Kenworthy plans to specialize in Zinfandel, Cabernet, and Chardonnay from Sierra foothill vineyards. He does not like the traditional high-alcohol Amador Zin and seeks more a claret style in his red wines.

Ben Zeitman's Amador Foothill Winery has three different 1980 Zins from the Potter-Cowan, Eschen, and the 115 year old John Downing vineyard. An El Dorado Chenin Blanc and a white Zin were released in May.

He has eight acres planted to Sauvignon Blanc and Cabernet, with an additional planting of Chenin Blanc, Barbera, and Semillon planned.

Zeitman is interested in capturing the Amador fruit in his wines without the high alcohols. All three of his Zins are less than 14% alcohol.

Karly Wines crushed last Fall Zinfandel from the Valley's Upton vineyard, and Chardonnay and Sauvignon Blanc from coastal vineyards. Owner "Buck" Cobb has planted Sauvignon Blanc and Zinfandel on his property in the northwest part of the Valley.

675 words

"WINE GRAPES IN AMADOR COUNTY"

Ъy

Robert E. Plaister County Director and Farm Advisor

an sille dille ann dian

June 1967

THE HISTORY OF GRAPE GROWING IN AMADOR COUNTY -

Almost as soon as the miners came to the Sierra. Foothills in Amador County, grape growing became a way The economics of grape growing had several of life. In spite of this, violent fluctuations over the years. the industry has persisted and today is one of the most profitable crops that can be grown between the one thousand and the two thousand foot elevation. One of the earliest recorded statements on grape growing is mentioned in Sargeant's History of Amador County: "The Davis Ranch in Shenandoah Valley was settled upon in '59 He has made a specialty of pears, by John J. Davis. grapes, almonds and apricots." This ranch still has a beautiful vineyard on it and many of the original vines are still producing. By 1860 there were nearly 300,000 grape vines (500 acres) in Amador County. This is nearly equal to the current acreage of grapes.

In 1860 Woolsey and Palmer planted a large vineyard at Lancha Plana. This was later dug up when a depression hit the wine business.

In 1863 James Laughton quit the mining business and bought a farm on which he planted a fine vineyard. During 1861 to 1864 a severe depression hit the wine industry. Attempts to market the wine in the east resulted in a loss so that many persons were induced to car up their vineyards and give up the business. At this time there were vineyards along the Mokulmne River around Jackson, Ione, and the Jackson-Ione Valleys as well as higher up along the head waters of these creeks.

In the 1880's a group of Frenchmen notably Douet, Madam Pantaloons, and Xavier Benoist planted vineyards above the Vela Ranch east and south of Jackson, in what is now the Clinton Area. Along about this time Anthony Caminetti first engaged in grape growing at what was called French Gardens.

In 1881 J. D. Mason in his history of Amador County mentions choice grapes being grown in the Shenandoah Valley. He mentioned the Ball Ranch as being planted to grapes. Mason describes the Uhlinger Ranch (D'Agostini Winery) as having perhaps twenty thousand vines of different varieties flourishing finely. "The wine is said to be of fine quality."

"In the Drytown area wine of a fine quality is manufactured in considerable quantities, the capacity of the soil for grapes being unsurpassed."

In the description of the grape growing areas, Mason indicated that grapes are in perfection at Jackson, grapes in Volcano owing to the situation of the town and basin are liable to frost, and that grape growing at Pine Grove required sheltered situations but produced good grapes. Dentzler's flume house at 2980 feet grew grapes which were uncertain and lacked sugar.

On July 25, 1889 the U. S. Agricultural Experiment Station situated on the Creek Road opposite the Molfino Ranch east of Jackson was turned over to the Board of Regents of the University of California for experiments in agriculture, horticulture and viticulture. At a dinner on the important day honoring Professor W. E. Hilgard, wines were served at dinner including claret, riesling, and angelica. This station is no longer owned by the University; however, some of the trees and vines are still in existence and are occasionally used to collect virus free stock for University experiments.

In a newspaper article in 1889, the adaptability of this section to the production of the best quality of grapes is described. "Wine of body and bouquet and a

fine quality and flavor of brandy were indicated to have been universally commended."

Grapes were grown at the Preston School of Industry near lone in the 1890's. These were replanted in the 1920's.

In the late 1890's many Frenchmen became discouraged with mining and planted vineyards in the Middle Bar area along the Mokelumne River. These vineyards were planted from cuttings brought from France.

In Sargeant's History of Amador County it is mentioned that Olita's (Fiddletown) future was never so bright, thousands of vines and trees having been planted the last six years. I. P. Ostrom has one of the largest vineyards. Louis Smith and Sons a vineyard, Dennis Toomey a vineyard, and also W. D. Clark and Son. During the 1920's B. L. Jones, El Dorado County Farm Advisor for the University of California, conducted demonstrations in pruning in a Shenandoah-Fiddletown area.

Although the industry has had many violent ups and downs, in the past hundred years, it has persisted in the Shenandoah-Fiddletown-Ridge Road areas. The county at one time boasted many small wineries. All of these have gone out of existence except the D'Agostini Winery in the upper Shenandoah Valley which is discussed in another section.

In 1955 the Agricultural Extension Service's office was opened in Amador County. Since that time a continuing program of research and investigation has continued in the vineyard areas. Systematic studies and the close cooperation of the growers has resulted in the determination of proper nitrogen levels, fertilization, the discovery of boron deficiency, the identification and control of the spider mite, and the establishment of a varietal test plot.

THE NEW AMERICAN WINES

Intense Zinfandels Of the Sierra Nevada

ByTERRY ROBARDS

HE rugged foothills of the with a fierce devotion to these withes Sierra Nevada mountains are that are demonstrating just how good Rush of 1849, but now a newkind of legend is taking shape here. It is a legend involving some of the most ex-" traordinary table wines made in the United States, wines whose fame is . suddenly spreading across the country as more and more consumers experience them.

They are the zinfandels of Amador County, the biggest, richest, spiciest, most intensely flavored red wines produced anywhere in the nation," mouth-filling wines with a texture soluscious that it can almost be chewed. They sometimes convey a hint of raspberries, at other times chocolate or , mint, combined with the generous fruit of the zinfandel grape.

Californians have been enjoying them for years, for home wine-makers in the area around Sacramento 35 miles west of here have been vinifying Amador grapes since Repeal. But not until the wine boom of the 1970's did the reputation of these unusual zinfandels begin reaching other parts of the coun-

Connoisseurs familiar with them salivate at the thought of tasting them anew, and Amador cults are cropping

PLYMOUTH, CALLE, 11, up across the land. They involve people steeped in the lore of the Gold . the zinfandel can be when cultivated under the conditions peculiar to Amador County and parts of the neighboring El Dorado County, the region that bustled with gold-mining activity more than a century ago.

"It's dry farming," says Cary Gott, the wine-maker at Monteviña Wines here in Plymouth, explaining part of the reason for the local zinfandel's success. Water is a precious commodity in this part of California, so the vineyards have never been irrigated. As a result the grapes are stressed, yielding much smaller quantities of deeply colored, more concentrated juice than elsewhere in the Golden State.

"Up here, they didn't have the water anyway, so they couldn't irrigate," Mr. Gott explains. "So the dry farming grew up, and these were the grapes the home wine-makers wanted, the enes that made big, full-bodied wines high in alcohol." Monteviña was begun only seven years ago, but the same dry farming is practiced here.

The intense heat of the Amador Continued on Page C16

ά

2

THE NEW YORK TIMES, WEDNESDAY, JUNE 11, 1980

Continued From Page CL

THE REPORT OF THE PARTY OF THE

ine La

growing season causes natural sugar levels in the ripening grapes to rise much higher than normal, resulting in whose that commonly run 14 percent alcohol or mero, compared to the 12 percent considered normal for table wines produced in most other parts of the country. The Montevina 1977 Special Selection was 16 percent, and the Sutter Home Anniversary Selection 1974 was 15.5 percent.

The Shenandosh Vailey, which runs through the region and produces most of the best grapes, is old-fashloned farm country that did not even have. full electrical service until after World War II. (Local residents still boast that) there is not one stoplight in the country.) With the gold mines long since closed, prosperity was only a memory in the 1950's and 60's, and some of the farmers shot deer for meat until scarcely a decade ago.

Grapes have been produced here for more than a century, but until recently they were sold mainly to the home wine-makers or to big bottlers such as Ernest and Julio Gallo. The prices that Amador farmers received were low because everyone knew that the best grapes came from Napa and Sonoma, or so they thought.

1

Charles Myers, a Sacramento City College Instructor who made his own whose from Amador grapes as early as 1954, is credited with playing an imporfant role in calling attention to the

5 MILLES CALIFORNIA ĥ 'e, SONOM Sacramento NAPA Santa Roant Hag HADOR COUNTY Oakland . San Jose Annierev The New York Times / June 11, 1980 Intense zinfandels

of the Sierra Nevada.

area. Ills zinfandels made from grapes grown on the Deaver Ranch near here came to the attention of Darrel Corti, a Sacramento wine dealer, who suggested that Bob Trinchero of the Sutter Home Wherry consider an Amador bottling.

Mr. Trinchero, who played stickball on the West Side of Manhattan before moving with his family to California in 1948, visited Amador and liked what be tasted. He met Ken Deaver of the Deaver Ranch and, like Mr. Myers, began buying Deaver grapes, the first purchases that Sutter Home ever made outside the Napa Valley.

"In 1968 the Deavers were hoping for \$63 a ton for their grapes," Mr. Trinchero recalls. "I offered them \$115, delivered in Napa, and they were in business. Now they get \$400 to \$500 a ton." Amador tinfandel grapes are now among the most expensive zinfandels, reflecting demand from a growing number of wineries.

Today Sutter Home buys almost the entire, Deaver production, and the Deavor name appears on its label. The JO68 Sutter Home made from Amador grapes is still considered a classic, and the demand for any vintage has become so great that Mr. Trinchero has inaugurated a second bottling made from grapes harvested in El Dorado County, a few miles north across the county line from the Deaver vineyards. Only a handful of Amador zinfandels are available nationally, and they are

still not nearly as well known as the zinfandels and cabernet sauvignons of the



The producers with national distribution include Carneros Creek, Concannic (with only a rose so far), Gemello, Monteviña, Mount Veeder, San Martin, Sutter Home and Ridge, Of these, only Monteviña is actually vinifying in Amador, although, there are several other good local wineries that primarily serve the California market.

STATES AND A

Most of the producers have contracts with Amador growers who send them grapes by truck, and the distance does. not seem to affect the quality. Sutter Home's winery, for example, stands in St. Helena in the heart of the Napa Valley, but its entire production of red whes now comes from zinfandel grapes grown in Amador and El Dorada.

The style of wine warles according to the producer. The biggest, most intense wines' corne, from Monteviña, Mount Veeder, Ridge and Sutter Home. More el gant wines come from Carneros Creck and San Martin. But all share the spicey flavor intensity that is an Amador trademark. They are best not connumed until at least six years old.

Reflecting their lack of notoriety, most of the Amador zinfandels are not very expensive. The Sutter Home 1876, from a drought year that produced especially intense wines, sells for \$5.99 in New York, the San Martin 1976 is \$4.93 and the Monteviña 1977 is \$5.99. Some stores with older inventories acquired at lower cost display Amador wines at even lower prices.

In response to the thirst for white wines in this country, several wineries including Monteviña and Sutter



of the Sutter Home Whery. Home — are now producing excelle white zinfandels. The red grapes a harvested earlier in the autumn before they become for inc. The skins, while

they become too ripe. The skins, whicontain the rod pigment, are hardthen, and it is easy to make white win by removing the skins before the pment works its way into the fermentujuice.

"I can't make enough of the white says Mr. Trinchero. But he also cau make enough of his Amador red eithso the Sutter Home white xinfands are now made from grapes harvestelsewhere in California.

GIVE SUMMER TO A CH.



HARBOR WINER

1973 Shenandoah Valley ZINFANDEL

Produced and bottled by Harbor Winery West Sacramento, California Alcohol 13.5% by Volume

utter \sim 1973 \sim ZINFANDEL Produced and Bolled By Sutter Home Winery, St. Helena, California Alcohol 13% By Yolume

FXHIBET 19

This Zinfandel was produced from grapes grown on the K. Deaver and J. Ferrero ranches in the Shenan-doah Valley of Amador County. Located in the foothills of the Sierra Nevada, the climate and temperature of this area make it perfect for growing Zinfandel. Here these grapes produce a superior wine with great depth and fullness and more spicyness and richness than anywhere in California.

EXHEBET 20





SHENANDOAH VALLEY ZINFANDEL Amador County ALCOHOL 13% BY VOLUME PRODUCED AND BOTTLED BY GEMIELLO WINEES

MOUNTAIN VIEW, CALIFORNIA

CORTI BROTHERS

ZINFANDEL

SHENANDOAH VALLEY VINTAGE 1973

This Zinfandel was produced from grapes grown on the K. DEAVER Ranch and the J. FERRERO Ranch in the Shenandoah Valley just north of Plymouth, Amador County. These family properties are situated on sloping, east-west exposures and are two of the oldest vineyards in Shenandoah Valley,

Climate and temperature make Amador County perfect for growing Zinfandel. Here these grapes produce a superior wine with great depth and fullness and more spicyness and richness than anywhere in California.

1973 could be considered a lightish year. A perfect spring made for good fruit set and a large crop. Normal harvest temperatures caused little raisining. The blend of two vineyards has enhanced the elegance and complexity of the wine. The 1973 RESERVE SELECTION was bottled in June of 1975.

This wine has been bottled with as little cellar treatment as possible. It will throw a deposit with time and should be decanted.

PRODUCED AND BOTTLED BY SUTTER HOME WINERY ST. HELENA, CALIFORNIA ALCOHOL 13.5% BY VOLUME

EXHEBET 22

EXHEBET 21

EXHERE 23



Shenandoah Valley Zinfandel

Grown, Produced & Bottled by Monteviña Wines Plymouth, Amador County, California

ALCOHOL 121/2 % BY VOLUME

· · · · · · ·

FACT SHEET

CALIFORNIA'S SHENANDOAH VALLEY

1.	Located 40 miles East of Sacramento
2.	Settled and named in early 1850s
3.	Agricultural community, family farms
4.	Proposed viticultural area about 10,000 acres
5.	Continuous wine grape production since 1853
6.	Current vinifera wine grape acreage about 1,200
7.	Grape cash crop in excess of \$1.9 million per year
8.	Wholesale value of wine about \$13 million
9.	Retail value of wine in excess of \$19 million
10	Annual viticultural payroll \$0.5 million
11.	Amador County Wine Grape Growers membership of 50
12.	Wineries in proposed viticultural area: 10 (Family owned)
13.	Over 50 California wineries have used this area's grapes
14.	Recognized nationally for its wines since the early 1970s

WINERIES THAT HAVE USED OR ARE USING SHENANDOAH VALLEY GRAPES

NAPA COUNTY:

BURGESS CELLARS CAYMUS VINEYARDS CARNEROS CREEK WINERY CHRISTIAN BROTHERS WINERY INGLENOOK VINEYARDS MAYACAMAS VINEYARDS ROBERT MONDAVI WINERY MT. VEEDER WINERY MT. VEEDER WINERY NAPA WINE CELLARS SATTUI WINERY SUTTER HOME WINERY TULOCAY WINERY Z-D WINES

OTHER CALIFORNIA WINERIES:

AHERN WINERY BOEGER WINERY EASTSIDE WINERY GEYSER PEAK WINERY LEEWARD WINERY OAK VALLEY WINERY QUADY WINERY SEQUOIA CELLARS STEVENOT WINERY ZACA MESA WINERY

AMADOR COUNTY WINERIES:

AMADOR CITY WINERY ARGONAUT WINERY BEAU VAL KARLY WINES MONTEVINA SHENANDOAH VINEYARDS STORY VINEYARDS

SANTA CLARA COUNTY:

GEMELLO WINERY RICHARD LAMB RIDGE VINEYARDS SAN MARTIN WINERY

ALAMEDA COUNTY:

RICHARD CAREY WINERY CONCANNON VINEYARDS J. W. MORRIS PORT WORKS VEEDERCREST WINE AND THE PEOPLE

BARGETTO WINERY CHISPA CELLARS GALLO WINERY HARBOR WINERY MONTEREY PENNINSULA WINERY ORLEANS HILLS VINEYARDS RANCHITA OAKS WINERY SOMERSET VINEYARDS UNITED VINTNERS

AMADOR FOOTHILL WINERY BALDINELLI SHENANDOAH VALLEY D'AGOSTINI WINERY KENWORTHY VINEYARDS SANTINO WINES STONERIDGE

Sherendoah Vingarda Trig-Sugartan The Weniery Correction 14